



TRANSONYX

NOWHERE LIKE HORME







ILLUMINATING IDEAS

- ARTWORK
- PARTITIONS/ PRIVACY PANELS
- BACK-LIT BAR TOPS
- WALL CLADDING









ILLUMINATING IDEAS

- FURNITURE
- RECEPTION DESKS

- LIGHTING FIXTURES
- SIGNAGE





TRANSONYX SPECIFICATIONS

STANDARD SIZES 48" x 96"

THICKNESSES 15/64" (6mm); 5/16" (8mm); 15/32" (12mm)

SURFACE FINISH Matt or Gloss

FABRICATION Standard wood-working tools

INSTALLATION An expansion gap of 1/16" per 36 inches of product

should be allowed for when setting out your sheets.

Most glass fittings can be used.

INDOOR/OUTDOOR Indoor use only

CARE INSTRUCTION Easy maintenance. Using warm water, mild detergent,

and a soft sponge, cloth or chamois will be enough to


clean TransOnyx

ADDITIONAL Being handmade, slight imperfections in TransOnyx are

deemed acceptable. These slight imperfections may include small bubbles in the interlayer or slight surface texture imperfections. Any imperfection that is not

visible 36 inches away from the panel is deemed within commercial tolerance TransOnyx can be used as a

backflash but NOT behind a stove or cooktop.




TRANSONYX COLLECTION ALABASTER SERIES



TRANSONYX COLLECTION ALABASTER SERIES



TRANSONYX COLLECTION BELLISSI SERIES



TRANSONYX COLLECTION BELLISSI SERIES



HO-Z052 | GOLDEN GALAXY




HO-Z057 | SAHARA SUNSET



HO-Z074 | GREEN JASPER



HO-Z051 | TEAK WOOD



HO-Z081 | PERIDOT




HO-Z0818 | CHALCANTHITE



HO-Z0819 | IDOCRASE

TRANSONYX COLLECTION PERLA SERIES



PROJECT - VENUS NAIL SPA







PROJECT - VENUS NAIL SPA









9245 LAGUNA SPRINGS DR, STE 200 ELK GROVE. CA 95758

T. (916) 806-0215 E. INFO@HORMETRADING.COM

WWW.HORMETRADING.COM