





Scan QR Code to Download Catalogue





BENDS EFFORTLESSLY UP TO 135°



GLOSSYTO ULTRA-MATTE, MIRROR & MORE









Purbanchal Composite Panel (India) Pvt. Ltd.

CORPORATE OFFICE

Goyal Avenue, Office No. 101 & 102, 1st Floor, Plot No. 318, Ward 12-B, Opp. Old LIC Block, Gandhidham - Kutch, Gujarat - 370201 CRM No.: +91 2836 231468 Email: crm@amulyamica.com

TOLL FREE NUMBER: 1800-233-1468











in











1 BRAND NUMEROUS SOLUTIONS



Imagine walking into a space that welcomes you to spatial environs. At Amulya Mica, we started our journey by manufacturing door frames, to give a personalized touch to our consumer's home entrance!



DOORS

Door is ingress to your beautiful haven, why not make it look sturdy and elegant. With Amulya Mica's elegant Door range, you can now elevate your entrance like never before!



EXTERIOR CLADDING

Paying attention to your exteriors is equally important to shield them from potential hazards. Amulya Mica, with its resilient exterior cladding panels guard your exteriors and make them look study yet mesmerizing.



PVC/WPC BOARDS

Basking your surroundings in the blanket of elegance is the first thing you do while building your dream space. Keeping in sync with the dynamic market trends, Amulya Mica offers PVC & WPC panel boards in multiple colours and sizes to suit the requirements of both commercial and personal spaces!



PLYWOOD


Offering a plethora of mesmeric designs and rustic textures, Amulya Mica flaunts a radiant Laminate range from 0.7mm to 6mm, that flaunts elegance in every nuance, and is made using avant-grade raw materials. Keeping in mind the surface requirements of our consumers, we design nothing short of perfection!



LAMINATES

Our furniture defines our taste and lifestyle and hence it's

Il important to protect it with a layer of sophistication and resilience at all times. Engineering quality since ages, Amulya Mica has got it covered for you, with its extensive Plywood Collection that curates breathtaking vitas!





PVC LAMINATES

Serving as an impeccable alternate to the decorative laminates, the PVC laminates possess several features like being fire and water resistant which make your space more safe to revel! With Amulya Mica's varied range of PVC laminates, you can choose ease for yourself!




















INTRODUCING INDIA'S FIRST



0 —

Scan this QR code featuring multiple chic designs, and get ready to be blown away by a stunning visualization of your chosen laminate design on your desirable application area, in just one click!





USER GUIDE

Step 01

Scan QR and Download ACL app

Simply focus your camera on any laminate from the catalog while using the app and see it come alive on the chosen application.

Scan QR code to download the application.



Step 02

Select application as per your desire


Capture your desired application area in just one click.



Step 03

Scan laminate from catalog

Return to the catalog and scan the laminate of your choice to preview its appearance on your desired application surface!



Step 04

Apply on furniture

Once you've selected your desired laminate, apply it to your preferred surface and bring your vision of a dream home to life!



REASONS TO CHOOSE AMULYA MICA



100% Lead Free Sheet



Non toxic sheet



Zero Maintenance



Upto 135° degree Bendable, No Need of Edge Band



100% Waterproof for Lifetime



100% Bacteria & Fungus Resistant



100% Formaldehyde Emission Free



100% Termite and Borer Proof



No shrinkage and swelling



Fire Retardant



Dear Customer,

As you reach the end of this catalogue, our journey of enhancing your spaces with Amulya Mica's versatile laminates continues.

Your unwavering trust and support are the bedrock of our innovation and progress. We are deeply grateful for it and are inspired by your vision for creating beautiful, comfortable, and safe environments.

In this spirit, our pledge to you remains steadfast: to persist in our quest to not just meet, but surpass your expectations. We are more than a business; we are your partner in turning dream spaces into reality.

From all of us at Amulya Mica, thank you for your continued trust and loyalty. We eagerly anticipate our continued collaboration as we design a future full of enduring beauty.

Warm Regards,

R. 40211.

Rakesh Agarwal (Managing Director)

Upto 135° Bending Process In PVC Laminate





Amulya PVC Sheet shall be cut out according to your requirements.

Use the V-Groove Cutter to cut and make a groove accordingly.










Use a scissor and cut out all 4 corners of laminte sheet.

Bend the PVC Laminate upto 135° level according to V-Groove markings, carefully.









Introducing Amulya Mica PVC LAMINATE New Collection






Scan QR Code for Video





















EXTRA TO EARNINGS SCHEME



Introducing Our Latest "Extra To Earnings" Scheme, Speci-cally Curated For Our Esteemed Architects And Interior Designers. If You Ever Find Yourself With Surplus Pvc Laminates After Your Project Is Complete, Worry Not! We're More Than Happy To Buy It Back From You At An Enticing Price Of Rs25/kg. Not Only Does This Ensure Zero Wastage But It Also Brings You Additional Earnings. So, Let Your Creativity Flow Without Fretting About The Surplus. We've Got You Covered!





WHYSGR!TGH EXP

SCRATCH EX SEAMLESSLY CATERS TO THREE MAJOR MARKET DEMANDS:

SCRATCH EX SEAMLESSLY CATERS TO THREE MAJOR MARKET DEMANDS:

- 1.) Exceptional abrasion and scratch resistance (4N), outshining our decorative competitors.
- 2.) A superior gloss level (102 when viewed from a 90-degree angle), a feature that competitors can't match.
- 3.) A vast colour palette, empowering users with endless design possibilities.

Not just limited to this, Scratch Ex can also be availed in a variety of designs, including solid, marble, and wood, thus providing a holistic solution for all your aesthetic needs.






Worried about scratches on laminates?

Amulya Scratch - EX range of Super Gloss and Ultra Matt Laminates offers high level of resistance to scuff, MAR and abrasions while maintaining 4 times longer shine and smoothness then any other usual laminate. There is a range of attractive colours to choose from.

"Just use it and be free from worries!"



SALIENT FEATURES: -





Resistant

Range



Exceptional MAR Resistance



Bacterial

High Abrasion Resistance



Super Smooth Matt



Superior Gloss

Level

Luxurious




ULTRA MATT HIGH RESISTANCE



your spaces with our elaborate and magnificent laminates

Enrich every room and corner of

210810 ASUM | White Lily




210910 ASUM | Frosty White

213210 ASUM | Pumic Grey 220790 ASUM | Dove Grey


103400 ASUM | Brew









210810 AS | White Lily



210910 AS | Frosty White




210890 AS | Ash Grey




210270 AS | Irish Cream



115000 AS | Almond Ivory



101900 AS | Gothic Grey



132700 AS | Beige





213210 AS | Pumic Grey



221070 AS | British Buff




103600 AS | Tan









103400 AS | Brew




103300 AS | Sky Blue




221120 AS | Adriatic Blue




211720 AS | Black Current




211430 AS | Parrot Green




221190 AS | Autumn Leaf




103500 AS | Oriental Blue



210220 AS | Mid Night Blue



210660 AS | Black




211140 AS | Bubblegum




220990 AS | Slate




220620 AS | Tropical Blue



210550 AS | Shangrila



210570 AS | Marigold



210650 AS | Cardinal

_____ 03



9000 Series

MIRROR LAMINATES





9003

MIRROR

9001 NEW

9002 NEW




Mirror of Magnificence 9002


Luxury in Reflection 9001




HIGH GLOSS

















LX-8008 / (Non-Bendable)







7000 Series





TEXTURE LAMINATES


SPARKLE TEXTURE MARBLE











LX-7022



LX-7023







LX-7028 NEW

SPARKLE TEXTURE WOOD















LX-7031 NEW



LX-7021




ANTI - SCRATCH TEXTURE
















LX-7039 NEW


LX-7020

ANTI - SCRATCH TEXTURE






23



METALLIC GLOSSY





ILLUSION GLOSSY

METALLIC MATTE
















LX-4028


















LX-4024 NEW

3000 Series



MATTE SOLID





MATTE MARBLE



LX-3050 NEW










MATTE WOODEN













LX-3024 NEW



LX-3025 NEW



- 37

MATTE WOODEN


MATTE PATTERN




















LX-3046



LX-3049

MATTE PATTERN



















LX-3042

LX-3039





2000 Series

GLOSSY LAMINATES

















LX-2097 NEW


架

45













LX-2088 NEW




LX-2089 NEW




47















LX-2100 NEW



LX-2094 NEW














LX-2055




LX-2062
















LX-2032

LX-2050

LX-2054

LX-2039

GLOSSY PATTERN





LX-2038










LX-2096 NEW

GLOSSY MARBLE













GLOSSY MARBLE











LX-2053



GLOSSY MARBLE












LX-2023


LX-2051

LX-2052












LX-2002






LX-2007


LX-2006











LX-2004



LX-2005

















LX-2011




LX-2010



LX-2014












LX-2045














LX-2059




















LX-2020

LX-2034

LX-2040

LX-2017
















LX-2018

LX-2019







SOLID GLOSSY

SOLID GLOSSY








SOLID GLOSSY


SOLID SPARKLE





LX-1032







LX-1911


LX-1912












SOLID SPARKLE






81

LX-1020

LX-1043 NEW

SOLID SPARKLE







PROFESSIONAL SERIES **MATTE WOODEN**










LX-3068 NEW



















PROFESSIONAL SERIES MATTE WOODEN



LX-3063










PROFESSIONAL SERIES LEATHER
















PROFESSIONAL SERIES



























LX-7041

- 80

PVC LINER

-White

- Long-lasting Compared to other types of laminate sheets, Amulya Mica PVC Laminates stand the test of time due to their superior durability.
- Resistant to Cracking Unlike HPL sheets, our laminates don't crack easily once applied, ensuring longevity and aesthetics.
- Uniform Edges Our PVC Inner sheet offers a consistent colour across the sheet. This uniformity isn't seen in HPL sheets, making our product's edges less noticeable.
- Waterproof With our laminates, you don't have to worry about water or moisture damage. They are designed to be water-resistant, offering you peace of mind.
- Highly Bendable Our PVC laminates are both strong and flexible. They can be bent at a right angle without any issue, and are easy to transport as they won't break or crack.
- Uses Less Adhesive When sticking PVC Laminate, you use 25M less fevicol than you would with an HPL sheet, making it a more efficient option.



3MM PVC LAMINATE




APPLICATION







3mm Compact PVC Laminates use durable and selfsustainable high pressure laminate boards which come in a thickness ranging from 1.25 mm to 3 mm with a Dimensions of - 4' x 8' Engineered with indigenous technology, our compact laminate solution comes with Anti-bacterial properties, abrasion, water and fire resistance. Compact laminate are used for Interior applications, ideal for Restroom Cubicles, Lockers, Furniture, Panels, Work tops, Lab furniture, Facades etc.

HOW TO USE?













ACTUAL SAMPLE

PROD	DUCT : PVC LAMINATE 1.25MM [8	3' X 4']		DATE: 22/06/2023		
		1				
SR. NO.	TEST	UNIT	TEST METHOD	RESULTS		
1	Appearance		IS : 6307 - 1995	Free from detrimenta visual defects		
2	Density	gm/cc	IS: 2380 [P-III]	1.67		
3	Thickness	mm	IS: 6307 - 1995	1.24		
4	Size	mm	IS: 6307 - 1995	2442x1222		
5	Diagonal Variation	mm	IS: 6307 - 1995	3mm		
6	Hardness	Shore D	ASTM D 2240	86		
7	Tensile Strength	Kg/cm ²	IS : 6307 - 1995	261.36		
8	Vicat Softening Point	° C	IS: 6307 - 1995	73.4		
9	Steam Test [60 Min]		IS: 2046 - 1995	Streaks, Voids observe		
10	Staining Test			oti cano, voido observi		
10a	Hydrogen Peroxide[10 Min]		IS : 2046 - 1995			
10b	Sodium Hydroxide [10 Min]		IS: 2046 - 1995	*		
10c	Shoe Polish [10 Min]		IS: 2046 - 1995			
10d	Citric Acid [20 Min]		IS: 2046 - 1995	Ni t - i		
10e	Acetone [24Hrs]		IS: 2046 - 1995	No stains observed		
10f	Coffee [24Hrs]		IS: 2046 - 1995			
10g	Ink [24Hrs]		IS: 2046 - 1995	1		
10h	Colgate [24Hrs]		IS: 2046 - 1995			
11	Stability Test [70° C - 24Hrs]	%	IS: 2046 - 1995	< 1		
12	Dimensional Change [120° C - 10 Min]	%	IS : 6307 - 1995	< 5		

USE RECOMMENDATIONS

ADHESIVE

Our PVC laminates are compatible with conventional water and solvent-based adhesives. Avoid heat-activated types.

CUTTING &PROCESSING

Use a diamond cutter blade for cutting and a filer to smoothen the edges. Ensure proper routing and drilling.

LAMINATION

Ensure substrates are high-qualically plywood, clean and free from grease, dust, and other foreign matter. Avoid coatings like melamine, lamination wax, or Plasse on our laminates.

BENDING & FORMING

Our laminates are bendable on all sides at a 90-degree angle. Use a v-groove cutter for bending.

CARE & MAINTENANCE

USE

RECOMMENDATIONS

Clean with mild detergent and soft microfiber cotton cloth. Avoid harsh chemicals and exposure to direct sunlight.





S P E C I F I C A T I O N S

Sr.NO	PERFORMANCE CHARACTERISTIC	REQUIREMENTS* AS PER IS 2044 - 1995	AMULYA MICA VALUES
1	DIMENSIONAL PROPERTIES		
11			
	Length X Widt h [2440 x 1220] mm	+10 , - NR	Contarms
	Thickness Squareness, mm / Mtr	1.0 ± 0.10 1.5 mm, mex	Canforms Conforms
	Straigtness of edges, mm/Mtr	1.5 mm , max	Canfarms
_			20040000
2	RESIST ANCE TO DRY HEAT AT 180 °C	Not worse than Grade 4	Canforms
3	RESIST ANCE TO SURFACE WEAR, REVOLUTIONS	350 [MIN.]	Conforms
4		[a] Mass increase , %	
	RESIST ANCE TO IMMERSION IN BOILING WATER	[b]Thickness Increase, %	
		[c] Appearance	
		10.0 [Max.]	Conforms
5	DIMENSIONAL STABILITY AT DEVIATED TEMPERATURE	11.8 [Max.]	Canforms
100		Not worse than Grade 4	Conforms
	Longitudinal	0.55 % [Max. 1	Conforms
	Transverse	1.05 % [Max.]	Cantarms
			OCCUPATION CO.
6	RESIST ANCE TO IMPACT BY SM ALL DIAMETER BALL, LOAD	20 N I Min I	Conforms
7	DECICT ANCE TO COLOR CHANCE	In Xenon Arc Light	
,	RESIST ANCE TO COLOR CHANGE	in Abnut Arc Light	
8			2000000
×	RESIST ANCE TO CRACKING	Not worse than Grade &	Conforms
		Not worse than Grade 4	Conforms
9	RESIST ANCE TO SCRATCH	2.0	Conforms
10	RESIST ANCE TO STAIN	Not worse than Grade 5	Conforms
6-0-5			
11	RESIST ANCE TO CIGARE TTE BURNS	Not works than Grade 3	Conforms
250			
12	RESIST ANCE TO STEAM	Nat worse than Grade: 4	Cantorms
		Not worse than Grade 4	Conforms
13	DENSITY [Kg / m3]	1246 - 1400	Conforms
.0		1360 - 1400	Containes .

INDEX

Sr No.	Design No.	Pg No.	Sr No.	Design No.	Pg No.	Sr No.	Design No.	Pg No
0	LX-1003 LX-1004	84	89	LX-2054	54 52	177	LX-4018 LX-4019	28 28
2		82	90	LX-2055		178		
3	LX-1005	82	91	LX-2056	60	179	LX-4020	28
4	LX-1006	82	92	LX-2057	70	180	LX-4021	28
5	LX-1007	82	93	LX-2058	70	181	LX-4022	28
6	LX-1008	83	94	LX-2059	70	182	LX-4023	28
7	LX-1009	83	95	LX-2060	63	183	LX-4024	30
8	LX-1010	83	96	LX-2061	70	184	LX-4025	30
9	LX-1012	80	97	LX-2062	52	185	LX-4026	27
10	LX-1013	83	98	LX-2081	89	186	LX-4027	29
11	LX-1014	84	99	LX-2082	89	187	LX-4028	29
12	LX-1015	83	100	LX-2084	90	188	LX-4029	27
13	LX-1017	82	101	LX-2085	90	189	LX-4030	27
14	LX-1018	84	102	LX-2086	47	190	LX-4031	29
15	LX-1019	84	103	LX-2087	47	191	LX-7003	23
16	LX-1020	82	104	LX-2088	48	192	LX-7004	23
17	LX-1023	81	105	LX-2089	48	193	LX-7005	23
18	LX-1024	84	106	LX-2090	49	194	LX-7006	23
19	LX-1025	84	107	LX-2091	59	195	LX-7008	23
20	LX-1026	79	108	LX-2092	59	196	LX-7009	88
21	LX-1027	79	109	LX-2093	49	197	LX-7010	88
22	LX-1028	77	110	LX-2094	50	198	LX-7011	88
23								
	LX-1029	77	111	LX-2096	56	199	LX-7012	88
24	LX-1030	78	112	LX-2097	46	200	LX-7013	88
25	LX-1031	77	113	LX-2098	45	201	LX-7015	88
26	LX-1032	80	114	LX-2099	45	202	LX-7016	24
27	LX-1033	78	115	LX-2100	50	203	LX-7017	24
28	LX-1034	78	116	LX-2101	51	204	LX-7018	24
29	LX-1035	78	117	LX-2102	51	205	LX-7019	21
30	LX-1036	79	118	LX-2103	57	206	LX-7020	21
31	LX-1037	79	119	LX-2104	57	207	LX-7021	20
32	LX-1038	78	120	LX-3022	37	208	LX-7022	18
33	LX-1039	79	121	LX-3023	37	209	LX-7023	18
34	LX-1040	81	122	LX-3024	38	210	LX-7024	24
35	LX-1041	84	123	LX-3025	38	211	LX-7025	24
36	LX-1042	84	124	LX-3026	39	212	LX-7026	17
37	LX-1043	82	125	LX-3039	41	213	LX-7027	17
38	LX-1044	77	126	LX-3040	41	214	LX-7028	18
39	LX-1045	78	127	LX-3041	42	215	LX-7029	19
40	LX-1046	79	128	LX-3042	42	216	LX-7030	19
		77	129				LX-7030	
41	LX-1047			LX-3043	41	217		20
42	LX-1048	81	130	LX-3044	41	218	LX-7036	21
43	LX-1049	84	131	LX-3045	41	219	LX-7037	21
44	LX-1050	82	132	LX-3046	40	220	LX-7038	22
45	LX-1051	82	133	LX-3047	40	221	LX-7039	22
46	LX-1052	77	134	LX-3048	40	222	LX-7040	90
47	LX-1053	77	135	LX-3049	40	223	LX-7041	90
48	LX-1054	89	136	LX-3050	35	224	LX-8002	- 11
49	LX-1055	89	137	LX-3051	35	225	LX-8003	- 11
50	LX-1056	89	138	LX-3052	90	226	LX-8004	12
51	LX-1901	77	139	LX-3063	87	227	LX-8005	14
52	LX-1902	77	140	LX-3064	86	228	LX-8007	13
53	LX-1911	80	141	LX-3065	86	229	LX-8008	12
54	LX-1912	80	142	LX-3066	87	230	LX-9001	8
55	LX-2001	63	143	LX-3067	85	231	LX-9002	8
56	LX-2002	64	144	LX-3068	85	232	LX-9003	7
57	LX-2003	64	145	LX-3069	87	-		7.
58	LX-2003	65	146	LX-3070	86	Sr No.	Design & Finish No.	Pg No
						Section of the Control of the Contro		The state of the s
59	LX-2005	65	147	LX-3071	86		101900 - AS	3
60	LX-2006	64	148	LX-3072	85	2	103300 - AS	4
61	LX-2007	64	149	LX-3073	86	3	103400 - AS	4
62	LX-2008	61	150	LX-3074	39	4	103400 - ASUM	2
63	LX-2010	67	151	LX-3079	86	5	103500 - AS	4
64	LX-2011	67	152	LX-3080	85	6	103600 - AS	3
65	LX-2012	66	153	LX-3083	87	7	115000 - AS	3
66	LX-2014	68	154	LX-3084	34	8	132700 - AS	3
67	LX-2015	68	155	LX-3085	33	9	210220 - AS	4
68	LX-2016	73	156	LX-3086	33	10	210270 - AS	3
69	LX-2017	73	157	LX-3087	33	11	210550 - AS	4
70	LX-2018	74	158	LX-3088	34	12	210570 - AS	4
71	LX-2019	74	159	LX-3089	34	13	210650 - AS	4
72	LX-2020	71	160	LX-3090	33	14	210660 - AS	4
73	LX-2023	61	161	LX-3091	33	15	210810 - AS	3
74	LX-2028	72	162	LX-3092	34	16	210810 - ASUM	2
75	LX-2029	72	163	LX-3093	34	17	210890 - AS	7.
76			164	LX-3094	34			7
	LX-2031	53				18	210910 + AS	3.
77	LX-2032	53	165	LX-3095	33	19	210910 - ASUM	2
78	LX-2034	72	166	LX-3096	90	20	211140 - AS	4
79	LX-2038	55	167	LX-4008	30	21	211430 - AS	4
80	LX-2039	55	168	LX-4009	30	22	211720 - AS	4
81	LX-2040	72	169	LX-4010	30	23	213210 - AS	3
82	LX-2041	72	170	LX-4011	28	24	213210 - ASUM	2
83	LX-2044	69		LX-4012	28		220620 - AS	- 7
470.2			171			25		4
	LX-2045	69	172	LX-4013	27	26	220790 - ASUM	2
84	(1) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	91.7	477	LX-4014	27	27	220990 - AS	Is.
84 85	LX-2050	54	173	EN HOTH		-5	71 (200) (200)	15
84	LX-2050 LX-2051	62	174	LX-4015	27	28	221070 - AS	3
84 85								3



PURBANCHAL LAMINATES PVT. LTD.

Corporate office: 101-102 Goyal Avenue 1st Floor, Plot No.318, Ward 12-B, Opp. Old LIC Block, Gandhidham-Kutch, Gujarat - 370 201 Phone: 02836-231468 Email: crm@amulyamica.com

Survey No. 340, Village: Bhimasar, Taluka: Anjar, Dist: Kutch, Gujarat - 370 110 Mobile: 98252 31737 Email: factory@amulyamica.com

AHMEDABAD:

A 1107-1108, Infinity Tower, Prahladnagar, Satellite, Anmedabad - 380 015 (Gujarat) Mobile: 9726415654 Email: ahmedabad@amulyamica.com

No. 5, Raghav Nagar Old No 38/10, New Timber Layout, Off Mysore Road, Bangalore - 560 026 Mobile: 9726415667 Email: bangalore@amulyamica.com

DELHI:

1/95, 2nd Floor, Timber Market, WHS, Kirti Nagar, Delhi -110015 Mobile: 9726415772 Email: hubdelhi@amulyamica.com

Plot No. E -2, Amrapali Plaza, Office No 207, Second Floor, Amrapali Circle, Vaishali Nagar, Jaipur 302021 (Rajasthan) Mobile: 9726415772 Email: hubdelhi@amulyamica.com

19 Kenderdine Lane, 3rd Floor Opp-Indian Airlines Office, Near Yoga yog Bhawan Bow Bazar, Kolkata • 700 012 Mobile: 9726415773 Email: kolkatta@amulyamica.com

LUDHIANA: B-17, 166/1, Bharat Nagar, Near PNB Bank,

Ludhiana, Punjab Mobile: 9726415736 Email: ludhiana@amulyamica.com

Shreya House, Office -104, 1st Floor, Pareira Hill Road, Off. Andheri, Kurla Road, Opp. Gurunanak Petrol Pump, Next to WEH Metro Station, Andheri East- 400099 Mobile: 9726415706 Email: suresh.saini@amulyamica.com

HYDERABAD:

13-1-17/1, 2^{ml} floor, Mangalhat, Hyderabad- 500006 Mobile: +91 97264 15645 Email: mis.hyderabad@amulyamica.com

TOLL FREE NO. 1800 233 1468

Scan QR Code to Provide us with your Insightful Feedback!

