

# Safety Data Sheet (SDS)

## NANOSKIN RAIN PLUS Hydrophobic Glass Treatment Part A



### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifiers

Product name : NANOSKIN RAIN PLUS +A  
 Product identifier : NA-RAI+A  
 Product Family : SOLVENT BLEND

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses : Used in glass treatment multi-part systems.

#### 1.3 Details of the supplier of the safety data sheet

Company : NANOSKIN Car Care Products  
 Total Import Solutions, Inc.  
 14700 Radburn Ave.  
 Santa Fe Springs, CA 90670

Telephone : [562-691-6818](tel:562-691-6818)

Fax : [562-483-8333](tel:562-483-8333)

#### 1.4 Emergency telephone number

Emergency phone # : PERS NORTH AMERICA 1-800-633-8253  
 INTERNATIONAL 1-801-629-0667

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910(OSHA HCS)

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

##### Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant.

Modified 1/10/2016

## 2.2 GHS Label elements, including precautionary statements

Pictogram



## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS number	Warnings	Concentration
Ethanol	64-17-5	Flam. Liq. 2; Eye Irrit. 2A; H225, H319	96.00%

## 4. FIRST AID MEASURES

## First aid procedures

**After inhalation:**

Get victim to fresh air. Give artificial respiration or oxygen if breathing has stopped. Get prompt medical attention. Do not give fluids if victim is unconscious. If victim is conscious, rinse mouth with water and contact emergency number listed in section 1.4.

**After contact with skin:**

Immediately wash skin with soap and water. May cause irritation. Seek medical attention if irritation or allergic reaction is present.

**After contact with eyes:**

Immediately flush eyes with running water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek prompt medical attention if redness or irritation occurs. Avoid agitation. Remove contact lenses if able.

**After ingestion:**

Rinse mouth with water, contact poison control center or emergency number listed in section 1.4. Never give anything by mouth to an unconscious person.

**Advice to doctor / Treatment:**

None known.

## 5. FIRE FIGHTING MEASURES

Modified 1/10/2016

<b>FIRE HAZARD</b>	Fire hazard : DIRECT FIRE HAZARD. Highly flammable. Gas/vapour flammable with air within explosion limits.
<b>INDIRECT FIRE HAZARD</b>	May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard. Reactions involving a fire hazard: see "Reactivity Hazard".
<b>EXPLOSION HAZARD</b>	Gas/vapour explosive with air within explosion limits. INDIRECT
<b>EXPLOSION</b>	<b>HAZARD.</b> Heat may cause pressure rise in tanks/drums: explosion risk. Ignited by sparks. Reactions with explosion hazards: see "Reactivity Hazard".
<b>REACTIVITY</b>	Upon combustion: CO and CO2 are formed. Violent to explosive reaction with many compounds. Prolonged storage: on exposure to light: release of harmful gases/vapours. Reacts violently with (strong) oxidizers: peroxidation resulting in increased fire or explosion risk.
<b>FIREFIGHTING INSTRUCTIONS</b>	Cool tanks/drums with water spray/remove them into safety. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistent risk of physical explosion.
<b>PROTECTION DURING FIREFIGHTING</b>	Heat/fire exposure: compressed air/oxygen apparatus.

**6. ACCIDENTAL RELEASE MEASURES**

<b>PROTECTIVE EQUIPMENT</b>	Gloves. Protective goggles. Protective clothing. Large spills/in enclosed spaces: compressed air apparatus.
<b>EMERGENCY PROCEDURES</b>	Keep upwind. Mark the danger area. Consider evacuation. Seal off low-lying areas. Close doors and windows of adjacent premises. Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment. Keep containers closed. Wash contaminated clothes.
<b>FOR EMERGENCY RESPONDERS</b>	
<b>PROTECTIVE EQUIPMENT</b>	Equip cleanup crew with proper protection.
<b>EMERGENCY PROCEDURES</b>	Ventilate area.

SEE SECTION 8 FOR PERSONAL PROTECTIVE EQUIPMENT AND EXPOSURE CONTROLS

**7. HANDLING AND STORAGE**

<b>HANDLING</b>	Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Handle uncleaned empty containers as full ones. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Do not use compressed air for pumping over. Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Avoid prolonged and repeated contact with skin. Keep container tightly closed. Measure the concentration in the air regularly. Work under local exhaust/ventilation.
<b>STORAGE</b>	Store with caution. Do not store in temperatures above 80F. Bottle/container may swell and or fumes accumulate. Store in adequate ventilation.
<b>HYGEINE</b>	Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure Guideline Comments		Exposure Limits:		
COMPONENT	CAS NUMBER	VALUE	CONTROL PARAMETERS	BASIS
Ethanol	64-17-5	TWA 1,000.000000 ppm	USA. ACGIH	Threshold Limit Values (TLV)
Remarks Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans				

Modified 1/10/2016

TWA 1,000 ppm 1,900 mg/m<sup>3</sup> USA. OSHA - TABLE Z-1 Limits for Air

Contaminants - 1910.1000

TWA 1,000 ppm 1,900 mg/m<sup>3</sup> USA. Occupational Exposure Limits (OSHA)

- Table Z-1 Limits for Air Contaminants The value in mg/m<sup>3</sup> is approximate. TWA 1,000.000000 ppm 1,900.000000 mg/m<sup>3</sup> USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
The value in mg/m<sup>3</sup> is approximate.

**ENGINEERING CONTROLS** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Materials for protective clothing :** Use butyl rubber of at least .3mm thickness. Avoid nitrile and pvc protection.

**Hand protection** Please use gloves with the above materials recommendation.

**Eye protection** Protective goggles.

**Skin and body protection** Head/neck protection. Protective clothing.

**Respiratory protection** Wear gas mask with filter type A if conc. in air > exposure limit.

**Other information** Do not eat, drink or smoke during use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	liquid
<b>Appearance</b>	Clear liquid solvent
<b>Particle Size</b>	Not applicable
<b>Odor</b>	alcohol
<b>Odor Threshold</b>	No Available Data
<b>Molecular Formula</b>	C <sub>2</sub> H <sub>6</sub> O
<b>Molecular Weight</b>	46.06G/MOL
<b>Boiling Point</b>	78.3C
<b>Decomposition Temperature</b>	No Available Data
<b>Melting point</b>	-114C
<b>Relative Density</b>	~.789g/cm <sup>3</sup>
<b>Bulk Density</b>	No Available Data
<b>Solubility in Water</b>	COMPLETELY SOLUBLE
<b>Solubility in other liquids</b>	No Available Data
<b>Flash point</b>	14C

## 10. STABILITY AND REACTIVITY

<b>Chemical Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Avoid extreme temperatures.
<b>Hazardous Decomposition Products</b>	Carbon Oxides.
<b>Possibility of Hazardous Reactions</b>	Do not bring into contact with oxidizers.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE TOXICITY

LD50 Oral - Rat - 10,470 mg/kg

LC50 Inhalation - Rat - 4 h - 30,000 mg/l LD50 Dermal - Rabbit - 15,800 mg/kg No data available Skin

corrosion/irritation Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Moderate eye irritation (OECD Test Guideline 405)

**RESPIRATORY** NO DATA AVAILABLE

**SERIOUS EYE DAMAGE/IRRITATION**

Modified 1/10/2016

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)  
CAUSES EYE IRRITATION/DAMAGE

## 12. ECOLOGICAL TOXICITY

### TOXICITY

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 14,200 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h

NOEC - Daphnia magna (Water flea) - 9.6 mg/l - 9 d

Toxicity to algae EC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h (OECD Test Guideline 201)

## 13. DISPOSAL CONSIDERATIONS

Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging** Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### Shipping Information

UN 1170 - Flammable liquids n.o.s. Class 3, PGII

### Special Shipping Information

Not applicable.

### HMIS

HEALTH 2

FLAMMABILITY 3

REACTIVITY 0

## 15. REGULATORY INFORMATION

### United States

SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard Massachusetts Right To Know Components Ethanol CAS-No. 64-17-5 Revision Date 2007-03-01

Pennsylvania Right To Know Components CAS-No.

Ethanol 64-17-5 2007-03-01

New Jersey Right To Know Components

Ethanol CAS-No. 64-17-5 Revision Date 2007-03-01

California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. OTHER INFORMATION

### SDS Prepared by

### Disclaimer

### Total Import Solutions, Inc. dba NANOSKIN Car Care Products

This health and safety information is correct to the best of our knowledge and belief at the date of its publication, but we cannot accept liability for any loss, injury or damage which may result from its use. We shall ensure, so far as is

Modified 1/10/2016

reasonably practicable, to maintain revised copies of this information to be requested. When applicable, revised copies shall be sent to customers whom have been directly supplied with this substance. It must be known that it is the responsibility of any intermediate supplier to ensure that such revision is passed to the user. The information given in the Data Sheet is designed only as guidance for safe handling, storage and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled only by competent personnel, within a controlled environment. Should further information be required, this can be obtained through the sales office whose address is at the top of this sheet.