

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WONDER OIL TECK Product description : Teak oil colorless.

UFI: DV73-908A-Y00A-EY81

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : MATT CHEM PRODUCT SAS

Address : 37, rue de Fontenay (92) Bagneux FRANCE

Telephone : +33 (0) 1 42 53 73 73

E-mail : info@mattchem.fr

Urgences antipoison (24h/24, 7j/7, grand public et professionnels de santé) : 03 83 22 50 50. Urgence vitale, faire le 15 1.4. Emergency telephone number : +33 (0)01-45-42-59-59.

Association/Organisation : FRANCE : ORFILA - INRS - http://www.centres-antipoison.net.

#### SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Repeated exposure may cause skin dryness or cracking (EUH066).

May produce an allergic reaction (EUH208).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments. Hazard pictograms :



GHS08 Signal Word : DANGER Product identifiers : EC 918-481-9 HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS Additional labeling : EUH208 Contains REACTION MASS OF BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL) SEBACATE AND METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE. May produce an allergic reaction. Hazard statements : H304 May be fatal if swallowed and enters airways. EUH066 Repeated exposure may cause skin dryness or cracking. Precautionary statements - Response : P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/... P331 Do NOT induce vomiting. 2.3. Other hazards The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations

EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

#### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

achuncation	(EC) 12/2/2008	NOLO	70
Identification	(EC) 1272/2008	Note	%

INDEX:918_481_9	GHS08	JP	50 <= x % < 100
EC: 918-481-9	Dgr		
REACH: 01-2119457273-39-0000	Asp. Tox. 1, H304		
	EUH:066		
HYDROCARBONS, C10-C13, N-ALKANES,			
ISOALKANES, CYCLICS, < 2% AROMATICS			
INDEX: 1065336_91_5	GHS09, GHS07, GHS08	[2]	0 <= x % < 2.5
CAS: 1065336-91-5	Wng		
EC: 915-687-0	Skin Sens. 1, H317		
REACH: 01-2119491304-40-0000	Repr. 2, H361f		
	Aquatic Acute 1, H400		
REACTION MASS OF	M Acute = 1		
BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL)	Aquatic Chronic 1, H410		
SEBACATE AND METHYL	M Chronic = 1		
1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL			
SEBÁCATE			

Information on ingredients :

(Full text of H-phrases: see section 16)

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

Note J: The carcinogen or mutagen classification does not apply because the substance contains less than 0.1 % w/w of benzene (EINECS 200-753-7).

Note P: The carcinogen or mutagen classification does not apply because the substance contains less than 0.1 % w/w of benzene (EINECS 200-753-7).

#### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open. N/A

N/A

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital. N/A

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

N/A

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

#### **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

Non flammable product

5.1. Extinguishing media Suitable methods of extinction In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8. Accidental discharge may be to generate slipping surface. For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

# SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas. N/A

Fire prevention :

Handle in well-ventilated areas. Never inhale this mixture.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Store in original recork packing in fresh zone, aside freezing, heat and sun reverberation.

Storage

Keep the container tightly closed in a dry, well-ventilated place. Keep away from food and drink, including those for animals. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

#### SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1. Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Type of gloves recommended :

Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)
- Body protection

Avoid skin contact.

Wear suitable protective clothing. Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed. Uses protect creams before handling.

# SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties				
Physical state	properties			
Physical state :	Fluid liquid.			
Colour Unspecified				
Odour				
Odour threshold :	Not stated.			
Melting point	Not Stated.			
Melting point/melting range :	Not specified.			
Freezing point	Not specified.			
	Not stated			
Freezing point / Freezing range :	Not stated.			
Boiling point or initial boiling point and boiling range	N. (			
Boiling point/boiling range :	Not specified.			
Flammability	<b>N I I I I</b>			
Flammability (solid, gas) :	Not stated.			
Lower and upper explosion limit				
Explosive properties, lower explosivity limit (%):	Not stated.			
Explosive properties, upper explosivity limit (%) :	Not stated.			
Flash point				
Flash Point Interval :	60°C < FP <= 93°C			
Auto-ignition temperature				
Self-ignition temperature :	Not specified.			
Decomposition temperature				
Decomposition point/decomposition range :	Not specified.			
рН				
pH :	Not relevant.			
pH (aqueous solution) :	Not stated.			
Kinematic viscosity				
Viscosity :	Not stated.			
Viscosity:	v < 7 mm2/s (40°C)			
Solubility				
Water solubility :	Insoluble.			
Fat solubility :	Not stated.			
Partition coefficient n-octanol/water (log value)				
Partition coefficient: n-octanol/water :	Not stated.			
	Not stated.			
Vapour pressure	Not Stated.			
	Not relevant.			
Vapour pressure (50°C) :				
Vapour pressure (50°C) : Density and/or relative density Density :	Not relevant.			
Vapour pressure (50°C) : Density and/or relative density Density : Relative vapour density	Not relevant.			
Vapour pressure (50°C) : Density and/or relative density Density :	Not relevant. 0.805 - 0.820			
Vapour pressure (50°C) : Density and/or relative density Density : Relative vapour density Vapour density :	Not relevant. 0.805 - 0.820			
Vapour pressure (50°C) : Density and/or relative density Density : Relative vapour density Vapour density : 9.2. Other information % VOC :	Not relevant. 0.805 - 0.820 Not stated. 79.35 %			
Vapour pressure (50°C) : Density and/or relative density Density : Relative vapour density Vapour density : 9.2. Other information	Not relevant. 0.805 - 0.820 Not stated. 79.35 %			
Vapour pressure (50°C) : Density and/or relative density Density : Relative vapour density Vapour density : 9.2. Other information % VOC : 9.2.1. Information with regard to physical hazard of No data available.	Not relevant. 0.805 - 0.820 Not stated. 79.35 %			
Vapour pressure (50°C) : Density and/or relative density Density : Relative vapour density Vapour density : 9.2. Other information % VOC : 9.2.1. Information with regard to physical hazard of No data available.	Not relevant. 0.805 - 0.820 Not stated. 79.35 %			

#### **SECTION 10 : STABILITY AND REACTIVITY**

10.1. ReactivityNo data available.10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

N/A

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

Aspiration hazard :

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

11.2. Information on other hazards

#### SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

N/A

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

#### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC. N/A

13.1. Waste treatment methods Do not pour into drains or waterways. Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water,

air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste, do not dispose of waste into the environment. Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

# SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling. 14.1. UN number or ID number

- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- 14.6. Special precautions for user
- 14.7. Maritime transport in bulk according to IMO instruments

## SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions :

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

15.2. Chemical safety assessment

No data available.

#### **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations :

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

CMR: Carcinogenic, mutagenic or reprotoxic.

UFI : Unique formulation identifier.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS08 : Health hazard

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.