Exposure Time	Blank (µg/ml)	Test Product (µg/ml)	Water (µg/ml)	Ref. Product (µg/ml)
0 hours	0.00	0.840	0.840	0.840
24 hours	0.00	0.650	0.840	0.838
36 hours	0.00	0.422	0.839	0.838
48 hours	0.00	0.284	0.840	0.750
60 hours	0.00	0.114	0.840	0.096
72 hours	0.00	0.090	0.838	0.085
84 hours	0.00	0.085	0.840	0.084
96 hours	0.00	0.085	0.840	0.085

9 Conclusion:

The Glucan sucrase concentration have been 90% decreased in test item after 84 hours of exposure. The solution at 5000 μ g/mL is prepared form Lumineux Oral Essentials clean and fresh Lot# 17K13B2

Exposure Time	Blank (µg/ml)	Test Product (µg/ml)	Water (µg/ml)	Ref. Product (µg/ml)
0 hours	0.00	0.840	0.840	0.840
24 hours	0.00	0.755	0.840	0.838
36 hours	0.00	0.697	0.839	0.838
48 hours	0.00	0.520	0.840	0.750
60 hours	0.00	0.395	0.840	0.096
72 hours	0.00	0.224	0.838	0.085
84 hours	0.00	0.224	0.840	0.084
96 hours	0.00	0.224	0.840	0.085

9 Conclusion:

The **Glucansucrase** concentration have been 73% decreased in test item after 72 hours of exposure. The solution at 5000 μ g/mL is prepared form Lumineux Oral Essentials kids Tooth Paste.

Exposure Time	Blank (µg/ml)	Test Product (μg/ml)	Water (µg/ml)	Ref. Product (µg/ml)
0 hours	0.00	0.840	0.840	0.840
24 hours	0.00	0.792	0.840	0.838
36 hours	0.00	0.640	0.839	0.838
48 hours	0.00	0.483	0.840	0.750
60 hours	0.00	0.138	0.840	0.096
72 hours	0.00	0.094	0.838	0.085
84 hours	0.00	0.094	0.840	0.084
96 hours	0.00	0.094	0.840	0.085

9 Conclusion:

The **Glucansucrase** concentration have been 88% decreased in test item after 72 hours of exposure. The solution at 5000 μ g/mL is prepared form Lumineux Oral Essentials Whitening Tooth Paste

Exposure Time	Blank (µg/ml)	Test Product (µg/ml)	Water (µg/ml)	Ref. Product (μg/ml)
0 hours	0.00	0.840	0.840	0.840
24 hours	0.00	0.755	0.840	0.838
36 hours	0.00	0.583	0.839	0.838
48 hours	0.00	0.340	0.840	0.750
60 hours	0.00	0.099	0.840	0.096
72 hours	0.00	0.089	0.838	0.085
84 hours	0.00	0.089	0.840	0.084
96 hours	0.00	0.089	0.840	0.085

9 Conclusion:

The **Glucansucrase** concentration have been 90% decreased in test item after 72 hours of exposure. The solution at 5000 µg/mL is prepared form Lumineux Oral Essentials Sensitivity Tooth Paste

Exposure Time	Blank (µg/ml)	Test Product (µg/ml)	Water (µg/ml)	Ref. Product (µg/ml)
0 hours	0.00	0.840	0.840	0.840
24 hours	0.00	0.696	0.840	0.838
36 hours	0.00	0.450	0.839	0.838
48 hours	0.00	0.298	0.840	0.750
60 hours	0.00	0.199	0.840	0.096
72 hours	0.00	0.095	0.838	0.085
84 hours	0.00	0.095	0.840	0.084
96 hours	0.00	0.095	0.840	0.085

9 Conclusion:

The **Glucansucrase** concentration have been 89% decreased in test item after 72 hours of exposure. The solution at 5000 μ g/mL is prepared form Lumineux Oral Essentials Clean and Fresh Tooth Paste.

24 hours	0.00	0.838	0.846	0.838
36 hours	0.00	0.625	0.846	0.838
48 hours	0.00	0.350	0.845	0.750
60 hours	0.00	0.098	0.846	0.096
72 hours	0.00	0.080	0.844	0.085
84 hours	0.00	0.080	0.845	0.084
96 hours	0.00	0.080	0.845	0.085

9 Conclusion:

hours of exposure. The solution at 5000 µg/mL is prepared form Lumineux Oral Essentials Whitening Mouthwash.

The Glucansucrase Enzyme concentration have been 91% decreased in test item after 60

0.838
0.838
0.750
0.096
0.085
0.084
0.085

9 Conclusion:

The Glucan sucrase Enzyme concentration have been 90% decreased in test item after 60 hours of exposure. The solution at 5000 μ g/mL is prepared form Lumineux Oral Essentials Sensitivity Mouthwash.

24 hours	0.00	0.832	0.846	0.838
36 hours	0.00	0.620	0.846	0.838
48 hours	0.00	0.321	0.845	0.750
60 hours	0.00	0.088	0.846	0.096
72 hours	0.00	0.082	0.844	0.085
84 hours	0.00	0.082	0.845	0.084
96 hours	0.00	0.082	0.845	0.085

9 Conclusion:

The Glucansucrase Enzyme concentration have been 90% decreased in test item after 60 hours of exposure. The solution at 5000 μ g/mL is prepared form Lumineux Oral Essentials Hydrating Mouthwash

Hydrating Mouthwash.