

Laur, Medium Cluster, 2022

Overall Dimensions:

28 in L | 28 in W | 16 in H minimum

72 cm L | 72 cm W | 40 cm H minimum

Product Specifications:

Approximate weight: 11 lb / 5 kg each

*Due to the handmade nature of our pieces, there may be small variances in our stated sizing.

*Custom sizes available on request.

Light source:

LED. 3000K colour temperature standard, other temperatures available on request

Dimming:

Triac as standard, dimmable to any protocol on request

Bulb life:

50,000 hours

Input voltage:

110V-240V available

Output voltage:


12V

Power: 20W

UL/cUL compliant (110v), CE (240v)

*This piece is fully customizable in size, scale, arrangement, finish and hanging.

Lead time: 10 - 12 weeks



Finishes

Accents



Brass



Nickel



Scalded
Silver



Softened
Bronze



Blackened
Bronze



White
Glass

Laur, Large Cluster, 2022

Overall Dimensions:

40 in L | 40 in W | 26 in H minimum

102 cm L | 102 cm W | 65 cm H minimum

Product Specifications:

Approximate weight: 18 lb / 8 kg each

*Due to the handmade nature of our pieces, there may be small variances in our stated sizing.

*Custom sizes available on request.

Light source:

LED. 3000K colour temperature standard, other temperatures available on request

Dimming:

Triac as standard, dimmable to any protocol on request

Bulb life:

50,000 hours

Input voltage:

110V-240V available

Output voltage:


12V

Power: 30W

UL/cUL compliant (110v), CE (240v)

*This piece is fully customizable in size, scale, arrangement, finish and hanging.

Lead time: 10 - 12 weeks



Finishes

Accents



Brass



Nickel



Scalded
Silver



Softened
Bronze



Blackened
Bronze



White
Glass

Laur, Deluxe Cluster, 2022

Overall Dimensions:

55 in L | 55 in W | 35 in H minimum

140 cm L | 140 cm W | 90 cm H minimum

Product Specifications:

Approximate weight: 36 lb / 16 kg each

*Due to the handmade nature of our pieces, there may be small variances in our stated sizing.

*Custom sizes available on request.

Light source:

LED. 3000K colour temperature standard, other temperatures available on request

Dimming:

Triac as standard, dimmable to any protocol on request

Bulb life:

50,000 hours

Input voltage:

110V-240V available

Output voltage:


12V

Power: 60W

UL/cUL compliant (110v), CE (240v)

*This piece is fully customizable in size, scale, arrangement, finish and hanging.

Lead time: 10 - 12 weeks



Finishes

Accents



Brass



Nickel



Scalded
Silver



Softened
Bronze



Blackened
Bronze



White
Glass