

90cm 5 burner stainless steel gas cooktop with 24MJ/hr wok burner, dual flame control and cast iron trivets





## **Product Details**

## **FEATURES**

24 MJ wok burner	Dual Flame control	Laser etched control panel	Wok stand included
Metalised knob	One hand ignition	Flame Failure Safety Device	Stability with cast trivets
LP conversion kit included (must be installed by licensed tradesman)			

## **BENEFITS**

#### INTENSE HEAT RICH TASTE

The powerful 24 MJ wok burner provides the intense heat needed to lock in flavours and textures when stir-frying at high temperatures.

#### POWER AND CONTROL

Many top chefs prefer cooking with gas, finding easier to adjust to the subtle nuances of heat. With DualFlame, both the inner and outer burner flames can be adjusted. Choose the inner ring for gentle heating and simmering or add the power of the outer ring for intense stir frying, locking in crunch and flavour.

### STURDY AND STABLE

Sturdy cast iron supports ensure that your pots and pans are stable while cooking.

### SAFETY SHUT-OFF

The flame failure safety device automatically cuts off the gas supply if the flame goes out during cooking. This means you can use your appliance at the lowest power without worrying about the flame extinguishing and leaking gas.

## ONE-STEP IGNITION.

Ergonomically designed knobs with built-in electronic ignition means you can light the burners with only one step. Simply push down and turn the knob for an instant flame.



# **Specifications**

## PRODUCT PROFILE

Domestic warranty details (yrs)	2	
Cooktop type	gas	
Materials/Colour	stainless steel	
Removable trim (for cleaning)	No	
Wok included designed to fit cooktop	No	
Knob Finish	metalised	

## **DIMENSIONS**

Total product height (mm)	115
Total product width (mm)	895
Total product depth (mm)	530
Cut out width (mm)	860
Cut out depth (mm)	490
Cut out height (mm)	55

## **CONTROLS**

Controls of Cooktops	knob	
Position of controls	front	
Features of Cooktop	flame failure,wok holder,Cast iron trivets,High powered, intense wok burner,Dual Valve Flame Control	
Readable temperature setting	No	

## **FEATURES**

Trivets	cast iron
Ignition type	electronic



			OFNITRE EDON'T ZONE		
ELEMENTS/BURNERS		CENTRE FRONT ZONE			
LEFT FRONT ZONE		-	Centre front zone	simmer	
Left front zone	dual valve wok	-			
CENTRE REAR ZONE		F	RIGHT FRONT ZONE		
Centre rear zone	semi-rapid		Right front zone	semi-rapid	
		_			
RIGHT REAR ZONE		. <u>-</u>	ELECTRICAL SPECIFICATIONS		
Right rear zone	rapid	_	Connected load KW	0.05	
		_	Type of connection	7.5 Amp plug & lead	
GAS SPECIFICATIONS		S	SHIPPING		
Total burner output(NG)	59.2	_	Shipping Volume (m3)	0.103	
Position of gas connection	rear left		Shipping Weight (Kg)	19.1	
			Pack Dimensions Height (mm)	175	
		_	Pack Dimension Width (mm)	985	
		_	·	·	

Pack Dimension Depth

(mm)

595



# **Terms and Conditions**

#### **IMPORTANT**

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

#### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

#### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### **ELECTROLUX HOME PRODUCTS AUSTRALIA**

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

**ELECTROLUX HOME PRODUCTS NEW ZEALAND** 

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz