

KBTAU600XE

Product family Hood

Hood Type Decorative wall hood

DesignT flatExtractionExtractionElectronic controlYes

MaterialStainless steelType of steelBrushed

EAN code 8017709287894

Hood width 60 cm



Aesthetics

AestheticUniversaleFinishingSatinColourStainless steelLogoSilk screen

Controls

Control setting Electronic buttons

Programs / Functions

No. of speeds Intensive speed

24h air filter function

Time-setting options







Technical Features







No. of lights 2 Light type LED Light Power 1,3 W Light color temperature 3000 °K

scale (°K)

Anti-grease filters
Filter replacement

Filter replacement indicator

Yes

Vent outlet Minimum distance from 150 mm 650 mm

Aluminium

GAS hob



Free outlet maximum

820 m³/h

Minimum distance from ELECTRIC hob

500 mm

capacity

Motor power

230 W

Non return valve

Yes

No. of filters 2

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dB(A)]
Speed 1	260	49
Speed 2	358	57
Speed 3	473	64
Intensive speed	686	72

Accessories Included

Tube reduction

Performance / Energy Label

Annual Efficiency

53 kWh/a

Yes

Consumption (AEChood)


Electrical Connection

Plug (I) Australia Voltage 220-240 V Frequency (Hz)
Power supply cable

50-60 Hz 1500 mm

length







Symbols glossary (TT)



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.