

KBTAU900XE

Product family Hood

Hood Type Decorative wall hood

Design T flat Extraction Extraction Yes **Electronic control**

Material Stainless steel Type of steel **Brushed**

EAN code 8017709287849

Hood width 90 cm



Aesthetics

Universale **Aesthetic Finishing** Satin Colour Stainless steel Logo Silk screen

Controls

Electronic buttons Control setting

Programs / Functions

No. of speeds Intensive speed

24h air filter function

Time-setting options







Technical Features









No. of lights 2 Light type LED **Light Power** 1,3 W Free outlet maximum 730 m³/h

capacity

Motor power 230 W **Anti-grease filters**

Filter replacement

indicator

Vent outlet Minimum distance from

GAS hob

150 mm 650 mm

Yes

Aluminium

SMEG SPA 14/12/2023



No. of filters 3

Minimum distance from

500 mm

ELECTRIC hob

Non return valve

Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dB(A)]
Speed 1	265	47
Speed 2	360	55
Speed 3	480	62
Intensive speed	713	72

Accessories Included

Tube reduction

Performance / Energy Label

Annual Efficiency 54 Consumption (AEChood)

54 kWh/a

Yes

Electrical Connection

Plug (I) Australia Voltage 220-240 V Frequency (Hz)
Power supply cable length

50-60 Hz 1500 mm

Ø150 Ø200 - 700 - 900 - 1200 080 - 1200

SMEG SPA 14/12/2023



Symbols glossary (TT)



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 14/12/2023