

SFA63M3TVX





Category 60cm **Product Family** Oven Power supply Electric **Heat source ELECTRICITY** Cooking method Thermoseal Cleaning system Vapour Clean 8017709289317 EAN code



Aesthetics

Aesthetic Classic Colour Stainless steel **Finishing** Fingerproof Design Flat Material Stainless steel

Brushed Type of steel Glass Type **Eclipse**

Serigraphy colour Serigraphy type

Door Handle **Handle Colour**

Logo

Black

Symbols and wordings With 2 horizontal strips

Classic Inox **Embossed**

Controls

Control knobs Control setting Knobs Classic No. of controls 3 Controls colour Steel effect

Programs / Functions

No. of cooking functions

8

Traditional cooking functions





Fan assisted



Eco



Circulaire



Turbo





Large grill

Fan grill (large)



Base

SMEG SPA 8/05/2023



Other functions

★ Defrost

Cleaning functions

٧

Vapour Clean

Options

Time-setting options Automatic end cooking

Minute minder Yes

Timer

1

Technical Features



Minimum Temperature 50 °C Maximum temperature 250 °C No. of shelves 5

Shelves type Metal racks

Tiliting grill Yes
N. of fans 1
No. of lights 1

Light type Halogen
User-replaceable light Yes
Light Power 40 W
Light when door is Yes

opened

Lower heating element 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Heating suspended Yes

when door is opened

Door opening type Standard opening

Door Temperate door

Removable door Yes
Full glass inner door Yes
Removable inner door Yes
Total no. of door glasses 3
Safety Thermostat Yes

Cooling system Tangential
Cooling duct Single
Speed Reduction Yes

Cooling System

Usable cavity space 360x460x425 mm

dimensions (HxWxD)

Temperature control Electro-mechanical
Cavity material Ever clean Enamel

Performance / Energy Label

Number of cavities 1

Accessories Included

Enamelled tray (20mm) 1 Rack with back and side 1 stop

Enamelled deep tray

(40mm)


Electrical Connection

SMEG SPA 8/05/2023



Plug (I) Australia Voltage 220-240 V Current 13 A Nominal power 30
Frequency (Hz) 50
Power supply cable length

3000 W 50/60 Hz 115 cm



SMEG SPA 8/05/2023



Not included accessories

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BN620-1

Enamelled tray, 20mm deep



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640

Enamelled tray, 40mm deep

SMEG SPA 8/05/2023



Symbols glossary (TT)

	Air cooling system: to ensure a safe surface temperatures.	**	With the switch on this symbol, no heating is possible even if the thermostat is turned.
3	Triple glazed doors: Number of glazed doors.	Œ	Electric
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	8	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
8	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.	ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
*****	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	€	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.
®	Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.		All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	Ö, Ö	Side lights: Two opposing side lights increase visibility inside the oven.
.5	The oven cavity has 5 different cooking levels.		Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of

SMEG SPA 8/05/2023

Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.

the appliance in one simple step.