

SHU620X

Product family	Hood
Hood Type	Integrated hood
Design	Ceiling
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709309053



Aesthetics

Colour	Stainless steel	Serigraphy colour	Black
Finishing	Satin	Logo	Applied



Controls

Control setting	Buttons	Led color	White
-----------------	---------	-----------	-------

Programs / Functions

No. of speeds	3
Intensive speed	

Technical Features

		No. of lights	2	Motor power	250 W
		Light type	LED	No. of filters	2
		Light color temperature scale (°K)	4000 °K	Anti-grease filters	Stainless steel
		Free outlet maximum capacity	185 m³/h		

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
--	----------------------------------	------------------------------------

Speed 1	330	52
Speed 2	500	60
Speed 3	670	66
Intensive speed	770	70

## Electrical Connection

Plug


(I) Australia

Frequency (Hz)

50-60 Hz

Voltage

220-240 V



---

## Not included accessories

---



KITFC152

Charcoal filters Round Kit 2 pieces

---

## Symbols glossary (TT)

---



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.