

STH600X1

Product family	Hood
Hood Type	Integrated hood
Design	Telescopic
Extraction	Recirculation
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709286026



Aesthetics

Aesthetic Colour	Universale Stainless steel	Finishing Logo	Satin Silk screen
------------------	-------------------------------	----------------	----------------------

Controls

Control setting	Slider
-----------------	--------

Programs / Functions

No. of speeds	2
Intensive speed	

Technical Features

		No. of lights	2	Motor power	140 W
		Light type	LED	No. of filters	1
		Light Power	1 W	Anti-grease filters	Aluminium
		Free outlet maximum capacity	440 m ³ /h	Vent outlet	150 mm

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	420	54

Intensive speed	440	67
-----------------	-----	----

Performance / Energy Label

F

Energy efficiency class F
(EEC)

Electrical Connection

Plug	(I) Australia	Frequency (Hz)	50 Hz
Current	10 A	Power supply cable length	2100 mm
Voltage	220-240 V		

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Energy Rating F



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.