


Koniska rullager

Koniska rullager.....26-30




Koniska rullager, enradiga

d 15-75 mm

Beteckning	Millimeter			Beteckning	Millimeter		
	d	D	B		d	D	B
30302	15	42	14,25	30210	50	90	21,75
30203	17	40	13,25	32210	50	90	24,75
30303	17	47	15,25	33210	50	90	32
32303	17	47	20,25	30310	50	110	29,25
32004 X	20	42	15	31310	50	110	29,25
30204	20	47	15,25	32310	50	110	42,25
30304	20	52	16,25	32011 X	55	90	23
32304	20	52	22,25	33011	55	90	27
320/22 X	22	44	15	33111	55	95	30
32005 X	25	47	15	30211	55	100	22,75
30205	25	52	16,25	32211	55	100	26,75
33205	25	52	22	33211	55	100	35
30305	25	62	18,25	30311	55	120	31,5
31305	25	62	18,25	31311	55	120	31,5
32305	25	62	25,25	32311	55	120	45,5
320/28 X	28	52	16	33012	60	95	27
32006 X	30	55	17	32012 X	60	96	23
30206	30	62	17,25	33112	60	100	30
32206	30	62	21,25	30212	60	110	23,75
33206	30	62	25	32212	60	110	29,75
30306	30	72	20,75	33212	60	110	38
31306	30	72	20,75	30312	60	130	33,5
32306	30	72	28,75	31312	60	130	33,5
320/32 X	32	58	17	32312	60	130	48,5
32007 X	35	62	18	32013 X	65	100	23
30207	35	72	18,25	33013	65	100	27
32207	35	72	24,25	33113	65	110	34
33207	35	72	28	30213	65	120	24,75
30307	35	80	22,75	32213	65	120	32,75
31307	35	80	22,75	33213	65	120	41
32307	35	80	32,75	30313	65	140	36
32008 X	40	68	19	31313	65	140	36
33108	40	75	26	32313	65	140	51
30208	40	80	19,75	32014 X	70	110	25
32208	40	80	24,75	33014	70	110	31
33208	40	80	32	33114	70	120	37
30308	40	90	25,25	30214	70	125	26,25
31308	40	90	25,25	32214	70	125	33,25
32308	40	90	35,25	33214	70	125	41
32009 X	45	75	20	30314	70	150	38
33109	45	80	26	31314	70	150	38
30209	45	85	20,75	32314	70	150	54
32209	45	85	24,75	32015 X	75	115	25
33209	45	85	32	33015	75	115	31
30309	45	100	27,25	33115	75	125	37
31309	45	100	27,25	30215	75	130	27,25
32309	45	100	38,25	32215	75	130	33,25
32010 X	50	80	20	33215	75	130	41
33110	50	85	26	30315	75	160	40

Koniska rullager, enradiga

d 75-220 mm



Beteckning	Millimeter		
	d	D	B
31315	75	160	40
32315	75	160	58
32016 X	80	125	29
33016	80	125	36
33116	80	130	37
30216	80	140	28,25
32216	80	140	35,25
33216	80	140	46
30316	80	170	42,5
31316	80	170	42,5
32316	80	170	61,5
32017 X	85	130	29
33017	85	130	36
33117	85	140	41
30217	85	150	30,5
32217	85	150	38,5
33217	85	150	49
30317	85	180	44,5
31317	85	180	44,5
32317	85	180	63,5
32018 X	90	140	32
33018	90	140	39
30218	90	160	32,5
32218	90	160	42,5
30318	90	190	46,5
31318	90	190	46,5
32318	90	190	67,5
32019 X	95	145	32
33019	95	145	39
30219	95	170	34,5
32219	95	170	45,5
30319	95	200	49,5
32319	95	200	71,5
32020 X	100	150	32
33020	100	150	39
30220	100	180	37
32220	100	180	49
30320	100	215	51,5
32320	100	215	77,5
32021 X	105	160	35
33021	105	160	43
30221	105	190	39
32221	105	190	53
30321	105	225	53,5
32321	105	225	81,5
32022 X	110	170	38
33022	110	170	47
30222	110	200	41
32222	110	200	56

Beteckning	Millimeter		
	d	D	B
30322	110	240	54,5
32322	110	240	84,5
32924	120	165	29
32024 X	120	180	38
33024	120	180	48
30224	120	215	43,5
32224	120	215	61,5
30324	120	260	59,5
32324	120	260	90,5
32926	130	180	32
32026 X	130	200	45
30226	130	230	43,75
32226	130	230	67,75
32028 X	140	210	45
30228	140	250	45,75
32228	140	250	71,75
32030 X	150	225	48
30230	150	270	49
32230	150	270	77
32032 X	160	240	51
32232	160	290	84
32934	170	230	38
32034 X	170	260	57
32936	180	250	45
32036 X	180	280	64
32938	190	260	45
32038 X	190	290	64
32940	200	280	51
32040 X	200	310	70
32044 X	220	340	76

Koniska rullager

d 15,875 -50,8 mm (5/8-2 tum)

Beteckning	Millimeter			
	d	D	b	B
11590/11520	15,875	42,863	14,288	9,525
LM 11749/710	17,462	39,878	14,605	10,688
09067/09195	19,05	49,225	19,05	14,288
09074/09195	19,05	49,225	21,539	14,288
LM 11949/910	19,05	45,237	16,637	12,065
21075/21212	19,05	53,975	21,839	15,875
M 12649/610	21,43	50,005	18,288	13,97
LM 12749/710	22	45,974	16,637	12,065
07100 S/07210 X	25,4	50,8	14,26	12,7
07100 SA/07210 X	25,4	50,8	14,26	12,7
L 44643/610	25,4	50,292	14,732	10,668
L 44649/610	26,988	50,292	14,732	10,668
1988/1922	28,575	57,15	19,355	15,875
M 88043/010	30,163	68,263	22,225	17,463
15123/15245	31,75	62	19,05	14,288
LM 67048/050	31,75	59,131	16,764	11,811
HM 88542/510	31,75	73,025	27,783	23,02
M 88048/010	33,338	68,263	22,225	17,463
LM 48548/510	34,925	65,088	18,288	13,97
HM 88649/610	34,925	72,233	25,4	19,842
HM 89446/410	34,925	76,2	28,575	23,02
L 68149/111	34,988	59,974	16,764	11,938
HM 89449/410	36,513	76,2	28,575	23,02
16150/16284	38,1	72,238	20,638	19,05
LM 29749/710	38,1	65,088	18,288	13,97
HM 801346X/310	38,1	82,55	28,575	23,02
M 86647/610	38,575	64,292	21,433	16,67
LM 300849/811	41	68	18	13,5
18590/18520	41,275	73,025	17,463	12,7
LM 501349/310	41,275	73,431	19,812	14,732
M 802048/011	41,275	82,55	25,654	20,193
HM 803146/110	41,275	88,55	29,37	23,02
53178/53377	44,45	95,25	28,3	20,638
HM 903249/210	44,45	95,25	28,575	22,225
25580/25520	44,85	82,931	25,4	19,05
LM 603049/010	45,242	77,788	19,842	15,08
25590/25520	45,618	82,931	25,4	19,05
LM 503349A/310	46	75	18	14
18690/18620	46,038	79,379	17,463	13,495
JLM 104948/910	50	82	21,5	17
JM 205149/110	50	90	28	23
368 A/362	50,8	90	22,225	15,875
537/532 X	50,8	107,95	36,957	28,575
3780/3720	50,8	93,264	30,302	23,813
18790/18720	50,8	85	17,463	13,495
55200/55437	50,8	111,125	26,909	2,638

Koniska rullager

d 50,8-133,35 mm (2-5 1/4tum)

Beteckning	Millimeter			
	d	D	b	B
HM 907643/610	50,8	111,125	28,575	20,638
LM 806649/610	53,975	88,9	19,05	13,492
JLM 506849/810	55	90	23	18,5
387 A/382	57,15	98,425	21,946	17,826
39580/39520	57,15	112,713	30,163	23,813
HM 911245/210	60,325	130,175	33,338	23,813
H 913842/810	61,912	146,05	39,688	25,4
H 913843/810	61,912	146,05	39,688	25,4
JH 211749/710	65	120	38,5	32
395 A/394 A	66,675	110	21,996	18,824
395S/394 A	66,675	110	21,996	18,824
3984/3920	66,675	112,713	30,04	23,86
6386/6320	66,675	135,755	56,007	44,45
482/472	69,85	120	29,007	24,237
29675/29620	69,85	112,713	25,4	19,05
47487/47420	69,85	120	32,545	26,195
33281/33472	71,438	120	30,163	24,237
29685/29620	73,025	112,713	25,4	19,05
575/563	76,2	127	36,098	28,575
580/572	82,55	139,992	37,5	28,575
663/653	82,55	146,05	41,275	31,75
749/742	82,55	150,089	46,663	36,513
47686/47620	82,55	133,35	33,338	26,195
497/493	85,725	136,525	29,769	22,225
593/522	88,9	101,6	36,322	26,988
HM 218248/210	90	147	40	32,55
594/592 A	95,25	152,4	36,322	30,163
594A592 A	95,25	152,4	36,322	30,163
683/683	95,25	186,275	41,275	30,163
42381/42584	96,838	148,43	28,971	21,433
HM 220149/110	100	157	42	34
687/672	101,6	186,275	41,275	30,163
56425/56650	107,95	165,1	36,513	26,988
48290/48220	127	182,563	38,1	33,338
67390/67322	133,35	196,85	46,038	38,1
67391/67322	133,35	196,85	46,038	38,1