


Key Size		
No.	Name	Size (mm)
S1	Inner Diameter	Ø2000
S2	Outer Diameter	Ø2200
S3	Inner Height	H=3400
S4	Leg Height	H=2100
S5	Total Height	H=6062



Design parameter			
Parameter Name		Container	Jacket
Working Pressure	MPa	0.15	0.1
Design/Test Pressure	MPa	0.25	0.3
Working Temperature	°C	-7-80°C	
Design Temperature	°C	-10-100°C	
Medium		Beer	Glycol water
Material	SUS	304	304
Effective volume	L	10000	
Total volume	L	12500	
Insulation material		PU	
Insulation thickness	mm	100	

Pipe / Port			
Mark	Size	Face type	Description
a	Ø51	Tri-clamp	Discharge outlet
b	Ø51	Tri-clamp	Beer outlet
c	Ø38	Tri-clamp	Glycol water inlet
d	Ø38	Tri-clamp	Glycol water outlet
e	Ø8		Thermowell
f	Ø38	Tri-clamp	Spunding valve port
g	Ø32	Tri-clamp	Sampling Port
h	Ø32	Tri-clamp	Carbonization Port
i	530×430		Manhole
j	Ø38	Tri-clamp	Pressure Gauge port
k	Ø38	Tri-clamp	Safety valve port
L	Ø108	Tri-clamp	Dry Hopping port
m	Ø38	Tri-clamp	CIP arm

Project	<b>10000L Jacketed Fermenter Unitank Pressurised</b>	
SKU.	<b>KL25140</b>	
Company	KegLand Distribution PTY LTD	
Website	www.kegland.com.au	
Scale	1:25	

