


Allegro 58" Electric Fireplace

Specifications Sheet & Framing Information



MODEL	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-BFM58	1486 mm	514 mm	221 mm	1353 mm x 381 mm	5000	2000 mm
	58 ½ in.	20 ¼ in.	8 ¾ in.	53 ¼ in. x 15 in.		72 in.



MODEL	A*	B	C*	D	E	F	G
DY-BFM58	1486 mm	514 mm	221 mm	1353 mm	381 mm	480 mm	1362 mm
	58 ½ in.	20 ¼ in.	8 ¾ in.	53 ¼ in.	15 in.	18 ⅞ in.	53 ⅝ in.

*A & C includes louver projections

Electrical Specifications


MODEL	Circuit	Max Power Consumption	Lighting Only	Standby	Outlet	Certification
DY-BFM58	15A, 120V / 60Hz	1500 W	25 W	1.5 W	<ul style="list-style-type: none"> Standard (type B) Hardwire ready 	CSA

Allegro 58" Electric Fireplace


Specifications Sheet & Framing Information



CLEARANCES




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

FRAMING



FRAMING DIMENSION		
X	Y	DEPTH
486 mm	1369 mm.	204 mm.
19 1/8 in.	53 7/8 in.	8 in.

* Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces
 +1 877-521-109 | 604-821-1009 |
 support@dynastyfireplaces.com | dynastyfireplaces.com




Allegro 68" Electric Fireplace

Specifications Sheet & Framing Information



MODEL	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-BFM68	1740 mm	514 mm	221 mm	1607 mm x 381 mm	5000	2000 mm
	68 ½ in.	20 ¼ in.	8 ¾ in.	63 ¼ in. x 15 in.		72 in.



MODEL	A*	B	C*	D	E	F	G
DY-BFM68	1740 mm	514 mm	221 mm	1607 mm	381 mm	480 mm	1616 mm
	68 ½ in.	20 ¼ in.	8 ¾ in.	63 ¼ in.	15 in.	18 7/8 in.	63 5/8 in.

*A & C includes louver projections

Electrical Specifications


MODEL	Circuit	Max Power Consumption	Lighting Only	Standby	Outlet	Certification
DY-BFM68	15A, 120V / 60Hz	1500 W	32 W	1.5 W	<ul style="list-style-type: none"> Standard (type B) Hardwire ready 	CSA

Allegro 68" Electric Fireplace


Specifications Sheet & Framing Information



CLEARANCES




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

FRAMING



FRAMING DIMENSION		
X	Y	DEPTH
486 mm	1623 mm	204 mm.
19 1/8 in.	63 7/8 in.	8 in.

* Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces
 +1 877-521-109 | 604-821-1009 |
 support@dynastyfireplaces.com | dynastyfireplaces.com




Allegro 76" Electric Fireplace

Specifications Sheet & Framing Information



MODEL	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-BFM76	1943 mm	514 mm	221 mm	1810 mm x 381 mm	5000	2000 mm
	76 1/2 in.	20 1/4 in.	8 3/4 in.	71 1/4 in. x 15 in.		72 in.



H (trim) = 3/4 in.
19mm

MODEL	A*	B	C*	D	E	F	G
DY-BFM76	1943 mm	514 mm	221 mm	1810 mm	381 mm	480 mm	1819 mm
	76 1/2 in.	20 1/4 in.	8 3/4 in.	71 1/4 in.	15 in.	18 7/8 in.	71 5/8 in.

*A & C includes louver projections

Electrical Specifications


MODEL	Circuit	Max Power Consumption	Lighting Only	Standby	Outlet	Certification
DY-BFM76	15A, 120V / 60Hz	1500 W	41 W	1.5 W	<ul style="list-style-type: none"> Standard (type B) Hardwire ready 	CSA

Allegro 76" Electric Fireplace


Specifications Sheet & Framing Information



CLEARANCES




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

FRAMING



FRAMING DIMENSION		
X	Y	DEPTH
486 mm	1826 mm	204 mm.
19 1/8 in.	71 7/8 in.	8 in.

* Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces
 +1 877-521-109 | 604-821-1009 |
 support@dynastyfireplaces.com | dynastyfireplaces.com




Allegro 82" Electric Fireplace

Specifications Sheet & Framing Information



MODEL	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-BFM82	2096 mm	514 mm	221 mm	1962 mm x 381 mm	5000	2000 mm
	82 ½ in.	20 ¼ in.	8 ¾ in.	77 ¼ in. x 15 in.		72 in.



MODEL	A*	B	C*	D	E	F	G
DY-BFM82	2096 mm	514 mm	221 mm	1962 mm	381 mm	480 mm	1972 mm
	82 ½ in.	20 ¼ in.	8 ¾ in.	77 ¼ in.	15 in.	18 ⅞ in.	77 ⅝ in.

*A & C includes louver projections

Electrical Specifications


MODEL	Circuit	Max Power Consumption	Lighting Only	Standby	Outlet	Certification
DY-BFM82	15A, 120V / 60Hz	1500 W	46 W	1.5 W	<ul style="list-style-type: none"> • Standard (type B) • Hardwire ready 	CSA

Allegro 82" Electric Fireplace


Specifications Sheet & Framing Information



CLEARANCES




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

FRAMING



FRAMING DIMENSION		
X	Y	DEPTH
486 mm	1978 mm	204 mm.
19 1/8 in.	77 7/8 in.	8 in.

* Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces
 +1 877-521-109 | 604-821-1009 |
 support@dynastyfireplaces.com | dynastyfireplaces.com

