


TECHNICAL SPECIFICATIONS		
VOLTS		120
AMPS		12.5
WATTS		1465
HEATER	HIGH	1465 watts
	LOW	750 watts
NO HEATER		42.7 watts
LAMPS	QUANTITY	max
	WATTS	LED
	TOTAL WATTS	28 watts
ROTOR MOTOR		1 at 2.9watts
HEIGHT, WIDTH, DEPTH		20 1/8 x 50 1/4 x 11 3/4
GLASS VIEWING OPENING		17 5/8 x 48 3/8
SURROUND SIZE		21 3/8 x 52 1/4
SHIPPING SIZE		23 3/4 x 56 1/2 x 16
SHIPPING WEIGHT		110.14 lbs
	UNIT	
	STEEL FRONT	Included
PLUG LOCATION		Left Side
CORD LENGTH		76"
APPROX. HEATING AREA		400 sq ft

09.18.21 - rev

*Amantii*  
**SYMMETRY XT BESPOKE**

SERIES SYMMETRY	MODEL SYM-50-XT BESPOKE		REV 1
SCALE 1" = 1'-0"	DATE: 0725/21		SHEET 1 OF 1




TECHNICAL SPECIFICATIONS		
VOLTS	120	
AMPS	12.5	
WATTS	1465	
HEATER	HIGH	1465 watts
	LOW	750 watts
NO HEATER	42.7 watts max	
LAMPS	QUANTITY	LED
	WATTS	
	TOTAL WATTS	28 watts
ROTOR MOTOR	1 at 2.9 watts	
HEIGHT, WIDTH, DEPTH	51 x 127.6 x 29.7 cm	
GLASS VIEWING OPENING	44.6 x 123 cm	
SURROUND SIZE	54.2 x 132.8 cm	
SHIPPING SIZE	40.6 x 143.1 x 60 cm	
SHIPPING WEIGHT	49.95kg	
GLASS FRONT	UNIT	
		Included
PLUG LOCATION	Left Side	
CORD LENGTH	193 cm	
APPROX. HEATING AREA	37 sqm	

09.18.21 -rev

*Amantii*  
**SYMMETRY XT BESPOKE**

SERIES SYMMETRY	MODEL SYM-50-XT BESPOKE		REV 1
SCALE 1:12	DATE: 07/25/2021		SHEET 1 OF 1




TECHNICAL SPECIFICATIONS		
VOLTS	120	
AMPS	12.5	
WATTS	1465	
HEATER	HIGH	1465 watts
	LOW	750 watts
NO HEATER	45.2 watts	
LAMPS	QUANTITY	LED
	WATTS	
	TOTAL WATTS	33.9 watts
ROTOR MOTOR	1 at 2.9 watts	
HEIGHT, WIDTH, DEPTH	20 1/8 x 60 1/4 x 11 3/4	
GLASS VIEWING OPENING	17 5/8 x 58 3/8	
SURROUND SIZE	21 3/8 x 62 1/4	
SHIPPING SIZE	23 3/4 x 66 1/2 x 16	
SHIPPING WEIGHT	129.32 lbs	
UNIT	STEEL FRONT	Included
	PLUG LOCATION	Left Side
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	

09/18/21 -rev

*Amantii*  
**SYMMETRY XT BESPOKE**

SERIES SYMMETRY	MODEL SYM-60-XT BESPOKE		REV 1
SCALE 1" = 1'-0"	DATE: 07/25/21	SHEET 1 OF 1	







TECHNICAL SPECIFICATIONS		
VOLTS		120
AMPS		12.5
WATTS		1465
HEATER	HIGH	1465 watts
	LOW	750 watts
NO HEATER		45.2 watts max
LAMPS	QUANTITY	LED
	WATTS	
	TOTAL WATTS	33.9 watts
ROTOR MOTOR		1 at 2.9 watts 51
HEIGHT, WIDTH, DEPTH		x 153 x 29.7 cm
GLASS VIEWING OPENING		44.6 x 148.4 cm
SURROUND SIZE		54.2 x 158.2 cm
SHIPPING SIZE		40.6 x 168.5 x 60 cm
SHIPPING WEIGHT		58.65kg
	UNIT	
	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORD LENGTH		193 cm
APPROX. HEATING AREA		37 sqm

09/18/21 - rev

*Amantii*

## SYMMETRY XT BESPOKE

SERIES SYMMETRY	MODEL SYM-60-XT BESPOKE		REV 1
SCALE 1:12	DATE: 07 /25/2021		SHEET 1 OF 1




TECHNICAL SPECIFICATIONS	
VOLTS	120
AMPS	12.5
WATTS	1465
HEATER	HIGH 1465 watts LOW 750 watts
NO HEATER	60.4 watts
LAMPS	QUANTITY max WATTS LED TOTAL WATTS 45 watts
ROTOR MOTOR	1 at 2.9 watts
HEIGHT, WIDTH, DEPTH	20 1/8 x 74 1/4 x 11 3/4
GLASS VIEWING OPENING	17 5/8 x 72 3/8
SURROUND SIZE	21 3/8 x 76 1/4
SHIPPING SIZE	23 3/4 x 80 1/2 x 16
SHIPPING WEIGHT	159.09 lbs
	UNIT
STEEL FRONT	Included
PLUG LOCATION	Left Side
CORD LENGTH	76"
APPROX. HEATING AREA	400 sq ft

9.18.21 -rev

*Amantii*  
**SYMMETRY XT BESPOKE**

SERIES SYMMETRY	MODEL SYM-74-XT BESPOKE		REV 1
SCALE 1" = 1'-0"	DATE: 07/25/2021		SHEET 1 OF 1



TECHNICAL SPECIFICATIONS		
VOLTS	120	
AMPS	12.5	
WATTS	1465	
HEATER	HIGH	1465 watts
	LOW	750 watts
NO HEATER		60.4 watts
LAMPS	QUANTITY	max
	WATTS	
	TOTAL WATTS	45 watts
ROTOR MOTOR		1 at 2.9 watts
HEIGHT, WIDTH, DEPTH		51 x 188.5 x 29.7 cm
GLASS VIEWING OPENING		44.6 x 183.9 cm
SURROUND SIZE		54.2 x 193.8 cm
SHIPPING SIZE		40.6 x 204.1 x 60 cm
SHIPPING WEIGHT		72.16kg
GLASS FRONT	UNIT	
		Included
PLUG LOCATION		Left Side
CORD LENGTH		193 cm
APPROX. HEATING AREA		37 sqm

09/18.21 - rev

*Amantii*  
**SYMMETRY XT BESPOKE**

SERIES SYMMETRY	MODEL SYM-74-XT BESPOKE		REV 1
SCALE 1:12	DATE: 07/25/2021		SHEET 1 OF 1