



TECHNICAL SPECIFICATIONS

VOLTS	120V 60Hz	
AMPS	10	
WATTS	1200 W	
HEATER	HIGH	1200 watts
	LOW	600 watts
NO HEATER	22 watts	
LAMPS	TYPE	LED
	WATTS	
	TOTAL WATTS	22 watts
ROTOR MOTOR	1 at 5 watts	
HEIGHT,WIDTH,DEPTH	16 3/4" x 25 1/4" x 11 3/8"	
GLASS VIEWING OPENING	15 1/2" X 27 1/2"	
GLASS SIZE	15 1/2" X 27 1/2"	
SHIPPING SIZE	21 4/8" x 33 7/8" x 14 5/8"	
SHIPPING WEIGHT	42.3 lbs	
	UNIT	
	GLASS FRONT	Included
PLUG LOCATION	Left Side	
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	

Amantii

SERIES TRADITIONAL	MODEL TRD-26		REV 1
SCALE 1"=1'-0"	DATE: 8/5/2019		SHEET 1 OF 1




TECHNICAL SPECIFICATIONS

VOLTS	120 V 60Hz	
AMPS	10	
WATTS	1200 W	
HEATER	HIGH	1200 watts
	LOW	600 watts
NO HEATER	22 watts	
LAMPS	TYPE	LED
	WATTS	
	TOTAL WATTS	22 watts
ROTOR MOTOR	1 at 5 watts	
HEIGHT,WIDTH,DEPTH	19 1/8" x 29 3/8" x 11 3/8"	
GLASS VIEWING OPENING	15 1/2" X 27 1/2"	
GLASS SIZE	15 1/2" X 27 1/2"	
SHIPPING SIZE	21 4/8" x 33 7/8" x 14 5/8"	
SHIPPING WEIGHT	52.5 lbs	
GLASS FRONT	UNIT	
		Included
PLUG LOCATION	Left Side	
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	

Amantii

SERIES	MODEL		REV
TRADITIONAL	TRD-30		1
SCALE 1"=1'-0"	DATE: 8/5/2019	SHEET 1 OF 1	




TECHNICAL SPECIFICATIONS

VOLTS	120V 60Hz	
AMPS	10	
WATTS	1200 W	
HEATER	HIGH	1200 watts
	LOW	600 watts
NO HEATER	22 watts	
LAMPS	TYPE	LED
	WATTS	
	TOTAL WATTS	22 watts
ROTOR MOTOR	1 at 5 watts	
HEIGHT,WIDTH,DEPTH	$22\frac{1}{4}$ " x $31\frac{3}{4}$ " x $11\frac{3}{8}$ "	
GLASS VIEWING OPENING	$18\frac{3}{4}$ " X $29\frac{7}{8}$ "	
GLASS SIZE	$18\frac{3}{4}$ " X $29\frac{7}{8}$ "	
SHIPPING SIZE	$24\frac{5}{8}$ " x $36\frac{2}{8}$ " x $14\frac{5}{8}$ "	
SHIPPING WEIGHT	60.6 lbs	
GLASS FRONT	UNIT	
		Included
PLUG LOCATION	Left Side	
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	

Amantii

SERIES TRADITIONAL	MODEL TRD-33		REV 1
SCALE 1"=1'-0"	DATE: 8/5/2019		SHEET 1 OF 1




TECHNICAL SPECIFICATIONS

VOLTS	120V 60Hz	
AMPS	10	
WATTS	1200 W	
HEATER	HIGH	1200 watts
	LOW	600 watts
NO HEATER	22 watts	
LAMPS	TYPE	LED
	WATTS	
	TOTAL WATTS	22 watts
ROTOR MOTOR	1 at 5 watts	
HEIGHT,WIDTH,DEPTH	27 1/4" x 37 1/8" x 12 3/8"	
GLASS VIEWING OPENING	23 5/8" X 35 1/4"	
GLASS SIZE	23 5/8" X 35 1/4"	
SHIPPING SIZE	29 5/8" x 41 6/8" x 15 4/8"	
SHIPPING WEIGHT	81.6 lbs	
GLASS FRONT	UNIT	
		Included
PLUG LOCATION	Left Side	
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	

Amantii

SERIES	MODEL		REV
TRADITIONAL	TRD-38		1
SCALE 1"=1'-0"	DATE: 8/5/2019	SHEET 1 OF 1	




TECHNICAL SPECIFICATIONS

VOLTS	120V 60Hz	
AMPS	10	
WATTS	1200 W	
HEATER	HIGH	1200 watts
	LOW	600 watts
NO HEATER	22 watts	
LAMPS	TYPE	LED
	WATTS	
	TOTAL WATTS	22 watts
ROTOR MOTOR	1 at 5 watts	
HEIGHT,WIDTH,DEPTH	31 5/8" x 43 1/4" x 13 3/4"	
GLASS VIEWING OPENING	28 1/8" X 41 3/8"	
GLASS SIZE	28 1/8" X 41 3/8"	
SHIPPING SIZE	34" x 47 6/8" x 16 7/8"	
SHIPPING WEIGHT	104.7 lbs	
GLASS FRONT	UNIT	
		Included
PLUG LOCATION	Left Side	
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	

Amantii

SERIES	MODEL		REV
TRADITIONAL	TRD-44		1
SCALE 1"=1'-0"	DATE: 8/5/2019	SHEET 1 OF 1	



TECHNICAL SPECIFICATIONS

VOLTS	120V 60Hz	
AMPS	10	
WATTS	1200 W	
HEATER	HIGH	1200 watts
	LOW	600 watts
NO HEATER	22 watts	
LAMPS	TYPE	LED
	WATTS	
	TOTAL WATTS	22 watts
ROTOR MOTOR	1 at 5 watts	
HEIGHT,WIDTH,DEPTH	41 1/8" x 47 1/4" x 13 3/4"	
GLASS VIEWING OPENING	38 5/8" X 45 3/8"	
GLASS SIZE	38 5/8" X 45 3/8"	
SHIPPING SIZE	44" x 51 6/8" x 16 7/8"	
SHIPPING WEIGHT	150.6 lbs	
	UNIT	
GLASS FRONT	Included	
PLUG LOCATION	Left Side	
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	

Amantii

SERIES TRADITIONAL	MODEL TRD-48		REV 1
SCALE 1"=1'-0"	DATE: 8/5/2019		SHEET 1 OF 1