ALLURAVISION™ 42 SLIMLINE

NEFL42CHS - LINEAR ELECTRIC FIREPLACE





FEATURES

- 17 5/16"H X 42 1/16"W X 4 1/4"D
- UP TO 5,000 BTU'S
- 1,500 WATTS
- HIGH INTENSITY LED LIGHTS WITH SOFT START & STOP
- WHISPER QUIET BLOWER WITH BOOST FUNCTION
- Warms up to 400 sq. ft.
- Fully recess into the wall or easily hang on the wall with a built-in bracket
- Simply plugs into a 120V wall outlet or can be hard wired
- Four flame color options, four flame brightness options, five different flame speeds and six ember bed color options



FLAME COLOR OPTIONS



EMBER BED COLOR OPTIONS



REMOTE CONTROL

ALLURAVISION™ 50 SLIMLINE

NEFL50CHS - LINEAR ELECTRIC FIREPLACE





FEATURES

- 17 5/16"H X 50 5/16"W X 5 13/16"D
- UP TO 5,000 BTU'S
- 1,500 WATTS
- HIGH INTENSITY LED LIGHTS WITH SOFT START & STOP
- WHISPER QUIET BLOWER WITH BOOST FUNCTION
- Warms up to 400 sq. ft.
- Fully recess into the wall or easily hang on the wall with a built-in bracket
- Simply plugs into a 120V wall outlet or can be hard wired
- Four flame color options, four flame brightness options, five different flame speeds and six ember bed color options



FLAME COLOR OPTIONS



EMBER BED COLOR OPTIONS



REMOTE CONTROL

ALLURAVISION™ 60 SLIMLINE

NEFL60CHS - LINEAR ELECTRIC FIREPLACE





FEATURES

- 17 5/16"H X 60 3/16"W X 4 1/4"D
- UP TO 5,000 BTU'S
- 1,500 WATTS
- HIGH INTENSITY LED LIGHTS WITH SOFT START & STOP
- WHISPER QUIET BLOWER WITH BOOST FUNCTION
- Warms up to 400 sq. ft.
- Fully recess into the wall or easily hang on the wall with a built-in bracket
- Simply plugs into a 120V wall outlet or can be hard wired
- Four flame color options, four flame brightness options, five different flame speeds and six ember bed color options



FLAME COLOR OPTIONS



EMBER BED COLOR OPTIONS



REMOTE CONTROL

ALLURAVISION™ 74 SLIMLINE

NEFL74CHS - LINEAR ELECTRIC FIREPLACE





FEATURES

- 17 5/16"H X 76 3/4"W X 4 1/4"D
- UP TO 5,000 BTU'S
- 1,500 WATTS
- HIGH INTENSITY LED LIGHTS WITH SOFT START & STOP
- WHISPER QUIET BLOWER WITH BOOST FUNCTION
- Warms up to 400 sq. ft.
- Fully recess into the wall or easily hang on the wall with a built-in bracket
- Simply plugs into a 120V wall outlet or can be hard wired
- Four flame color options, four flame brightness options, five different flame speeds and six ember bed color options



FLAME COLOR OPTIONS



EMBER BED COLOR OPTIONS



REMOTE CONTROL