

CSA CERTIFIED-OUTDOOR USE ONLY FOR COMMERCIAL AND RESIDENTIAL USE


36"

26"

HEARTH PRODUCTS CONTROLS 2225 LYONS RD. MIAMISBURG, OH 45342

TOLL FREE: 877.585.9800 PHONE: 937.436.9800

www.hpcfire.com



18"

45

MATCH LIT OPTION

ELECTRONIC IGNITION OPTION

ISOMETRIC VIEW

WATER SCUPPER **PLAN VIEW** MATERIAL: FIRE BOWL INSERT - 304 STAINLESS STEEL

WATER STND PART NUMBER **IGNITION VOLTAGE SCUPPER** BTU TOR-SIER36-EI NO **ELECTRONIC** 50K 120VAC/24VAC TOR-YES **ELECTRONIC** 120VAC/24VAC/12VAC SIER36W-EI 50K TOR-SIER36-MLFPK NO MATCH LIT 50K TOR-SIER36W-MLFPK YES MATCH LIT 50K

*FOR TORPEDO BURNERS ADD TOR-

Notes:

1. PROPER VENTING

WATER INLET ON **APPLICABLE MODELS** 1" NHT

AVAILABLE WITH OR WITHOUT

BOWL - COPPER

- ENCLOSURES: Recommend 4 each 18 sq.in. vents on opposing sides (Minimum 2 each 18 sq.in. vents).
- BOWLS (Copper, concrete or metal) Bowl to be raised above mounting surface minimum of 3/4" gap; Bowl to have a minimum of 6" diameter hole in bottom
- 2. GAS SUPPLY FOR USE WITH FIXED PIPING SYSTEMS ONLY NOT FOR USE WITH SMALL TANKS.
 - Natural Gas: Supply Pressure: Minimum: 3.5" W.C.; Maximum: 7.0" W.C.
 - LP Gas: Supply Pressure: Minimum: 8.0" W.C.; Maximum 11.0" W.C.

IMPORTANT: Ensure any flex line that may be used from the permanent main fuel supply to the product is rated to the stated max btu of the product and certified to ANSI Z21.75*CSA 6.27.

SPACERS PROVIDED FOR

VENTILATION

- 3. MODIFCATION OF PRODUCT WILL VOID ANY CERTIFICATION AND WARRANTY.
- 4. FOLLOW ALL MANUFACTURER INSTALLATION INSTRUCTIONS AND LOCAL CODES.
- 5. ALL DIMENSIONS ARE CONSIDERED TRUE AND REFLECT MANUFACTURER'S SPECIFICATIONS AS OF THE REVISION DATE.
- 6. DO NOT SCALE DRAWING.
- 7. THESE DRAWINGS ARE FOR SIZING AND PLANNING PURPOSES. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT. THE MANUFACTURER'S RESPONSIBLE FOR THE ACCURACY OF THE DRAWING.
- 8. CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info REFERENCE NUMBER 771-021.



SIERRA WITH EI FIRE PIT- FLAME SENSING WITH ELECTRONIC HOT SURFACE IGNITION SIFRRA WITH MATCH LIT FIRE PIT INSERT

REVISION DATE 11/17/2022

SPACERS

PROVIDED FOR

VENTILATION

.0

ACCESS

DOOR