
Roman Shade

Optional Pulley System Installation Instructions



NOTES:

Please read instructions before beginning the installation.

Using the QR code below, watch our 'How to Install a Roman Shade' video, or visit our FAQ page at www.shadesailscanada.com/faqs



www.shadesailscanada.com info@shadesailscanada.com Toll free 1-855-899-8290 222 Hwy 23 North, PO Box 2940, Revelstoke, BC VOE 2S0



OPTIONAL PULLEY SYSTEM: INSTALLATION INSTRUCTIONS

Read the instructions through fully. Inspect and ensure that you have all the components in the checklist before you begin.

Component checklist:

- x2 Lengths of rope
- x4 Screw eyes (M6x60mm)
- x2 Rope cleats
- x4 Screws

WARNING

Hanging hazard for young children. Position cleat and rope out of reach of young children.

STEP o1:


Select two opposing corner posts of your frame or pergola (A). From one post you will pull open the shade and from the other you will close it, securing the rope on both sides to a rope cleat.


Mark where you wish to position the rope cleats on opposite posts (B). Pre-drill holes and secure the cleats with the provided stainless steel screws.

STEP 02:

At either end of your frame, mark the positions, pre-drill holes and insert screw eyes until they are flush. You'll want a screw eye positioned in the centre of each end of the frame, and one close to each of the posts that the rope cleats are now attached to (C).

These screw eyes should sit above the hardware supporting the roman shade so that the ropes slide over the top. To stop the roman shade from moving, you can attach the swivel clip to the central screw eye.






STEP 03:

Thread the first rope up from your rope cleat and through the two screw eyes over the top of the roman shade (D) then attach the end of the rope to the swivel clip at the loose end of the roman shade (E). This will be the rope you use to OPEN the shade sail.




Thread the second rope up from your remaining rope cleat and through the two screw eyes (F) then attach the end of the rope to the swivel clip at the loose end of the roman shade. This will be the rope you use to CLOSE the shade sail.

Using the ropes, open or close the roman shade as you please and wind the slack rope around the rope cleats to keep the ropes taut.



F



NOTES:

Visit our FAQ page at www.shadesailscanada.com/faqs or for more details on installation, use the QR code below to watch our 'How to Install a Roman Shade' video.





Thank you for choosing Shade Sails Canada.

We hope you enjoy your Roman Shade, proudly made in Revelstoke, BC, Canada. Our team appreciates reviews and feedback.

www.shadesailscanada.com info@shadesailscanada.com Toll free 1-855-899-8290 222 Hwy 23 North, PO Box 2940, Revelstoke, BC V0E 2S0

Follow & share on social media:

facebook.com/ShadeSailsCanada Instagram @shadesailscanada youtube.com/c/ShadesailscanadaTV