



Grow-It-All 3-Tier Walden White LED Grow Tent Kit



Maximum Strength 3-Tier Shelving

3 fixed shelves provide up to 24 ft² of grow space and support up to 100 lbs each. Shelves are spaced 18" apart to easily accommodate plants, mushrooms and lighting.



EcoWhite PEVA – Triple Layered

The 100% toxin-free material creates a safe, stylish and easy to clean growing area. The tent interior is 10% more reflective than even the most reflective mylar tents.



Vapor Tabs for High Humidity

Innovative Vapor Tabs direct humidity buildup on the tent interior straight into the spill tray, preventing leaking through the tent floor and creating a contaminated space.



Infinity View Front Windows

Extra-large front viewing windows let growers check on plants without disturbing humidity or temperature. Window covers roll back and secure with velcro straps.


3-Tier Walden Grow Tent Features



Heavy Duty Zippers



Max Strength Shelves



EcoWhite PEVA Liner



Dual-Cinching Ports



Solid Locking Frame





Innovative Vapor Tabs

Grow-It-All 3-Tier Walden White LED Grow Tent Kit



3-Tier Walden Grow Tent Contents



Installation is quick, simple and requires no tools. Tent may be cleaned using soap and water or other standard hydroponic sanitizers.

Grow-It-All LED Grow Light Kit Contents



Integrated Dual T8 4FT LED Grow Light

- Kit includes 3 fixtures with 120V power/daisy chain cables
- Sun White Pro Spectrum
- Built-in on-off switch
- Up to 12 fixtures can be daisy chained together on a single circuit
- 40,000-hour lifetime and a 3-year warranty



1/8" Hydroponic Hangers


- Kit includes 6 hangers
- Heavy duty 1/8" braided rope with carabiner and ratchet
- Fully adjustable and auto locking
- Supports up to 150 lbs/pair
- Designed to hang lighting, fan, filter, etc.

What Can I Grow?

The Grow-It-All 3-Tier Walden White LED Grow Tent Kit enhances flavor, coloration and nutrients for everything from seedlings, to greens, to vegetable starts and other medium light level requirement plants like lettuce, microgreens, spinach, basil, edible flowers and more in 10x20 trays, small-medium sized pots or small hydroponic setups. Fixtures should be placed 6-18" above plants.

Sun White Pro Spectrum

Our most professional grade production spectrum and a game changer for commercial facilities is formulated with higher blue light content and dedicated 660 nm (red) wavelengths to promote healthy vegetative growth, root development, tight internodal spacing, phytochemical production and increased flavonoid content.



Grow-It-All 3-Tier Walden White LED Grow Tent Kit



SPECIFICATIONS		GROW-IT-ALL 3-TIER WALDEN WHITE LED GROW TENT KIT
Model number	AG/24TENT/W/3S/GK	
Included products	1xWalden 3-Tier Tent, 3xIntegrated Dual T8 HO 4FT LED Grow Light Sun White Pro Spectrum, 6x1/8" Hydroponic Hangers	
Color	EcoWhite	
Dimensions (l x w x h)	49.21"x26.77"x75.98" (125x68x193cm)	
Weight	46.3 lbs (21 kg)	
Tent material	Triple-layered 100% PEVA & toxin-free (Exterior 600D canvas / Center light blocking vinyl / Interior reflective vinyl)	
Pole diameter	0.87" (22mm)	
Pole material	White powder coated steel	
Ceiling pole max load capacity	110 lbs (49.9 kg)	
Shelves	3@49.21"x26.77" (125x68cm)	
Shelf max load capacity	100 lbs (45.4 kg)	
Doors	2 main front doors	
Windows	2@21.26"x59.06" (54x150cm)	
Ducting ports	3@6" (15cm)	
Electrical ports	2@4" (10cm)	
Vents	1@14.17"x8.27" (36x21cm)	
Light-blocking zipper covers	2	
Tent Warranty	2 years	

SPECIFICATIONS		INTEGRATED DUAL T8 4FT LED GROW LIGHT
Model number	AG/40PFIX/4FT/PS	
Power	38 watts	
Input voltage	120-277V 50-60Hz	
Rated power factor	>95%	
PPF output (400-700 nm)	70 µmol/s	
PBAR output (280-800 nm)	71 µmol/s	
PPF efficacy	1.84 µmol/J	
PBAR efficacy	1.88 µmol/J	
Spectrum	Sun White Pro Spectrum	
CRI	88 (typical)	
Dimensions (l x w x h)	47.24"x5.08"x1.92" (1200x129x49mm)	
Weight	3.52 lbs (1.6 kg)	
Dimmable	No	
Lifetime	40,000 hours	
Warranty	3 years	
Optional accessories	240V plug adapter	

AG-24TENT-W-3S-GK-DS-040824