



PWA.PCC.M11.141

Mr. Siddique Abdul Kadar  
Executive Manager  
Qatar German Pipes Company W.L.L.  
P.O. Box: 40064 - Doha, Qatar, Fax: +974 4410 9100

16/02/2020 1:05:15 PM



2020/0004364/5

**Subject: Pre-qualification Result for Qatar German Pipes Company (QGPC) as an Approved Manufacturer of PRC Manholes for use on ASHGHAL Drainage Projects**

Dear Sir,

The Prequalification and Classification Committee (PCC) refers to the application submitted with PWA Reference 2019/0058593/1, and your request to include Qatar German Pipes Company as an Ashghal approved manufacturer for PRC Manholes. Following our general evaluation process, the Committee has decided to approve the concerned material to be used for Ashghal Drainage future projects. The committee's approval is valid for a period of three (3) years from the date of this letter, and it will be subjected to the Authority's review at any time throughout this period. It is the Vendor's responsibility to apply for the renewal three (3) months prior to the expiry date, otherwise he will be removed from the authority vendor list.

The quality and performance of Qatar German Pipes Company as an Approved Manufacturer shall be closely monitored by the Authority at all times to ensure that the required standards are maintained. If it is found by the Authority at any time that the quality and performance is failing to meet the expected standards, then the committee reserves the right to withdraw their Approval. It is also the company's responsibility to ensure full compliance of the requirements of the latest version of Qatar Construction Specifications (QCS) as well as the relevant project specification requirements of any particular project. This approval shall not be interpreted as a guarantee for providing materials or services for any ASHGHAL projects and the Authority shall not be held responsible nor accept any liability for Manufacturer / Supplier / Subcontractor losses, expenses, damages to reputation or any other damages whatsoever arising out of or in relation to taking part in the authority prequalification procedure.

Best Regards,

**Lahdan Sager L H Al-Mohanadi**  
**Chairman Of Prequalification and**  
**Classification Committee**



FAXED

Date:

25 SEP 2012 التاريخ

Ref: 0911/35965

رقم الإشارة:

**M/s. Qatar German Pipes Company WLL**

P.O. Box: 40064

Doha, Qatar

Phone: +974-44109109 Fax: +974-44109100

Dear Sirs,

**Subject: Request for the Vendor Approval of Polymer Concrete Jacking Pipes  
Manufactured By M/s Qatar German Pipes Company WLL, Qatar**

**References:** Technical Submittal Ref: QGPC/SP/EF/002/2012, dated 10<sup>th</sup> April 2012 and  
Re-submittal Ref: QGPC/SP/EF/005/2012, dated 6<sup>th</sup> June 2012 and the Additional  
Technical Clarification Submittal Ref: QGPC/SP/EF/006/2012, dated 3<sup>rd</sup> July 2012

We refer to above submittals to the Public Works Authority (ASHGHAL); requesting Ashghal to approve the above mentioned manufacturer for inclusion in ASHGHAL's Approved Vendors List as an approved manufacturer of above mentioned type of Polymer Concrete Jacking Pipe Materials.

The Technical Review Team (TRT) of Infrastructure Affairs has reviewed your submittal and comments upon the above product offered as follows;

1. Upon the reviewal of the above technical submittals, TRT found those proposed Polymer Concrete Jacking Pipe Materials are generally suitable for the sewage and treated sewage effluent applications and we do not have any objection in principle to the product that you market.
2. Whilst PWA infrastructure Affairs does not have an approved manufacturers list for such type of jacking pipe manufacturers, you may seek approvals project by project basis where the similar type of jacking pipes specified in project specifications.
3. Similarly, it is the responsibility of M/s Qatar German Pipes Company WLL, Qatar to ensure that the above product is in fully compliance with the requirements of the Qatar Construction Standards (QCS) 2010 or any updates thereto together with particular project specifications.

Accordingly, it is your responsibility to market your product where the similar jacking pipe systems are specified.

If & when you propose the product in the ASHGHAL's projects, the supervising consultant on those particular projects will be reviewed your product under the regular materials review and approval procedure.

Yours faithfully,

**Nasser Ghaith Al-Kuwari**

**Manager of Drainage Projects Department, Infrastructure Affairs**

CC:

Director – IA

Manager – Design Department, IA

Manager – O&M Department, AA

Peter Ghicu – Sr. Electrical Engineer – DPD, IA

Dick Steer – Drainage Expert – DD, IA

Kevin P Richards – Sr. Projects Engineer – DPD

Mohammed Homoud BA Al Yahri – M&E Unit in Charge – DPD, IA

Abdulla Shamsan I Al Sada – Sr. Electrical Engineer – O&M, AA

Khalid Al Obaidly – Head of Treatment Plants – O&M, AA

Karunarathna Kithsiri – Materials Engineer – DPD, IA

IA Archive

20/09/2012

14/7/2015 12:52 PM



2015/0015822/5

**FAXED**

Date: 14/07/2015

Dear Mr. Abdulla Salim Al-Slayteen  
Chairman of Board Directors  
Qatar German Pipes Company  
P.O. Box: - Doha,  
Fax: 44434603

**Subject: PRE-QUALIFICATION OF POLYMER CONCRETE JACKING PIPES MANUFACTURED BY M/S QATAR GERMAN PIPES COMPANY WLL, QATAR**

We refer to your submittal ref. QGPC/01/06/15 with PWA ref. 2015/0016915/1 dated 17/05/2015, our comments in our letter ref. 2015/0014416/5 dated 23/06/2015, and your reply ref. QGPC/08/1119/15 with PWA ref. 2015/0021954/1 dated 24/06/2015 regarding the pre-qualification of polymer concrete jacking pipes manufactured by M/s Qatar German Pipes Company WLL, Qatar.

We comment as follows:

1. The Public Works Authority Technical Drainage Committee has reviewed the submittal and would emphasize that Infrastructure Affairs Contract Document Specifications do not list approved manufacturers of Polymer Concrete Jacking Pipes. However, any such product(s) offered must fully comply with the requirements of the latest version of Qatar Construction Specification (QCS).
2. You should understand that any products proposed/offered under the particular Project Submittal/Review procedure should be in full compliance with the Infrastructure Affairs Project Specification for which they are offered together with the relevant sections of the latest issue of Qatar Construction Specification QCS and/or Project Specific requirements.
3. Accordingly, the Technical Drainage Committee has no objection in principle to the use of polymer concrete jacking pipes, as manufactured by Messrs. Qatar German Pipes, on the clear and concise understanding that the products proposed are demonstrated to be in full compliance with the particular Infrastructure Affairs Project Specification for which they are offered together with the relevant sections from Qatar Construction Specification QCS and/or Project Specific requirements, in line with standing submittal/review procedures by Supervising Consultants.
4. It is therefore your responsibility to ensure that the products which you manufacture fully satisfy Infrastructure Affairs requirements prior to marketing and offering the same for approval to Contractors for use in any Drainage related projects.

Cc:

ص.ب: ٢٢١٨٨ ، الدوحة - قطر ، تليفون : +٩٧٤ ٤٤٩٥٠٠٠٠ ، فاكس : +٩٧٤ ٤٤٩٥٠٠٠٠  
P.O. Box: 22188 Doha, Qatar - Tel. : +974 4495 0000 - Fax : +974 4495 0900

In conclusion, the Technical Drainage Committee agrees that as a precursor to the use of any products manufactured by Messrs. Qatar German Pipes Company WLL. in any drainage related projects, the approval of specific items will be conditional upon the product being offered fully satisfies the latest version of Qatar Construction Specification (QCS), complies with the requirements of the particular Project Specification and shall be subject to the review and approval by the Project Supervising Consultant under the normal material/equipment review procedure.

Accordingly, you cannot consider this letter as approval and/or acceptance of any of the products manufactured by Messrs Qatar German Pipes Company WLL. as any item offered must formally undergo the submittal review and approval procedure for that particular project by the Supervising Consultant.

Regards,



on behalf of Nasser Yousef A Fakhroo  
Manager Of Drainage Networks Design  
Department

Cc:

ص.ب: ٢٢١٨٨ ، الدوحة - قطر ، تليفون : +٩٧٤ ٤٤٩٥٠٠٠٠ ، فاكس : +٩٧٤ ٤٤٩٥٠٩٠٠  
P.O. Box: 22188 Doha, Qatar - Tel. : +974 4495 0000 - Fax : +974 4495 0900



Date: 18/11/2014

M/S QATAR GERMAN PIPES COMPANY WLL  
P.O. BOX 40064  
DOHA, STATE OF QATAR

TEL: +974 440 9109  
FAX NO. +974 4410 9100  
Email: info@pipegreen.com

For the Attention of Mr Abdullah Salem S. Al Sulaiten - Chairman

PROJECT CODE : IA 13/14 C 39 M  
BUDGET TITLE : DOHA AND RAYYAN SEWERAGE SCHEMES  
PROJECT TITLE : INNER DOHA RESEWERAGE IMPLEMENTATION  
STRATEGY (IDRIS)  
PACKAGE 1 – LATERAL INTERCEPTOR SEWERS  
CONTRACT LIS-01: CENTRAL DOHA,  
CONTRACT LIS-02: AL WAKRA AND  
CONTRACT LIS-03: MESAIEED INDUSTRIAL CITY (MIC)  
PROJECT NO. : CIVIL PROJECT 727/1, C727/2 & C727/3  
CONTRACT NO. : TBC  
PROVISION NO. : 2013/02/8853  
BUDGET REF/CODE : 1460010/11320  
TENDER NO. : MRPSC/008/2014-2015/L

SUBJECT : QATAR GERMAN PIPES COMPANY WLL  
POLYMER CONCRETE JACKING PIPES

REFERENCE:

1. Letter ref. QGPC/SP/EF/049/2014 dated 06 Nov. 2014, from QGPC to PoPWA-PWA

Thank you for your letter under ref. # 1 above, which the President of PWA has passed to this Department to respond.

Please be updated that a Tender Circular was issued on 12<sup>th</sup> November 2014 to the tenderers for the subject three (3) contracts informing them that Pipe Materials used in microtunnelling and pipe jacking applications shall be made of any of the following:

- (i) Reinforced Concrete Jacking Pipe (RCJP) with GRP (also referred to as "concrete encased GRP jacking pipe");
- (ii) GRP Jacking Pipe (GRPJP);
- (iii) Casing Pipe with Carrier Pipe; or
- (iv) Polymer Concrete Pipe (PCP).

Page 1 of 2

Cc: Jassim Salman A Al Sayegh; Nasser Yousef A Fakhroo; Infrastructure Affairs; President Office

ص.ب: ٢٢١٨٨ ، الدوحة - قطر ، تليفون : +٩٧٤ ٤٤٩٥٠٠٠٠ ، فاكس : +٩٧٤ ٤٤٩٥٠٠٩٠٠

P.O. Box : 22188 , Doha - Qatar , Tel. : +974 44950000 , Fax : +974 44950900



Page 2 of 2

I have enclosed for your reference the S0811 Microtunnelling and Pipe Jacking (Supplemental) Specification which accompanied the aforementioned Tender Circular and is to be used in conjunction with Qatar Construction Specification 2010 (QCS 2010) on the IDRIS Programme – Package 1 – Lateral Interceptor Sewers – Contracts LIS-01, LIS-02 & LIS-03.

I would further point out that pipe jacking distances are likely to be in the range of 300 – 500m owing to the specified requirement for maximum spacing between access manholes.

I note your comments in your letter regarding the durability advantages of Polymer Concrete Pipes, your laboratory testing capability and your local production capability. You may wish to consider contacting the tendering Contractors for Contracts LIS-01, LIS-02 & LIS-03, who may wish to offer Polymer Concrete Pipes as part of their forthcoming Tender submissions.

I hope this response adequately addresses your enquiry. Thank you for your interest in the IDRIS Programme.

Regards,

Muhannad I. H. Hammad  
Acting Manager of Drainage Networks Projects  
Department

Cc: Jassim Salman A Al Sayegh; Nasser Yousef A Fakhroo; Infrastructure Affairs; President Office

ص.ب: ٢٢١٨٨ ، الدوحة - قطر ، تليفون : +٩٧٤ ٤٤٩٥٠٠٠٠ ، فاكس : +٩٧٤ ٤٤٩٥٠٩٠٠

P.O. Box : 22188 , Doha - Qatar , Tel. : +974 44950000 , Fax : +974 44950900

[www.ashghal.gov.qa](http://www.ashghal.gov.qa)

هيئة الأشغال العامة  
Public Works Authority



قطر تستحق الأفضل  
Qatar Deserves The Best

13/11/2013 11:44 AM



2013/0013686/5

Date: 13/11/2013

Dear Mr Gamal Hassan  
Project Manager  
Al Jaber Infrastructure Co  
P.O. Box: 1120 - Doha, Qatar.  
Fax: 44862422

**Subject: Material Submittal - Polymer Concrete Jacking Pipes**

**Project: Civil Miscellaneous Call Off Contract C2012/025**

We refer to your submittal ref: JIS-10-MS-GH-572/13 dated 10 November 2013 regarding the above subject.

We have no objection to use the proposed polymer concrete pipes manufactured by **Qatar German Pipes Company WLL** under this contract. Al-Jaber is solely responsible to ensure that all the products used (pipes, fittings, joints, seals etc) are transported, stored, handled, installed and tested as per manufacturer's requirement and guidelines including compliance with Qatar Construction Standards (QCS 2010).

However prior to the use of these products, kindly provide the following:

- i. Specific method statement for Polymer Concrete Pipe Jacking works.
- ii. Specify the nominal diameter of pipes intended to use.

Your prompt response is appreciated.

Regards,

Ahmed Mohamed Sharif  
Drainage Network Operations & Maintenance  
Manager

	IS#10
Date :	13/11/13
File	OS - DSP
Action	
Fax	
Copy	MH
Copy	SH

cc: