

# QUALITY DECLARATION

Our aluminium bike racks are lightweight, durable and built to last. The ARVIKA line of bike racks will exceed your expectations.

T:1-888-690-0096

600 Beriault Street Longueuil, J4G 1S8, Quebec, Canada

ARVIKA
SINCE 1999

# **7000 SERIES**

The 7000 series bike racks can hold up to 200 lbs. The various attachments and support systems allow the standard rack to be adapted to most vehicles and trailers on the market.




# STANDARD BIKE RACKS

Our aluminum bike racks are lightweight, durable and built to last. ARVIKA's line of bike racks will exceed your expectations.



- 26 inches wide at the base of the hoop
- 20 inches long horizontal hoop
- 33 inches high vertical bar
- Secures the bike in two places (Frame/Wheels)
- Fully modular & universal
- Made of lightweight aluminum

The fourth bike is located behind the vertical bar. Allow sufficient space between the bar and the front of the caravan or the vehicle's trunk.



# FAT BIKE RACKS

Fat bike racks supporting up to 200 pounds.

Option to choose between 3 or 5 inch gutters that fit all types of fat bikes.

- 26 inches wide at the base of the hoop
- 20 inches long horizontal hoop
- 33 inches high vertical bar
- Secures the bike in two places (Frame/Wheels)
- Fully modular & universal
- Made of lightweight aluminum
- Choice of 3" or 5" steel gutters






### A-FRAME TRAILER ATTACHMENT SYSTEM

Attachment systems for the installation of the 7000 series bike racks on different models of A-Frame. Incursion of 3" ideal for most caravan

- Standard model
- High quality black steel
- Installation without welding or drilling
- Adjustable to available frame spacing
- Slides along the A-frame for a perfect fit
- Option to install inside or outside of the frame





Although the 7000-AF system is suitable for the majority of trailers on the market, several other attachment models are available. See list on customizable a-frame attachment page.



# AIRSTREAM TRAILER ATTACHMENT SYSTEM


Attachment systems for the installation of the 7000 series bike racks on different models of Airstream trailers



Attachment for Airstream Basecamp
#7000-AF-ARBASE



Without storage space #7000-AF-AR



With front storage space #7000-AF-AR13

The bike rack can hold a weight of up to 200 pounds with the BR-AF support arms.



# TEARDROP TRAILER ATTACHMENT SYSTEM

The TAB 2-bike rack model offers a shorter horizontal bar to free up space between the bikes and the vehicle when turning.



Teardrop Bike Rack
# 7002-T@B



Boondock Attachment
# 7000-AF-T@BUTILITY



Teardrop Attachment
#7000-AF-T@B

Mandatory support arm for heavy bikes




### CUSTOMIZABLE A-FRAME ATTACHMENT

While the 7000-AF system will fit most trailers on the market, there are several other hitch designs available. Choose one of the top and bottom sections below which, when combined, will provide the ideal attachment for your needs.

Note that the top part must fit a minimum of 3 inches into the bottom part.

#### UPPER PART

The first two numbers on the piece determine its curvature and the next number determines its vertical height in inches



#### LOWER PART

The part number determines its height in inches from the top plate




If you need support for special installations consult a product specialist. #1-888-690-0096

# FIFTH WHEEL TRAILER ATTACHMENT SYSTEM

# King pin hitch attachment

- High quality steel
- Installation without welding or drilling
- Adjustable in length



The 7000-5W6 model fits boxes 6.5' and under or trailers leaving little space between their nose and the rear window of the truck.



# CAR ATTACHMENT SYSTEM

Horn attachment for installing the bike rack on a car or truck. The set includes a support arm to stabilize the bikes.

- High quality steel
- Horn dimensions: 15" high x 26" wide





By choosing our trailer hitch adapter according to the size of your hitch, you will be able to use the same bike rack for your trailer and your vehicle.



# **SUPPORT ARM**

The support arm must be perfectly straight vertically. If you have an electric jack, you must have 2 support arms to form a triangular support.

### Support arm for travel trailer (A-Frame)

- Adjusts to desired length to meet the front of the frame
- Attaches to the cylinder



### Support arm for Fifth Wheel

- Requires drilling of the harness
- Attaches to fifth wheel
- Adjusts to the desired length to meet the front of the hoop that supports the bikes



Model #BR-5W6 also available

