


# JP 10.1

**Wall mounted spout with 275mm projection**  
**Designer: John Pawson**



1/2" connection to copper, steel, iron or pex pipe work


Dimensioned drawing







1/2" connection to copper, steel, iron or pex pipe work

Spare Parts List

| Part no | Spare part code | Article No     | Description          | QTY |
|---------|-----------------|----------------|----------------------|-----|
| 1.      | JP10.1-001      | 43225101001    | Flow regulator M18.5 | 1   |
| 2.      | JP10.1-002      | JP10.1-002.000 | Spout 275mm          | 1   |
| 3.      | JP10.1-003      | JP10.1-003.000 | Pin                  | 1   |
| 4.      | JP10.1-004      | JP10.1-004.000 | Rosette              | 1   |
| 5.      | JP10.1-005      | 70NBR103F      | O ring Ø37 X2        | 1   |
| 6.      | JP10.1-006      | 70NBR103F      | O ring Ø10 X2        | 2   |
| 7.      | JP10.1-007      | JP10.1-007     | Inlet connection G½  | 1   |



## Installation Manual



JP-10.0 projection 200mm  
JP-10.1 projection 275mm  
JP-10.2 projection 350mm

## Technical warnings

The pipes have to be rinsed before installation to avoid the pressure differences.

Temperatura di esercizio / Working temperature  
max. 70 °C  
max. 158 °F

*Le portate indicate sono alla pressione consigliata di 3 bar  
The indicated flow rates are the recommended pressure of 3 bar*

AERATORE IN DOTAZIONE / AERATOR INCLUDED

Aeratore montato / Mounted aerator  
5 l/min / 1.3 gpm