

# Astra Walker / Meir wastes

## BPIR Declaration

Version: V1

---

### Designated building product: Class 1

### Declaration

The Kitchen Hub has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

### Product/system

<b>Name</b>	Astra Walker / Meir wastes
<b>Line</b>	Pop up wastes and floor drains
<b>Identifier</b>	MP06-50-PVDGM MP05-R-PVDGM MP04-B40-PVDGM MP06-50-PVDBN MP04-B40-PVDBN A70.38.16 A70.24.V4.10 A70.10.00 A70.05.00 A70.04.V2.00 A70.04.02 A70.03.V2.02 A70.03.00 A70.02.00 A70.01.00 MP04-A-PVDBN MP04-A-C MP04-A40

---

## Description

Meir Square Floor Grate Shower Drain | Shadow Meir Round Bottle Trap | Shadow Meir Bath Pop Up Waste | Shadow Meir Square Floor Grate Shower Drain | Brushed Nickel Meir Bath Pop Up Waste | Brushed Nickel Astra Walker Bottle Trap Astra Walker Halo Square Floor Grate 100mm Astra Walker Bath Plug & Waste 50mm No Overflow Astra Walker Bath Plug & Waste 40mm No Overflow Astra Walker Bath Pop Up Waste 40mm with Overflow Astra Walker Bath Pop Up Waste 40mm No Overflow Astra Walker Basin Pop Up Waste 32mm with Overflow Astra Walker Basin Pop Up Waste 32mm No Overflow Astra Walker Basin Plug & Waste 32mm with Overflow Astra Walker Basin Plug & Waste 32mm No Overflow Meir Basin Pop Up Waste | Brushed Nickel Meir Basin Pop Up Waste | Chrome

---

## Scope of use

For use in Residential and Commercial applications. Must be installed by a Registered Plumber or suitably qualified tradesperson, and as per the installation instructions.

---

## Conditions of use

For use in Residential and Commercial applications. Must be installed by a Registered Plumber or suitably qualified tradesperson, and as per the installation instructions.

---

## Relevant building code clauses

**B2 Durability** - B2.3.1 (b)  
**F2 Hazardous building materials** - F2.3.1  
**G13 Foul water** - G13.3.1, G13.3.2

---

## Contributions to compliance

Clauses relating to this product are aimed at the installer, the product is designed to enable the installer to comply with the building code. The product complies with the B2 (Durability) B2.3.1

---

## Supporting documentation

The following additional documentation supports the above statements:

Product design and specification  
(Design)

V  
1 [https://www.thekitchenhub.co.nz/search?q=pop  
+up](https://www.thekitchenhub.co.nz/search?q=pop+up)

For further information supporting Astra Walker / Meir wastes claims refer to our website.

## Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Astra Walker / Meir
Legal and trading name of importer	The Kitchen Hub
Importer address for service	Unit 9-7 Triton Drive Auckland 0632
Importer website	<a href="http://www.thekitchenhub.co.nz">www.thekitchenhub.co.nz</a>
Importer NZBN	
Importer email	hello@thekitchenhub.co.nz
Importer phone number	0800404503

## Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Astra Walker / Meir wastes is not subject to a warning on ban under [s26 of the Building Act](#).

Signed for and on behalf of **The Kitchen Hub** :

*NJWilliams*

Nick Williams  
BPIR Facilitator  
November 2023

---

**THE KITCHEN HUB**

Unit 9-7 Triton Drive Auckland 0632 New Zealand  
[0800404503](tel:0800404503) | [www.thekitchenhub.co.nz](http://www.thekitchenhub.co.nz)

# Appendix

## BPIR Ready selections

Category: Foul water conveying plumbing and drainage systems

	Yes	No
Capable of being permanently concealed		×

## Building code performance clauses

### B2 Durability

B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (b) 15 years if: those building elements (including the building envelope, exposed plumbing in the subfloor space, and in-built chimneys and flues) are moderately difficult to access or replace, or failure of those building elements to comply with the building code would go undetected during normal use of the building, but would be easily detected during normal maintenance.

### F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

### G13 Foul water

G13.3.1

The plumbing system shall be constructed to:

- a. convey foul water from buildings to a drainage system,

- b. avoid the likelihood of blockage and leakage,
- c. avoid the likelihood of foul air and gases entering buildings, and
- d. provide reasonable access for maintenance and clearing blockages.

#### G13.3.2

The drainage system shall:

- a. convey foul water to an appropriate outfall,
- b. be constructed to avoid the likelihood of blockage,
- c. be supported, jointed and protected in a way that will avoid the likelihood of penetration of roots or the entry of ground water,
- d. be provided with reasonable access for maintenance and clearing blockages,
- e. be ventilated to avoid the likelihood of foul air and gases accumulating in the drainage system and sewer, and
- f. be constructed to avoid the likelihood of damage from superimposed loads or normal ground movement.