Kast Concrete basins BPIR Declaration

Version: V1

Designated building product: Class 1

Declaration

The Kitchen Hub has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Kast Concrete basins
Line	Kast concrete basins from the Kast range
Identifier	V.A1.T1 ELA1 AP.A1.T1 AD.A1.T1 AD.A1.T1 EM.A1.T1 EM.A1.T1 OT.A1.T1 IV.A1.T1 IV.A1.T1 KM.A1.T1 CA1.L.T1 KA1.T1 V.A1.T1 S.B3.T1 AR.A1.T1

Description

Kast Elma Concrete Basin Kast Aura Pedestal Concrete Basin Kast Aura Double Concrete Basin Kast Aura Concrete Basin Kast Elm Mini Concrete Basin Kast Rena Concrete Basin Kast Otto Concrete Basin Kast Luna Concrete Basin Kast Iva Concrete Basin Kast Kern Mini Concrete Basin Kast Cero Concrete Basin Kast Kern Concrete Basin Kast Vos Concrete Basin Kast Sienna Concrete Basin Kast Arla Concrete Basin

Scope of use

The basin waste / outlet, & or overflow section of the product must be installed by a suitably qualified plumber or trades person. Must be installed indoors.

Conditions of use

The basin waste / outlet, & or overflow section of the product must be installed by a suitably qualified plumber or trades person. Must be installed indoors.

Relevant building code clauses

B2 Durability - B2.3.1 (c) **F2** Hazardous building materials - F2.3.1 **G1** Personal Hygiene - G1.3.2 **G12** Water Supplies - G12.3.2

Contributions to compliance

Clauses relating to this product are aimed at the installer, the product is designed to enable the installer to comply with the building code. The product complies with the B2 (Durability) B2.3.1 (c)

Supporting documentation

The following additional documentation supports the above statements:

Product design and specification (Design)

For further information supporting Kast Concrete basins claims refer to our website.

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Kast
Legal and trading name of importer	The Kitchen Hub
Importer address for service	Unit 9/7 Triton Drive Auckland 0632
Importer website	www.thekitchenhub.co.nz
Importer NZBN	
Importer email	hello@thekitchehub.co.nz
Importer phone number	0800404503

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Kast Concrete basins is not subject to a warning on ban under <u>s26 of the</u> <u>Building Act</u>.

Signed for and on behalf of The Kitchen Hub:

NJWilliams

Nick Williams BPIR Facilitator November 2023

THE KITCHEN HUB

Unit 9/7 Triton Drive Auckland 0632 New Zealand 0800404503 | www.thekitchenhub.co.nz

Appendix

BPIR Ready selections

Category: Basins, baths and bidets

	Yes	No
Integrated overflow		×
Suitable for accessible facilities		×
Integrated taps/plumbing		×

Building code performance clauses

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

• (c) 5 years if: the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and failure of those building elements to comply with the building code would be easily detected during normal use of the building.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction* of *buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate sanitation,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when waterborne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

G12 Water Supplies

G12.3.2

A potable water supply system must be-

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.