

Robert Gordon

BPIR Declaration

Version: V1

Designated building product: Class 1

Declaration

The Kitchen Hub has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Robert Gordon
Line	robert-gordon-kiln-515-rectangle-vessel-basin-white-ochre robert-gordon-kiln-360-round-vessel-basin-white-ochre robert-gordon-clay-350-round-vessel-basin-white-ochre robert-gordon-clay-340-round-vessel-basin-white-ochre robert-gordon-clay-400-round-vessel-basin-rose-quartz robert-gordon-kiln-515-rectangle-vessel-basin-rose-quartz robert-gordon-clay-340-round-vessel-basin-coast robert-gordon-clay-340-round-vessel-basin-saltbush robert-gordon-kiln-515-rectangle-vessel-basin-coast robert-gordon-clay-340-round-vessel-basin-storm robert-gordon-clay-350-round-vessel-basin-poppyseed
Identifier	WHITE.O.515 WHITE.O.360 WHITE.OC WHITE.O '40003 '51503 '34070 '34019 '51570 '34091

Description

Robert Gordon Kiln 515 Rectangle Vessel Basin | White Ochre Robert Gordon Kiln 360 Round Vessel Basin | White Ochre Robert Gordon Clay 350 Round Vessel Basin | White Ochre Robert Gordon Clay 340 Round Vessel Basin | White Ochre Robert Gordon Clay 400 Round Vessel Basin | Rose Quartz Robert Gordon Kiln 515 Rectangle Vessel Basin | Rose Quartz Robert Gordon Clay 340 Round Vessel Basin | Coast Robert Gordon Clay 340 Round Vessel Basin | Rivergum Robert Gordon Kiln 515 Rectangle Vessel Basin | Coast Robert Gordon Clay 340 Round Vessel Basin | Storm Robert Gordon Clay 350 Round Vessel Basin | Poppysseed

Scope of use

For use in Residential and Commercial applications. Must be installed by a Registered Plumber or suitably qualified tradesperson, and as per the installation instructions.

Conditions of use

For use in Residential and Commercial applications. Must be installed by a Registered Plumber or suitably qualified tradesperson, and as per the installation instructions.

Relevant building code clauses

B2 Durability - B2.3.1 (c)

F2 Hazardous building materials - F2.3.1

G1 Personal Hygiene - G1.3.2

G12 Water Supplies - G12.3.2

Contributions to compliance

Clauses relating to this product are aimed at the installer, please find comprehensive installation instructions on the product information page, the product is designed to enable the installer to comply with the building code. The product complies with the B2 (Durability) B2.3.1 (c)

Supporting documentation

The following additional documentation supports the above statements:

product specification (Design)	V 1	https://www.thekitchenhub.co.nz/collections/robert-gordon
--------------------------------	--------	---

For further information supporting Robert Gordon claims refer to our website.

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Robert Gordon
Legal and trading name of importer	The Kitchen Hub
Importer address for service	Unit 9/7 Triton Triton Drive Albany 0634
Importer website	https://www.thekitchenhub.co.nz/
Importer NZBN	
Importer email	hello@thekitchenhub.co.nz
Importer phone number	0800 404 503

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Robert Gordon is not subject to a warning on ban under [s26 of the Building Act](#).

Signed for and on behalf of **The Kitchen Hub** :

NJWilliams

Nick Williams
BPIR Facilitator
November 2023

THE KITCHEN HUB

Unit 9/7 Triton Triton Drive Albany 0634 New Zealand
0800 404 503 | <https://www.thekitchenhub.co.nz/>

Appendix

BPIR Ready selections

Category: Basins, baths and bidets

	Yes	No
Integrated overflow		×
Suitable for accessible facilities		×
Integrated taps/plumbing		×

Building code performance clauses

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if: the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and failure of those building elements to comply with the building code would be easily detected during normal use of the building.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

G12 Water Supplies

G12.3.2

A potable *water supply system* must be-

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.