

# morsø



castworks.com.au





# Morsø 1410

Constructed using the highest quality robust cast iron, this compact clean burning stove is the perfect heat source for smaller spaces. The sides of the stove embrace the squirrel logo synonymous with the Morsø brand.

Heat Capacity	60-90 m <sup>2</sup>
Heat Output	6.8kW
Maximum Efficiency	65%
Emissions	1.4 g/kg
Flue Dimension	Ø150mm

#### Key Features

- ✓ Interchangeable flue collar for top or rear venting, provides flexibility in placement
- ✓ Compact size with a powerful 6.8kW output making it ideal for small spaces
- ✓ Optional short legs that reduce the height by 150mm

## Morsø 1440

Compact with traditional styling, the 1440 has an updated combustion system that delivers excellent efficiencies. With this system harmful particles and surplus gases are burnt off in the firebox, fulfilling the strictest environmental requirements.

60-90 m <sup>2</sup>
6.8kW
65%
1.4 g/kg
Ø150mm

# Key Features

- ✓ High-quality cast iron
- ✓ State-of-the-art combustion technology
- ✓ Reduced side clearances due to the convection side panels
- ✓ Ergonomic handle remains cool to the touch





## Morsø 6100 Series

One of the most popular Morsø models due to the simple but elegant Danish design. The fire is a piece of indoor sculpture – a beautifully handcrafted and wonderfully efficient heat source.

Heat Capacity	80-100 m <sup>2</sup>
Heat Output	8.0kW
Maximum Efficiency	65%
Emissions	1.5 g/kg
Flue Dimension	Ø150mm





# Key Features

- ✓ Choice of log storage cavity or pedestal
- ✓ High-quality cast iron
- ✓ Unique combustion system that ensures a higher temperature in the firebox, allowing waste gases to be burnt off

# Morsø 6600 Series

Danish artistic expression sets the 6600 series apart from the crowd. The combination of cast iron, glass and an elliptical shape is complimented by a unique double door maximising the glass viewing area, and providing a 180-degree view of the flames.

Heat Capacity	100-120 m <sup>2</sup>				
Heat Output	10.8kW				
Maximum Efficiency	64%				
Emissions	1.5 g/kg				
Flue Dimension	Ø150mm				
·					





# Key Features

- ✓ Spectacular 180° view of flames
- ✓ Vermiculite bricks help insulate the combustion chamber and provides additional heat reflection
- ✓ Choice of storage cavity or with legs

6143

6148





### Morsø 7900 Series

These high efficiency wood burners make a focal statement with the large curved front window and double-glazed glass to the sides. Small details are designed to delight, such as the polished stainless steel handle and self-closing door, which slides into place with a soft click.

Heat Capacity	100-150 m <sup>2</sup>						
Heat Output	12.5kW						
Maximum Efficiency	73%						
Emissions	1.3 g/kg						
Flue Dimension	Ø150mm						



7943



7943 with drawer pedestal



7970 wall mounted

#### Optional Heat Storage System

The 7900 series is available with optional soap stone heat storage, which allows you to utilise the fire's heat more efficiently and enjoy the heat many hours after the last firing.

Available in either low or high top module, the low module having one heat storage stone and the high top three.

You control whether the heat from the stove's combustion chamber should be delivered directly to the room or stored in the stones.



Overseas model shown to demonstrate sample of heat modules.

#### Key Features

- ✓ Large panoramic windows on the front and sides for a 180° view of the flames
- ✓ Combustion technology using pre-heated air to produce higher temperatures
- ✓ Self-closing door
- ✓ Optional heat storage banks that fit on top of any 7900 stove



# Morsø 8843

The Morsø 8843 is one of the most powerful Morsø stoves. Manufactured from cast iron with the latest in combustion technology means extended burn times from one of the larger fireboxes in Morsø's range.

Heat Capacity	100-150 m <sup>2</sup>
Heat Output	7.2kW
Maximum Efficiency	69%
Emissions	0.8 g/kg
Flue Dimension	Ø150mm

## Key Features

- ✓ Cleverly engineered to use pre-heated primary air as well as secondary air for a clean burn
- ✓ Self-closing glass door
- ✓ Open base for log storage
- ✓ Full length 'keep cool' handle

# Accessories







Conform Fire Tools

Ellipse Fire Tools

Loop Fire Tool Set







Curva Poker

Adrian Tool Set

Curva Fire Tool Set







Ash & Storage Bucket

Morsø Leather Glove

Wood Carrier


# Dimensions, Specifications and Clearances


Model	Width	Depth	Height	Weight	Install Options / Flue Configuration	Α	В	С	D	E	F	G	Н	1	J	K	Hearth Specification
1410	388	438	703	70kg	6" Active / 8" Decromesh	275	794	600	150	818	788	300	825	600	1710	1350	6mm Cement Sheet
1440	435	438	715	85kg	or 900mm semi flue shield		447.5	230	150	818	665	300	376	150	1095	930	3.5mm Cement Sheet
6143	451	386	950	114kg		343	650	425	150	836	712	300	425	210	1090	930	6mm Cement Sheet
6148	451	386	950	114kg	6" active / 8" Decromesh		650	425	150	836	712	300	425	210	1090	930	6mm Cement Sheet
6612	500	382	1016	138kg	6" Active / 8" Solid Decro	415	875	625	225	905	860	300	532	300	1232	1050	6mm Cement Sheet
6643	500	382	1016	123kg	6" Active / 8" Decromesh or 900mm semi flue shield	465	900	650	275	955	860	300	532	300	1232	1050	6mm Cement Sheet
7943	504	435	1157	162kg		319	877	625	135	920	900	350	680	400	1525	1256	6mm Cement Sheet
7948	504	435	1157	156kg	6"active / 8" Decromesh		877	625	135	920	900	350	680	400	1525	1256	6mm Cement Sheet
7970	504	466	757	125kg	Structural non combustible wall only. Refer installation manual	215	877	625	0	816	900	350	N/A	N/A	N/A	N/A	6mm Cement Sheet
8843	530	450	1045	183kg	6"active / 8"Decromesh	284	665	400	75	975	740	450	575	225	1395	1175	6mm Cement Sheet

#### Hearth Dimensions


All measurements are to the combustible material and a guide only.

For full instructions and specification of the inbuilt models please consult installation manual.











#### 6143






7943




#### 7970




#### 1440



#### 6148



#### 6643



#### 7948



#### 8843



<sup>\*</sup> Figures in this brochure are a guide only and are subject to change. Please refer to the installation manual for more detailed information.













DISTRIBUTORS FOR



Your Morsø dealer

The information in this brochure is to assist you in your choice of a suitable fire. It is not intended to be all the information required to install the fire and does not replace the installation manual which provides more detailed information. In the interest of product development Morsø reserves the right to change specifications without prior notice. Overseas Models Shown.