



## Table Advertising Player With Charging Station

GD-ST89GLCD

### Key Features:

- Single side 8" HD wide angle LCD screen (800\*1280), support multiple videos format play and images slide show.
- Built-in Andriod with 8GB NANO flash to storage photos and videos.
- 12V/2A Input quick charge, battery backup duration of about 24 hours for running up the adds on battery.
- Comes with 3 in one phone charging cable (iphone, Microusb & TypeC) & can charge Max 8 pcs mobile phones at the same time.
- FCC/Rohs certified.



## Application





# Specification

## OS, CPU, RAM Features

### Operating System

Google Andriod 6.0

### Language

Support multi language

### Processor Type

-Processor Rockchip RK3126  
-RAM 1G  
-Flash in Flash 8G

### Screen

8 Inch, IPS LCD

### Screen Resolution

800\*1280P

### I/O Port

1 MICRO USB 2.0 OTG support 3G, U storage  
TF card: max 32GB

### Speaker

8Ω / 1W Hi Fi speaker\*1

### Wifi

802.11b/g/n WLAN

### Built-in Phone Cables

1pc iphone Cable & 1pc 3 in 1 connectors (iphone, Micro USB, Type C) for Phones Charging

## Advertising Player Characteristic

### Remotely Manage Display Contents

Use Advertisement System and Cloud Server to upload and Release video and picture to thousands of Devices and Check Working Status

### Support 1080P Video Format

AVI (H.264, DIVX, DIVX, XVID), RM, RMVB, MKV (H.264, DIVX, DIVX, XVID), WMV, MOV, MP4 (H.264, MPEG, DIVX, XVID), MPEG, MPG, FLV (H.263, H.264)

### Audio Format

MP3, WMA, MP2, OGG, AAC, M4A, MA4, FLAC, APE, 3GP, WAV

### Photo Format

JPEG, JPEG, GIF, BMP, PNG

### 3D E-book

TXT, EPUB, PDF, WORD, EXCEL, POWERPOINTS

## Power Bank Characteristic

### Capacity

Standard 23200 mAh Battery

### Input

12/2A

### Output

5V/8A (2A Micro Cable 2A iphone Cable and 2\*2A USB Ports)

### Over Charge Protection Voltage

4.20V ± 0.025V

### Over Discharge Protection Voltage

2.8 ± 0.1

### Current Limited Current

9.0 ± 0.1

### Short Circuit Protection

yes

### Self Current

≥ 200uA

