



8969 Cleveland Road, Clayton, NC 27520  
 Phone: 919-989-7793 Fax: 919-989-9226  
 Email: nclab@advancedlabsinc.com  
 FDA Registration #10560615298

## Test Certificate

Description: Sea-90 Ocean Minerals  
 Sample ID: No Additives  
 Lot No:  
 Location:  
 Received: 3/11/2021  
 Completed: 3/22/2021

Client: Michael Sileck  
 SeaAgri Solutions, LLC  
 10150 Cedar Ridge Dr.  
 Alpharetta, GA 30004  
 (770) 361 6092

Lab No: 107549-01

Analysis	Result	Per Unit	Method
‡Aluminum	21.1	ppm	ICP-OES USP <730>
‡Antimony	<0.001	ppm	ICP-MS USP <730>
‡Arsenic	0.042	ppm	ICP-MS USP <730>
‡Barium	0.800	ppm	ICP-MS USP <730>
‡Beryllium	0.004	ppm	ICP-MS USP <730>
‡Bismuth	<0.001	ppm	ICP-MS USP <730>
‡Boron	19.9	ppm	ICP-OES USP <730>
‡Cadmium	0.010	ppm	ICP-MS USP <730>
‡Calcium	11,980	ppm	ICP-OES USP <730>
‡Cerium	<0.001	ppm	ICP-MS USP <730>
‡Cesium	0.019	ppm	ICP-MS USP <730>
‡Chromium	1.398	ppm	ICP-MS USP <730>
‡Cobalt	0.071	ppm	ICP-MS USP <730>
‡Copper	6.403	ppm	ICP-MS USP <730>
‡Dysprosium	0.002	ppm	ICP-MS USP <730>
‡Erbium	0.001	ppm	ICP-MS USP <730>
‡Europium	0.001	ppm	ICP-MS USP <730>
‡Gadolinium	0.002	ppm	ICP-MS USP <730>
‡Gallium	0.190	ppm	ICP-MS USP <730>

*Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115*

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By: Patricia Darden

Patricia Darden-Quality

Dated: 3/22/2021

Printed: 3/22/2021 4:20:11 PM





8969 Cleveland Road, Clayton, NC 27520  
 Phone: 919-989-7793 Fax: 919-989-9226  
 Email: nclab@advancedlabsinc.com  
 FDA Registration #10560615298

## Test Certificate

Description: Sea-90 Ocean Minerals  
 Sample ID: No Additives  
 Lot No:  
 Location:  
 Received: 3/11/2021  
 Completed: 3/22/2021

Client: Michael Sileck  
 SeaAgri Solutions, LLC  
 10150 Cedar Ridge Dr.  
 Alpharetta, GA 30004  
 (770) 361 6092

Lab No: 107549-01

Analysis	Result	Per Unit	Method
‡Germanium	<0.001	ppm	ICP-MS USP <730>
‡Gold	<0.5	ppm	ICP-OES USP <730>
‡Hafnium	0.014	ppm	ICP-MS USP <730>
‡Holmium	0.001	ppm	ICP-MS USP <730>
‡Indium	<0.001	ppm	ICP-MS USP <730>
‡Iridium	<0.001	ppm	ICP-MS USP <730>
‡Iron	26.2	ppm	ICP-OES USP <730>
‡Lanthanum	<0.5	ppm	ICP-OES USP <730>
‡Lead	0.225	ppm	ICP-MS USP <730>
‡Lithium	2.50	ppm	ICP-OES USP <730>
‡Lutetium	<0.001	ppm	ICP-MS USP <730>
‡Magnesium	4,556	ppm	ICP-OES USP <730>
‡Manganese	2.13	ppm	ICP-OES USP <730>
‡Mercury	<0.001	ppm	ICP-MS USP <730>
‡Molybdenum	0.047	ppm	ICP-MS USP <730>
‡Neodymium	0.009	ppm	ICP-MS USP <730>
‡Nickel	1.780	ppm	ICP-MS USP <730>
‡Niobium	2.46	ppm	ICP-OES USP <730>
‡Osmium	<0.001	ppm	ICP-MS USP <730>

*Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115*

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By: Patricia Darden

Patricia Darden-Quality

Dated: 3/22/2021

Printed: 3/22/2021 4:20:11 PM





8969 Cleveland Road, Clayton, NC 27520  
 Phone: 919-989-7793 Fax: 919-989-9226  
 Email: nclab@advancedlabsinc.com  
 FDA Registration #10560615298

## Test Certificate

Description: Sea-90 Ocean Minerals  
 Sample ID: No Additives  
 Lot No:  
 Location:  
 Received: 3/11/2021  
 Completed: 3/22/2021

Client: Michael Sileck  
 SeaAgri Solutions, LLC  
 10150 Cedar Ridge Dr.  
 Alpharetta, GA 30004  
 (770) 361 6092

Lab No: 107549-01

Analysis	Result	Per Unit	Method
‡Palladium	0.025	ppm	ICP-MS USP <730>
‡Phosphorus	67.3	ppm	ICP-OES USP <730>
‡Platinum	<0.001	ppm	ICP-MS USP <730>
‡Potassium	4,299	ppm	ICP-OES USP <730>
‡Praseodymium	0.002	ppm	ICP-MS USP <730>
‡Rhenium	<0.001	ppm	ICP-MS USP <730>
‡Rhodium	0.009	ppm	ICP-MS USP <730>
‡Rubidium	0.352	ppm	ICP-MS USP <730>
‡Ruthenium	0.104	ppm	ICP-MS USP <730>
‡Samarium	0.002	ppm	ICP-MS USP <730>
‡Scandium	0.099	ppm	ICP-MS USP <730>
‡Selenium	<0.001	ppm	ICP-MS USP <730>
‡Silicon	40.3	ppm	ICP-OES USP <730>
‡Silver	<0.001	ppm	ICP-MS USP <730>
‡Sodium	316,000	ppm	ICP-OES USP <730>
‡Strontium	117	ppm	ICP-OES USP <730>
‡Sulfur	6,460	ppm	ICP-OES USP <730>
‡Tantalum	0.003	ppm	ICP-MS USP <730>
‡Tellurium	8.88	ppm	ICP-OES USP <730>

*Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115*

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By: Patricia Darden

Patricia Darden-Quality

Dated: 3/22/2021

Printed: 3/22/2021 4:20:11 PM





8969 Cleveland Road, Clayton, NC 27520  
 Phone: 919-989-7793 Fax: 919-989-9226  
 Email: nclab@advancedlabsinc.com  
 FDA Registration #10560615298

## Test Certificate

Description: Sea-90 Ocean Minerals  
 Sample ID: No Additives  
 Lot No:  
 Location:  
 Received: 3/11/2021  
 Completed: 3/22/2021

Client: Michael Sileck  
 SeaAgri Solutions, LLC  
 10150 Cedar Ridge Dr.  
 Alpharetta, GA 30004  
 (770) 361 6092

Lab No: 107549-01

Analysis	Result	Per Unit	Method
‡Terbium	<0.001	ppm	ICP-MS USP <730>
‡Thallium	<0.5	ppm	ICP-OES USP <730>
‡Thorium	5.54	ppm	ICP-OES USP <730>
‡Thulium	<0.001	ppm	ICP-MS USP <730>
‡Tin	<0.001	ppm	ICP-MS USP <730>
‡Titanium	0.655	ppm	ICP-OES USP <730>
‡Tungsten	2.34	ppm	ICP-OES USP <730>
‡Vanadium	41.1	ppm	ICP-MS USP <730>
‡Ytterbium	0.001	ppm	ICP-MS USP <730>
‡Yttrium	<0.5	ppm	ICP-OES USP <730>
‡Zinc	0.798	ppm	ICP-OES USP <730>
‡Zirconium	2.34	ppm	ICP-OES USP <730>

*Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115*

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By: Patricia Darden

Patricia Darden-Quality

Dated: 3/22/2021

Printed: 3/22/2021 4:20:11 PM

