



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 1 / 16

In conformity to Regulation (EU) 2020/878

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : PROFUMATORE PER BUCATO FIOR DI LOTO

UFI: 9J10-20J4-V008-K4FH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Perfume for laundry with sanitizing action.

Sectors of use:

Private households (= general public = consumers)[SU21]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

ESSENTIA S.r.L.

via M. Curie 8 - 20060 Gessate (MI) - Italia

Tel. +39 348 6506986 - +39 335 202508

e-mail: info@essentia.top - web: www.essentia.top

Persona competente responsabile SDS/Competent person responsible for SDS: info@essentia.top

National contact: Loveforlaundry Ltd

1.4. Emergency telephone number

+44 20 3835 3375

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07

Hazard Class and Category Code(s):

Skin Sens. 1A, Aquatic Chronic 3

Hazard statement Code(s):

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

The product, if brought into contact with skin can cause skin sensitization.

The product is dangerous to the environment as it is harmful to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS07 - Warning





SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 2 / 16

In conformity to Regulation (EU) 2020/878

Hazard statement Code(s):

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P273 - Avoid release to the environment.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

Contains:

Amyl Cinnamal, Citronellol, 3,7-dimethyl-3-octanol, p-tert-Butylcyclohexil acetate, Dodecanal, Geraniol, Cinnamyl alcohol, Alpha isomethyl ionone, α -hexylcinnamaldehyde, 3-p-Cumenyl-2-methylpropionaldehyde, Reaction Mass of Cis-4-(isopropyl) cyclohexanemethanol and Trans-4-(isopropyl) cyclohexanemethanol, Isoeugenol

Contains (Reg.EC 648/2004):

$\geq 15\% < 30\%$ perfumes, $< 5\%$ Amyl Cinnamal, Citronellol, Geraniol, Cinnamyl alcohol, Alpha isomethyl ionone, α -hexylcinnamaldehyde, Isoeugenol

UFI: 9J10-20J4-V008-K4FH

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	% (w/w)	Classification	ID
Benzyl acetate	$\geq 3,10 < 3,90\%$	Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 3.690,0 mg/kg	INDEX ND CAS 140-11-4 CE 205-399-7 REACH 01-2119638272-42-XXXX
Tricyclodecenyyl propionate	$\geq 2,60 < 3,40\%$	Aquatic Chronic 2, H411 Chronic toxicity M-factor = 1	INDEX ND CAS 17511-60-3 CE 241-514-7



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 3 / 16

In conformity to Regulation (EU) 2020/878

Substance	% (w/w)	Classification	ID
			REACH 01-2119969447-21-XXXX
2-phenylethanol	>= 2,30 < 3,10%	Acute Tox. 4, H302; Eye Irrit. 2, H319	INDEX ND CAS 60-12-8 CE 200-456-2 REACH 01-2119963921-31-XXXX
Amyl Cinnamal	>= 1,10 < 1,90%	Skin Sens. 1B, H317; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS 122-40-7 CE 204-541-5 REACH 01-2119978288-18-XXXX
2,2,2-Trichloro-1-phenylethyl Acetate	>= 1,00 < 1,80%	Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS 90-17-5 CE 201-972-0 REACH 01-2119929625-31-XXXX
Citronellol	>= 1,00 < 1,79%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 3.450,0 mg/kg ATE dermal = 2.650,0 mg/kg	INDEX ND CAS 106-22-9 CE 203-375-0 REACH 01-2119453995-23-XXXX
Terpineol	>= 1,00 < 1,70%	Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE oral = 2.000,0 mg/kg ATE dermal = 2.000,0 mg/kg ATE inhal > 4,8mg/l/4 h	INDEX ND CAS 8000-41-7 CE 232-268-1 REACH 01-2119553062-49-XXXX
3,7-dimethyl-3-octanol	>= 1,00 < 1,68%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319	INDEX ND CAS 78-69-3 CE 201-133-9 REACH 01-2119454788-21-XXXX
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	>= 1,00 < 1,65%	Eye Irrit. 2, H319	INDEX 603-101-00-3 CAS 63500-71-0 CE 405-040-6 REACH 01-0000015458-64-XXXX
p-tert-Butylcyclohexil acetate	>= 1,00 < 1,62%	Skin Sens. 1B, H317 ATE oral = 3.886,0 mg/kg ATE dermal = 4.681,0 mg/kg	INDEX ND CAS 32210-23-4 CE 250-954-9 REACH 01-2119976286-24-XXXX
Phenyl ether	>= 1,00 < 1,60%	Eye Irrit. 2, H319; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS 101-84-8 CE 202-981-2 REACH 01-2119472545-33-XXXX
3-p-Cumenyl-2-methylpropionaldehyde	>= 1,00 < 1,55%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral > 5.000,0 mg/kg ATE dermal > 5.000,0 mg/kg	INDEX ND CAS 103-95-7 CE 203-161-7 REACH 01-2119970582-32-XXXX
Amyl Salicytate	>= 1,00 < 1,50%	Acute Tox. 4, H302; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS 2050-08-0 CE 218-080-2 REACH 01-2119979583-21-XXXX
Dodecanal	>= 0,76 < 1,00%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319	INDEX ND CAS 112-54-9 CE 203-983-6 REACH 01-2119969441-33-XXXX
Geraniol	>= 0,57 < 0,85%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318 ATE oral = 3.600,0 mg/kg ATE dermal = 5.000,0 mg/kg	INDEX ND CAS 106-24-1 CE 203-377-1 REACH 01-2119552430-49-XXXX
Cinnamyl alcohol	>= 0,55 < 0,83%	Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 2, H411 Chronic toxicity M-factor = 1	INDEX ND CAS 104-54-1 CE 203-212-3 REACH 01-2119934496-29-XXXX
Undecanal	>= 0,54 < 0,82%	Skin Irrit. 2, H315; Aquatic Acute 1, H400; Aquatic Chronic 2, H411	INDEX ND CAS 112-44-7



Essentia
PURE NATURE

SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 4 / 16

In conformity to Regulation (EU) 2020/878

Substance	% (w/w)	Classification	ID
		Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	CE 203-972-6 REACH 01-2119529242-47-XXXX
4'-tert-Butyl-2',6'-dimethyl-3',5'-dinitroacetophenon	>= 0,46 < 0,74%	Carc. 2, H351; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral > 5.000,0 mg/kg ATE inhal > 3,0mg/l/4 h	INDEX 609-069-00-7 CAS 81-14-1 CE 201-328-9 REACH 01-2120766629-37-XXXX
Isoeugenol	>= 0,10 < 0,34%	Skin Sens. 1A, H317 Limits: Skin Sens. 1A, H317 %C >=0,01;	INDEX ND CAS 97-54-1 CE 202-590-7 REACH ND
Alpha isomethyl ionone	>= 0,10 < 0,29%	Skin Sens. 1, H317; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS 127-51-5 CE 204-846-3 REACH 01-2120138569-45-XXXX
Reaction Mass of Cis-4-(isopropyl)cyclohexanemethanol and Trans-4-(isopropyl)cyclohexanemethanol	>= 0,10 < 0,28%	Skin Irrit. 2, H315; Skin Sens. 1B, H317	INDEX ND CAS 5502-75-0 CE 939-719-8 REACH 01-2119983532-32-XXXX
Rose Oxyde inactive	>= 0,10 < 0,24%	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Repr. 2, H361f; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS 16409-43-1 CE 240-457-5 REACH 01-2119976300-42-XXXX
α-hexylcinnamaldehyde	>= 0,10 < 0,24%	Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 3.100,0 mg/kg	INDEX ND CAS 101-86-0 CE 202-983-3 REACH 01-2119533092-50-XXXX

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Rinse mouth with water of the subject. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION5. Firefighting measures



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 5 / 16

In conformity to Regulation (EU) 2020/878

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 6 / 16

In conformity to Regulation (EU) 2020/878

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

At work do not eat or drink.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Private households (= general public = consumers):

Handle in a well ventilated area.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

Benzyl acetate:

ACGIH - TWA(8h): 10 ppm - Note: A4 - URT irr

Phenyl ether:

GESTIS International Limit Values (<https://limitvalue.ifa.dguv.de/>)

Australia : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 ppm , 14 mg/m³

Austria : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

Belgium : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

Canada - Ontario : TLV-TWA= 1 ppm - TLV-STEL= 2 ppm

Canada - Québec : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 ppm , 14 mg/m³

Denmark : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 ppm , 14 mg/m³

European Union : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

Finland : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

France : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

Germany (AGS) : TLV-TWA= 1 (1) ppm , 7,1 (1) mg/m³ - TLV-STEL= 1 (1)(2) ppm , 7,1 (1)(2) mg/m³

Germany (DFG) : TLV-TWA= 1 (1) ppm , 7,1 (1) mg/m³ - TLV-STEL= 1 (1)(2) ppm , 7,1 (1)(2) mg/m³

Ireland : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

Latvia : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

New Zealand : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 ppm , 14 mg/m³

People's Republic of China : TLV-TWA= 7 mg/m³ - TLV-STEL= 14 (1) mg/m³

Poland : TLV-TWA= 7 mg/m³ - TLV-STEL= 14 mg/m³

Romania : TLV-TWA= 0,7 ppm , 5 mg/m³ - TLV-STEL= 1,4 (1) ppm , 10 (1) mg/m³

Singapore : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 ppm , 14 mg/m³

South Korea : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 ppm , 14 mg/m³

Spain : TLV-TWA= 1 ppm , 7,1 mg/m³ - TLV-STEL= 2 ppm , 14,2 mg/m³

Sweden : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

Switzerland : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³

USA - NIOSH : TLV-TWA= 1 ppm , 7 mg/m³

USA - OSHA : TLV-TWA= 1 ppm , 7 mg/m³

United Kingdom : TLV-TWA= 1 ppm , 7 mg/m³ - TLV-STEL= 2 (1) ppm , 14 (1) mg/m³



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 7 / 16

In conformity to Regulation (EU) 2020/878

Austria: (1) 15 minutes average value
Belgium: (1) 15 minutes average value
European Union: (1) 15 minutes average value Bold-type: Indicative Occupational Exposure Limit Value (IOELV) ~ (for references see bibliography)
Finland: (1) 15 minutes average value
France: Italics type: Indicative statutory limit values (1) 15 minutes average value
Germany (AGS): (1) Inhalable aerosol and vapour (2) 15 minutes reference period
Germany (DFG): (1) Inhalable fraction and vapour (2) 15 minutes average value
Ireland: (1) 15 minutes average value
Latvia: (1) 15 minutes average value
People's Republic of China: (1) 15 minutes average value
Romania: (1) 15 minutes average value
Sweden: (1) 15 minutes average value
Switzerland: (1) 15 minutes average value
United Kingdom: (1) 15 minutes average value

- Substance: Benzyl acetate

DNEL

Systemic effects Long term Workers inhalation = 21,9 (mg/m³)
Systemic effects Long term Workers dermal = 6,25 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 5,5 (mg/m³)
Systemic effects Long term Consumers dermal = 3,125 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 3,125 (mg/kg bw/day)

PNEC

Sweet water = 0,000004 (mg/l)
sediment Sweet water = 0,114 (mg/kg/sediment)
sediment Sea water = 0,0114 (mg/kg/sediment)
STP = 8,55 (mg/l)
ground = 0,0205 (mg/kg ground)

- Substance: 2-phenylethanol

DNEL

Systemic effects Long term Workers inhalation = 59,9 (mg/m³)
Systemic effects Long term Workers dermal = 51,2 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 17,7 (mg/m³)
Systemic effects Long term Consumers dermal = 12,7 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 5,1 (mg/kg bw/day)

- Substance: Citronellol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m³)
Systemic effects Long term Workers dermal = 327,4 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 47,8 (mg/m³)
Systemic effects Long term Consumers dermal = 196,4 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 13,8 (mg/kg bw/day)

PNEC

Sweet water = 0,000002 (mg/l)
sediment Sweet water = 0,0256 (mg/kg/sediment)
Sea water = 0,000002 (mg/l)
sediment Sea water = 0,00256 (mg/kg/sediment)
STP = 580 (mg/l)
ground = 0,00321 (mg/kg ground)

- Substance: Terpineol

DNEL



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 8 / 16

In conformity to Regulation (EU) 2020/878

Systemic effects Long term Workers inhalation = 5,8 (mg/m³)
Systemic effects Long term Workers dermal = 1,17 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 1,25 (mg/m³)
Systemic effects Long term Consumers dermal = 0,42 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 0,42 (mg/kg bw/day)

- Substance: 3,7-dimethyl-3-octanol

DNEL

Systemic effects Long term Workers inhalation = 11,14 (mg/m³)
Systemic effects Long term Workers dermal = 3,16 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 2,75 (mg/m³)
Systemic effects Long term Consumers dermal = 1,58 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 1,58 (mg/kg bw/day)

PNEC

Sweet water = 0,009 (mg/l)
sediment Sweet water = 0,082 (mg/kg/sediment)
Sea water = 0,001 (mg/l)
sediment Sea water = 0,008 (mg/kg/sediment)
intermittent emissions = 0,089 (mg/l)
STP = 450 (mg/l)
ground = 0,011 (mg/kg ground)

- Substance: p-tert-Butylcyclohexil acetate

PNEC

Sweet water = 0,0053 (mg/l)
sediment Sweet water = 2,1 (mg/kg/sediment)
Sea water = 0,00053 (mg/l)
sediment Sea water = 0,21 (mg/kg/sediment)
STP = 12,2 (mg/l)
ground = 0,42 (mg/kg ground)

- Substance: Alpha isomethyl ionone

DNEL

Systemic effects Long term Workers inhalation = 29,4 (mg/m³)
Systemic effects Long term Workers dermal = 8,33 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 8,7 (mg/m³)
Systemic effects Long term Consumers dermal = 5 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 2,5 (mg/kg bw/day)

PNEC

Sweet water = 0,000002 (mg/l)
sediment Sweet water = 0,246 (mg/kg/sediment)
Sea water = 0,000002 (mg/l)
sediment Sea water = 0,0246 (mg/kg/sediment)
STP = 10 (mg/l)
ground = 0,0477 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:

Private households (= general public = consumers):

Observe usual safety precautions in the handling of chemicals.

SAFETY DATA SHEET



PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 9 / 16

In conformity to Regulation (EU) 2020/878

Individual protection measures:

a) Eye / face protection
Not needed for normal use.

b) Skin protection

i) Hand protection
Not needed for normal use.

ii) Other
Wear normal work clothing.

c) Respiratory protection
Not needed for normal use.

d) Thermal hazards
No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Liquid	
Colour	Yellow	
Odour	Characteristic	
Odour threshold	Undefined	
Melting point/freezing point	Undefined	
Boiling point or initial boiling point and boiling range	Undefined	
Flammability	Undefined	
Lower and upper explosion limit	Undefined	
Flash point	>61°C	
Auto-ignition temperature	Undefined	
Decomposition temperature	Undefined	
pH	Undefined	
Kinematic viscosity	Undefined	
Solubility	Undefined	
Water solubility	Hydrodispersible	
Partition coefficient n-octanol/water (log value)	Undefined	
Vapour pressure	Undefined	
Density and/or relative density	1,002 g/mL	
Relative vapour density	Undefined	
Particle characteristics	Irrelevant	

SAFETY DATA SHEET



PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 10 / 16

In conformity to Regulation (EU) 2020/878

9.2. Other information

9.2.1 Information with regard to physical hazard classes

Irrilevant

9.2.2 Other safety characteristics

Irrilevant

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

Nothing to report.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 11.128,4 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

- (a) acute toxicity: based on available data, the classification criteria are not met.
- (b) skin corrosion/irritation: based on available data, the classification criteria are not met.
- (c) serious eye damage/irritation: based on available data, the classification criteria are not met.
- (d) respiratory or skin sensitisation: The product, if brought into contact with skin can cause skin sensitization.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.

SAFETY DATA SHEET



PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 11 / 16

In conformity to Regulation (EU) 2020/878

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure: based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

Benzyl acetate:

LD50 (rat) Oral (mg/kg body weight) = 3690

Citronellol:

LD50 (rat) Oral (mg/kg body weight) = 3450

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2650

Terpineol:

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) > 4,76

p-tert-Butylcyclohexil acetate:

LD50 (rat) Oral (mg/kg body weight) = 3886

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 4681

3-p-Cumenyl-2-methylpropionaldehyde:

LD50 (rat) Oral (mg/kg body weight) > 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

Geraniol:

LD50 (rat) Oral (mg/kg body weight) = 3600

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

4'-tert-Butyl-2',6'-dimethyl-3',5'-dinitroacetophenon:

LD50 (rat) Oral (mg/kg body weight) > 5000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) > 2,99

α -hexylcinnamaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 3100

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

Benzyl acetate:

LC50 - Species: Fish = 4 mg / l - Duration h: 96 - Notes: Oryzias latipes

NOEC - Species: Fish = 0.92 mg / l - Notes: Oryzias latipes

EC50 - Species: Daphnia = 17 mg / l - Duration h: 48

EC50 - Species: Algae = 92 mg / l - Duration h: 72 - Notes: Desmodesmus subspicatus

C(E)L50 (mg/l) = 11

Tricyclodecyl propionate:

LC50 - Species: Fish = 6.7 mg / l - Duration h: 96 - Notes: OECD 203



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 12 / 16

In conformity to Regulation (EU) 2020/878

EC50 - Species: Daphnia = 4.6 mg / l - Duration h: 48 - Notes: OECD TG 202

2-phenylethanol:

LC50 = 215mg/L (fish, 96h)

EC50 = 287.17mg/L (48h)

EC50 = 1300mg/L (algae, 72h)

Citronellol:

LC50 - Species: Fish = 14.66 mg / l - Duration h: 96 - Notes: Leuciscus idus

EC50 - Species: Daphnia = 17.48 mg / l - Duration h: 48 - Notes: Daphnia magna

Terpineol:

NOEC=62mg/L (fish, 96h)

NOEC=40mg/L (daphnia, 48h)

NOEC=3.9mg/L (algae, 72h)

NOEC (mg/l) = 40

3,7-dimethyl-3-octanol:

LC50 = 8.9 mg / L (fish, Brachydanio rerio, 96h)

EC50 = 14.2 mg / L (invertebrates, Daphnia magna, 48h)

EC50 = 21.6 mg / L (algae, Scenedesmus subspicatus, 72h)

p-tert-Butylcyclohexil acetate:

EC50 - Species: Daphnia = 5.3 mg / l - Duration h: 48 - Notes: Daphnia magna

EC50 - Species: Fish = 22 mg / l - Duration h: 72 - Notes: Desmodesmus subspicatus

LC50 - Species: Fish = 8.6 mg / l - Duration h: 96 - Notes: Cyprinus carpio

NOEC - Species: Fish = 6.8 mg / l - Duration h: 72 - Notes: Desmodesmus subspicatus

Amyl Salicytate:

LC50 - Species: Fish = 1.34 mg / l - Duration h: 96 - Notes: Danio rerio

EC50 - Species: Daphnia = 0.88 mg / l - Duration h: 48 - Notes: Daphnia magna

C(E)L50 (mg/l) = 1,34

Dodecanal:

EC50 - Species: Daphnia > 0.48 mg / l - Duration h: 48

LC50 - Species: Fish = 2.6 mg / l - Duration h: 96

NOEC - Species: Algae > 0.35 mg / l - Notes: 72 minutes

Cinnamyl alcohol:

LC50 - Species: Fish = 9 mg / l - Duration h: 96

EC50 - Species: Daphnia = 7.7 mg / l - Duration h: 48

4'-tert-Butyl-2',6'-dimethyl-3',5'-dinitroacetophenon:

LC50 - Species: Fish = 0.385 mg / l - Duration: 96h

EC50 - Species: Daphnia magna = 0.432 mg / l - Duration: 48h

EC50 - Species: Pseudokirchneriella subcapitata = 0.244 mg / m3 - Duration: 72h

Alpha isomethyl ionone:

LC50 - Species: Fish = 10.9 mg / l - Duration h: 96 - Notes: OECD 203

α -hexylcinnamaldehyde:

LC50 - Species: Fish = 1.7 mg / l - Duration h: 96 - Notes: OECD 203

NOEC - Species: Daphnia > 1 mg / l - Duration h: 48

EC50 - Species: Algae = 0.32 mg / l - Duration h: 72 - Notes: OECD TG 201



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 13 / 16

In conformity to Regulation (EU) 2020/878

The product is dangerous for the environment as it is toxic for aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

Tricyclodecanyl propionate:

Biodegradability: Not readily biodegradable - Test: OECD TG 301 F - 15%

Citronellol:

OECD TG 301 F - 80% 32d

3,7-dimethyl-3-octanol:

Biodegradability = 61% (28 days)

Amyl Salicylate:

86% - OECD TG 301 F

Dodecanal:

Biodegradability: Easily Biodegradable - Test: OECD TG 301 F - Duration: 28 days - 73%

α -hexylcinnamaldehyde:

Biodegradability: Readily biodegradable - Test: OECD TG 301 F - 97%

12.3. Bioaccumulative potential

Related to contained substances:

3,7-dimethyl-3-octanol:

BCF=99

Log Pow=3,3

12.4. Mobility in soil

Related to contained substances:

3,7-dimethyl-3-octanol:

Koc= 56

Tensione superficiale= 2,678E-2 N/m (25 °C)

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

12.7. Other adverse effects

No adverse effects

Regulation (EC) 2004/648

More information:

Surfactant (s) content (s) in this preparation is (are) in accordance with the biodegradability criteria as laid down in

SAFETY DATA SHEET



Essentia
PURE NATURE

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 14 / 16

In conformity to Regulation (EU) 2020/878

Regulation CE/648/2004 on detergents. All supporting data shall be available to the competent authorities of Member States and will be provided, if they so request or at the request of a manufacturer of the formulation, the said authorities.

SECTION13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION14. Transport information

14.1. UN number or ID number

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) 1907/2006 (REACH) - Annex XIV, Annex XVII as amended.

REGULATION (EC) 1272/2008 (CLP) as amended.

COMMISSION DELEGATED REGULATION (EU) 2020/1182

COMMISSION DELEGATED REGULATION (EU) 2021/643

COMMISSION DELEGATED REGULATION (EU) 2021/849

REGULATION (EU) 878/2020 (Requirements for the compilation of safety data sheets)

SAFETY DATA SHEET



PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 15 / 16

In conformity to Regulation (EU) 2020/878

REGULATION (EC)790/2009, Dir 96/82/EC as amended.
REGULATION (EU) No 1357/2014 - waste:
HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59)
Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Description of the hazard statements exposed to point 3

H412 = Harmful to aquatic life with long lasting effects.

H411 = Toxic to aquatic life with long lasting effects.

H302 = Harmful if swallowed.

H319 = Causes serious eye irritation.

H317 = May cause an allergic skin reaction.

H315 = Causes skin irritation.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H318 = Causes serious eye damage.

H351 = Suspected of causing cancer .

H361f = Suspected of damaging fertility.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H317-May cause an allergic skin reaction.Classification procedure:Calculation method

H412-Harmful to aquatic life with long lasting effects.Classification procedure:Calculation method

Bibliographic data :

SAX 12 Ed Van Nostrand Reinhold

MERCK INDEX 15 Ed

ECHA: European Chemicals Agency (<https://echa.europa.eu/it/information-on-chemicals>)

OSHA: European Agency for Safety and Health at Work

IARC: International Agency for Research on Cancer

IPCS: International Programme on Chemical Safety (Cards)

NIOSH: Registry of toxic effects of chemical substances (1983)

ACGIH: American Conference of Governmental Industrial Hygienists

TOXNET: Toxicology Data Network

WHO: World Health Organization

CheLIST: Chemical Lists Information System

GESTIS: International Limit Value (<https://limitvalue.ifa.dguv.de/>)

Acronyms:

- ACGIH American Conference of Governmental Industrial Hygienists

- ADR Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route (European accord regarding international transport of dangerous goods by land)

- bw body weight

- CLP Classification, Labelling and Packaging

- CSR Chemical Safety Report

- DMEL Derived Minimal Effect Level



SAFETY DATA SHEET

PROFUMATORE PER BUCATO FIOR DI LOTO

Issued on 01/28/2022 - Rel. # 5 on 01/28/2022

Pag. 16 / 16

In conformity to Regulation (EU) 2020/878

-
- DNEL Derived No Effect Level
 - dw dry weight
 - EC Effective Concentration
 - IATA International Air Transport Association
 - IMDG International Maritime Dangerous Goods
 - LC Lethal Concentration
 - LD Lethal Dose
 - m.w. molecular weight
 - PBT Persistent, Bioaccumulative and Toxic
 - PNEC Predicted No Effect Concentration
 - OECD Organisation / Office for Economic Co-operation and Development
 - STEL Short Term Exposure Limit
 - SVHC Substance of Very High Concern
 - TLV Threshold Limit Value
 - TWA Time Weighted Average
 - vPvB very Persistent, very Bioaccumulative and toxic
 - WGK Wassergefährdungsklasse (Water hazard class)

NOTICE TO USERS

The information contained in this sheet are based on the knowledge available at the date of the preparation of this sheet.

The user must be aware of the possible risks associated with the use of the product, other than that for which the product is supplied. The sheet does not exonerate the user from knowing and applying all the regulations governing its activities. The set of regulations mentioned is simply to help the user to fulfill its obligations regarding the use of hazardous products.

This sheet does not exonerate the user from other legal obligations than those mentioned and from rules regulating possession and use of the product, since the user is the only responsible.

*** This sheet supersedes all previous editions.
