

PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 1 / 12

In conformity to Regulation (EU) 2020/878

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

UFI: 0M00-G0XS-G00T-9D1T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Perfume for laundry with sanitizing action. Sectors of use: Private households (= general public = consumers)[SU21]

Uses advised against Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

ESSENTIA S.r.L. via M. Curie 8 - 20060 Gessate (MI) - Italia Tel. +39 348 6506986 - +39 335 202508 e-mail: info@essentia.top - web: www.essentia.top Persona competente responsabile SDS/Competent person responsible for SDS: info@essentia.top

National contact: Loveforlaundry Ltd

1.4. Emergency telephone number

+44 20 3835 3375

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms: GHS07, GHS09

Hazard Class and Category Code(s): Skin Sens. 1B, Eye Irrit. 2, Aquatic Chronic 2

Hazard statement Code(s): H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours. The product, if brought into contact with skin can cause skin sensitization. The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:



Pictogram, Signal Word Code(s):



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 2 / 12

In conformity to Regulation (EU) 2020/878

GHS07, GHS09 - Warning

Hazard statement Code(s): H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects. Supplemental Hazard statement Code(s): not applicable Precautionary statements: General P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. Prevention P273 - Avoid release to the environment. Response P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

Contains:

Isotridecanol, ethoxylated, Hexyl Cinnamic Aldehyde, Benzyl salicylate, Hexylsalicylate, Linalool

Contains (Reg.EC 648/2004):

> 30% perfumes,>= 15% < 30% non-ionic surfactants,< 5% Hexyl Cinnamic Aldehyde, Benzyl salicylate, Linalool

UFI: 0M00-G0XS-G00T-9D1T

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

No information on other hazards

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	% (w/w)	Classification		ID
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexa methylindeno[5,6-c]pyran	>= 4,10 < 4,90%	Acute toxicity M-factor = 1 Chronic toxicity M-factor =	INDEX CAS CE REACH	603-212-00-7 1222-05-5 214-946-9 01-2119488227-29-XXXX



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 3 / 12

In conformity to Regulation (EU) 2020/878

Substance	% (w/w)	Classification		ID
4-hydroxy-3-methoxybenzaldehyde	>= 3,60 < 4,40%	Eye Irrit. 2, H319 ATE oral = 3.978,0 mg/kg	INDEX CAS CE REACH	ND 121-33-5 204-465-2 01-2119516040-60-XXXX
Isotridecanol, ethoxylated	>= 2,50 < 3,00%	Acute Tox. 4, H302; Eye Dam. 1, H318	INDEX CAS CE REACH	ND 69011-36-5 500-241-6 ND
Isobutylhydroxymethyl tetrahydropyran	>= 2,30 < 3,10%	Eye Irrit. 2, H319	INDEX CAS CE REACH	603-101-00-3 63500-71-0 405-040-6 01-2119455547-30-XXXX
Hexyl Cinnamic Aldehyde	>= 1,21 < 2,01%	Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 3.100,0 mg/kg	INDEX CAS CE REACH	ND 165184-98-5 639-566-4 01-2119533092-50-XXXX
Benzyl salicylate	>= 1,00 < 1,90%	Skin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 Chronic toxicity M-factor = 1 ATE oral = 2.230,0 mg/kg ATE dermal = 14.150,0 mg/kg	INDEX CAS CE REACH	ND 118-58-1 204-262-9 01-2119969442-31-XXXX
Hexylsalicylate	>= 1,00 < 1,80%	Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX CAS CE REACH	ND 6259-76-3 228-408-6 01-2119638275-36-XXXX
4-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	>= 1,00 < 1,70%	Eye Irrit. 2, H319; Aquatic Chronic 2, H411 Chronic toxicity M-factor = 1	INDEX CAS CE REACH	ND 66068-84-6 266-100-3 01-2119958811-31-XXXX
Linalool	>= 0,32 < 0,60%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.790,0 mg/kg ATE dermal = 5.160,0 mg/kg	INDEX CAS CE REACH	ND 78-70-6 201-134-4 01-2119474016-42-XXXX

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Ingestion:

Rinse mouth with water of the subject. Consult a physician.



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 4 / 12

In conformity to Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If medical advice is needed, have product container or label at hand.

SECTION5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents: Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid: Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus Safety helmet and full protective suit. The spray water can be used to protect the people involved in the extinction You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...) Keep containers cool with water spray

SECTION6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel: Wear gloves and protective clothing

6.1.2 For emergency responders:Wear gloves and protective clothingEliminate all unguarded flames and possible sources of ignition. No smoking.Provision of sufficient ventilation.Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 5 / 12

In conformity to Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:Rapidly recover the product, wear a mask and protective clothingRecover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.Prevent it from entering the sewer system.

6.3.2 For cleaning up: After wiping up, wash the area and materials involved

6.3.3 Other information: None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors At work do not eat or drink. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool place, away from sources of heat and `direct exposure of sunlight.

7.3. Specific end use(s)

Private households (= general public = consumers): Handle in a well ventilated area.

SECTION8. Exposure controls/personal protection

8.1. Control parameters

```
Substance: Linalool
DNEL
Systemic effects Long term Workers inhalation = 3,5 (mg/m3)
Systemic effects Long term Workers dermal = 24,58 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 4,33 (mg/m3)
Systemic effects Long term Consumers dermal = 1,25 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 2,49 (mg/kg bw/day)
PNEC
Sweet water = 0,2 (mg/l)
sediment Sweet water = 2,22 (mg/kg/sediment)
Sea water = 0,02 (mg/l)
sediment Sea water = 0,22 (mg/kg/sediment)
intermittent emissions = 2 (mg/l)
STP = 10 (mg/l)
ground = 0,327 (mg/kg ground)
```



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 6 / 12

In conformity to Regulation (EU) 2020/878

8.2. Exposure controls

Appropriate engineering controls: Private households (= general public = consumers): Observe usual safety precautions in the handling of chemicals.

Individual protection measures:

a) Eye / face protection Not needed for normal use.

b) Skin protection

i) Hand protection Not needed for normal use.

ii) Other Wear normal work clothing.

c) Respiratory protection Not needed for normal use.

d) Thermal hazards No hazard to report

Environmental exposure controls: Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Liquid	
Colour	Yellow	
Odour	Characteristic	
Odour threshold	Undefined	
Melting point/freezing point	Undefined	
Boiling point or initial boiling point and boiling range	Undefined	
Flammability	Undefined	
Lower and upper explosion limit	Undefined	
Flash point	>80°C	
Auto-ignition temperature	Undefined	
Decomposition temperature	Undefined	
рН	Undefined	
Kinematic viscosity	Undefined	
Solubility	Soluble in organic solvents	
Water solubility	Hydrodispersible	



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 7 / 12

In conformity to Regulation (EU) 2020/878

Physical and chemical properties	Value	Determination method
Partition coefficient n-octanol/water (log value)	Undefined	
Vapour pressure	Undefined	
Density and/or relative density	>0,8g/mL	
Relative vapour density	Undefined	
Particle characteristics	Irrelevant	

9.2. Other information

9.2.1 Information with regard to physical hazard classes

Irrilevant

9.2.2 Other safety characteristics

Irrilevant

SECTION10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

Nothing to report.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION11. Toxicological information



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 8 / 12

In conformity to Regulation (EU) 2020/878

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 17.241,4 mg/kg ATE(mix) dermal = ∞ ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skincorrosion/irritation: based on available data, the classification criteria are not met.

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

(d) respiratoryorskinsensitisation: The product, if brought into contact with skin can cause skin sensitization.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) eproductivetoxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure: based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

LD50 (rat) Oral (mg/kg body weight) > 4640

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 6500

4-hydroxy-3-methoxybenzaldehyde: LD50 (rat) Oral (mg/kg body weight) = 3978

Hexyl Cinnamic Aldehyde: LD50 (rat) Oral (mg/kg body weight) = 3100

Benzyl salicylate: LD50 (rat) Oral (mg/kg body weight) = 2230 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 14150

Linalool: LD50 (rat) Oral (mg/kg body weight) = 2790 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5160

11.2. Information on other hazards

No data available.

SECTION12. Ecological information

12.1. Toxicity

Related to contained substances: 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: LC50 - Species: Fish = 0.452 mg / I - Notes: Lepomis macrochirus EC50 - Species: Daphnia = 0.9 mg / I - Duration h: 48 - Notes: Daphnia magna C(E)L50 (mg/I) = 0,47

Isotridecanol, ethoxylated: CL50= 1-10mg/L (fish, 96h) CE50= 1-10mg/L (invertebrates, Daphnia Magna,48h)



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 9 / 12

In conformity to Regulation (EU) 2020/878

CE50= 1-10mg/L (algae, 72h)

Hexyl Cinnamic Aldehyde: LC50 - Species: Fish = 1.7 mg / I - Duration h: 96

Benzyl salicylate: LC50 - Species: Fish = 1.03 mg / I - Duration h: 96 - Notes: Method: OECD Test 203 species: Danio rerio (zebra fish) EC50 - Species: Daphnia = 2.25 ml / I - Duration h: 48 - Notes: Method: OECD Test 202 Species: Daphnia magna

Linalool:

LC50 - Species: Fish = 27.8 mg / I - Duration h: 96 - Notes: OECD 203 EC50 - Species: Daphnia = 59 mg / I - Duration h: 48 - Notes: OECD TG 202 EC50 - Species: Algae = 156.7 mg / I - Duration h: 96

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances: 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: Biodegradability: Not readily biodegradable - Test: Modified Sturm's assay - 2%

Isotridecanol, ethoxylated: Biodegradability> 70%

Benzyl salicylate: Biodegradability: Readily biodegradable - Test: OECD TG 301 F

Linalool: OECD 301 D: 64.2%

12.3. Bioaccumulative potential

Related to contained substances: Linalool: Log Pow = 2.97

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 10 / 12

In conformity to Regulation (EU) 2020/878

12.7. Other adverse effects

No adverse effects

Regulation (EC) 2004/648

More information:

Surfactant (s) content (s) in this preparation is (are) in accordance with the biodegradability criteria as laid down in Regulation CE/648/2004 on detergents. All supporting data shall be available to the competent authorities of Member States and will be provided, if they so request or at the request of a manufacturer of the formulation, the said authorities.

SECTION13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION14. Transport information

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 3082

If subject to the following characteristics is ADR exempt: Combination packagings: per inner packaging 5 L per package 30 Kg Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (1,3,4,6,7,8-esaidro-4,6,6,7,8,8-esametillinden[5,6-c]pirano) ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran) ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9 ADR/RID/IMDG/ICAO-IATA: Label : 9 + Ambiente ADR: Tunnel restriction code : --ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous IMDG: Marine polluting agent : Yes



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 11 / 12

In conformity to Regulation (EU) 2020/878

14.6. Special precautions for user

The goods must be transported by vehicles authorized to transport of dangerous goods according to the current edition of ADR requirements and applicable national regulations.

The goods must be in original packing, however, in packaging made of materials resistant to their content and not likely to generate with this dangerous reactions. People loading and unloading dangerous goods must be trained on the risks from these substances and that must be taken in case of emergency situations.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) 1907/2006 (REACH) - Annex XIV, Annex XVII as amended. REGULATION (EC) 1272/2008 (CLP) as amended. COMMISSION DELEGATED REGULATION (EU) 2020/1182 COMMISSION DELEGATED REGULATION (EU) 2021/643 COMMISSION DELEGATED REGULATION (EU) 2021/849 REGULATION (EU) 878/2020 (Requirements for the compilation of safety data sheets) REGULATION (EC)790/2009, Dir 96/82/EC as amended. Seveso category: E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste: HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59) Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION16. Other information

16.1. Other information

Description of the hazard statements exposed to point 3

- H400 = Very toxic to aquatic life.
- H410 = Very toxic to aquatic life with long lasting effects.
- H319 = Causes serious eye irritation.
- H302 = Harmful if swallowed.
- H318 = Causes serious eye damage.
- H317 = May cause an allergic skin reaction.
- H411 = Toxic to aquatic life with long lasting effects.
- H412 = Harmful to aquatic life with long lasting effects.
- H315 = Causes skin irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008



PROFUMATORE PER BUCATO VANIGLIA & CASHMERE

Issued on 05/15/2020 - Rel. # 4 on 01/25/2022

Pag. 12 / 12

In conformity to Regulation (EU) 2020/878

H317-May cause an allergic skin reaction.Classification procedure:Calculation method H319-Causes serious eye irritation.Classification procedure:Calculation method H411-Toxic to aquatic life with long lasting effects. Classification procedure: Calculation method

Bibliographic data : SAX 12 Ed Van Nostrand Reinhold MERCK INDEX 15 Ed ECHA: European Chemicals Agency (https://echa.europa.eu/it/information-on-chemicals) OSHA: European Agency for Safety and Health at Work IARC: International Agency for Research on Cancer IPCS: International Programme on Chemical Safety (Cards) NIOSH: Registry of toxic effects of chemical substances (1983) ACGIH: American Conference of Governmental Industrial Hygienists TOXNET: Toxicology Data Network WHO: World Health Organization CheLIST: Chemical Lists Information System

GESTIS: Inetrnational Limit Value (https://limitvalue.ifa.dguv.de/)

Acronyms:

- ACGIH American Conference of Governmental Industrial Hygienists

- ADR Accord 5Européen Relatif au Transport International des Marchandises Dangereuses par Route (European accord regarding international transport of dangerous goods by land)

- bw body weight
- CLP Classification, Labelling and Packaging
- CSR Chemical Safety Report
- DMEL Derived Minimal Effect Level
- DNEL Derived No Effect Level
- dw dry weight
- EC Effective Concentration
- IATA International Air Transport Association
- IMDG International Maritime Dangerous Goods
- LC Lethal Concentration
- LD Lethal Dose
- m.w. molecular weight
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- OECD Organisation / Office for Economic Co-operation and Development
- STEL Short Term Exposure Limit
- SVHC Substance of Very High Concern
- TLV Threshold Limit Value
- TWA Time Weighted Average
- vPvB very Persistent, very Bioaccumulative and toxic
- WGK Wassergefährdungsklasse (Water hazard class)

NOTICE TO USERS

The information contained in this sheet are based on the knowledge available at the date of the preparation of this sheet

The user must be aware of the possible risks associated with the use of the product, other than that for which the product is supplied. The sheet does not exonerate the user from knowing and applying all the regulations governing its activities. The set of regulations mentioned is simply to help the user to fulfill its obligations regarding the use of hazardous products.

This sheet does not exonerate the user from other legal obligations than those mentioned and from rules regulating possession and use of the product, since the user is the only responsible.

*** This sheet supersedes all previous editions.