



Super Slip

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Super Slip
SDS Number: 6349, 6350
Revision Date: 12/14/2017
Product Description: Window Cleaning Additive
Product Use: Improves Squeegee Glide and Slows Evaporation
Supplier Details: Winsol Laboratories Inc
 1417 NW 51st St
 Seattle, WA 98107
Emergency: INFOTRAC 1-800-535-5053 (North America); 1-352-323-3500 (International)
Phone: 206-782-5500
Web: www.winsol.com

2 HAZARDS IDENTIFICATION
Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 3
 Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Label elements, including precautionary statements
GHS Signal Word: NONE
GHS Hazard Pictograms:

no GHS pictograms indicated for this product

GHS Hazard Statements:

H316 - Causes mild skin irritation
 H320 - Causes eye irritation

GHS Precautionary Statements:

P102 - Keep out of reach of children.
 P103 - Read label before use.
 P281 - Use personal protective equipment as required.
 P301 - IF SWALLOWED: May cause gastrointestinal irritation.
 P302 - IF ON SKIN: Prolonged or repeated and confined exposure may cause skin irritation. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing and footwear before reuse.
 P304 - IF INHALED: Not considered dangerous.
 P305 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists consult medical personnel.

3 COMPOSITION/INFORMATION ON INGREDIENTS
Ingredients:

Cas#	%	Chemical Name
64-17-5	.5-2%	Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions
27306-78-1	1-5%	Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.
57-55-6	15-20%	Propylene glycol

The exact percentage (or concentration) of ingredients has been withheld as a trade secret.

Composition Comments: Components and trace elements not listed are either non-hazardous or are below reportable limits.



Super Slip

4 FIRST AID MEASURES

Inhalation:	Not considered dangerous.
Skin Contact:	Prolonged or repeated and confined exposure may cause skin irritation. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing and footwear before reuse.
Eye Contact:	Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists consult medical personnel.
Ingestion:	Swallowing may cause gastrointestinal irritation. If irritation persists consult medical personnel.

5 FIRE FIGHTING MEASURES

Flammability:	Not flammable
Flash Point:	N/A
LEL:	N/A
UEL:	N/A

EXTINGUISHING MEDIA: Water

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus with a full face piece operated in a pressure demand or other positive pressure mode.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb liquid on paper, vermiculite, floor absorbent or other absorbent material and transfer to labeled containers.

LARGE SPILL: Stop spill at source, dike area of spill to prevent spreading, pump liquid into salvage tank. Remaining liquid may be taken up on sand, clay, floor absorbent or other absorbent material and shoveled into labeled containers.

WASTE DISPOSAL METHOD: Review Federal, Provincial and Local Government requirements prior to disposal.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Exercise care and caution. Store in cool dry place.

OTHER PRECAUTIONS: Containers of this material may be hazardous when emptied, since emptied containers retain product residues (vapor, liquid and/or solids), all hazard precautions given in the data sheet must be observed.

7 HANDLING AND STORAGE

Handling Precautions:	Keep material out of reach of children.
Storage Requirements:	Store in cool/dry area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equipment:	<p>RESPIRATORY PROTECTION: If TLV of the product or component is exceeded, a NIOSH/MSHA jointly approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators under specified condition.</p> <p>Ventilation: Provide general or mechanical ventilation or local exhaust.</p> <p>PROTECTIVE GLOVES: Use impermeable gloves to prevent skin contact. Use head caps, boots, chemical aprons when necessary.</p> <p>EYE PROTECTION: Use safety eyewear designed to protect eyes against liquid splash and mists. Consult your safety equipment supplier.</p> <p>OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Use protective clothing to prevent skin contact. Use head caps, boots, chemical aprons when necessary.</p> <p>WORK/HYGIENIC PRACTICES: Eyewashes and safety showers in the workplace are recommended. Wash hands after using. Monitor exposure levels.</p>
---------------------------------------	--



Super Slip

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear	Odor:	Mild
Physical State:	Liquid	Solubility:	100% in water
Odor Threshold:	No data available	Freezing/Melting Pt.:	No data available
Spec Grav./Density:	1.01	Flash Point:	No data available
Viscosity:	No data available	Vapor Density:	No data available
Boiling Point:	No data available	Auto-Ignition Temp:	No data available
Flammability:	None	UFL/LFL:	No data available
Partition Coefficient:	No data available		
Vapor Pressure:	No data available		
pH:	No data available		
Evap. Rate:	No data available		
Decomp Temp:	No data available		

10 STABILITY AND REACTIVITY

Reactivity:	Product is stable under normal conditions.
Chemical Stability:	Product is stable under normal conditions.
Conditions to Avoid:	N/A
Materials to Avoid:	Strong Oxidizing Agents, Acids.
Hazardous Decomposition:	Not known.
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

Propylene glycol (57-55-6) :

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - 20,000 mg/kg

Inhalation LC50 no data available

Dermal LD50 LD50 Dermal - rabbit - 20,800 mg/kg

Other information on acute toxicity LD50 Intramuscular - rat - 14 g/kg

LD50 Intravenous - dog - 26 g/kg

LD50 Intraperitoneal - rat - 6,660 mg/kg

LD50 Subcutaneous - rat - 22,500 mg/kg

LD50 Intravenous - rat - 6,423 mg/kg

LD50 Intraperitoneal - mouse - 9,718 mg/kg

Remarks: Lungs, Thorax, or Respiration:Chronic pulmonary edema. Kidney, Ureter, Bladder:Changes in both tubules and glomeruli.

Blood:Changes in spleen.

LD50 Subcutaneous - mouse - 17,370 mg/kg

Remarks: Behavioral:Change in motor activity (specific assay). Behavioral:Muscle contraction or spasticity. Cyanosis

LD50 Intravenous - mouse - 6,630 mg/kg

LD50 Intravenous - rabbit - 6,500 mg/kg

Skin corrosion/irritation: Skin - Human - Mild skin irritation - 7 d

Serious eye damage/eye irritation: Eyes - rabbit - Mild eye irritation

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, ACGIH, NTP and OSHA.



Super Slip

Reproductive toxicity: no data available
Teratogenicity: no data available
Specific target organ toxicity - single exposure (Globally Harmonized System): no data available
Specific target organ toxicity - repeated exposure (Globally Harmonized System): no data available
Aspiration hazard: no data available
Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed.
Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.
Signs and Symptoms of Exposure: Gastrointestinal disturbance, Nausea, Headache, Vomiting, Central nervous system depression
Synergistic effects: no data available
Additional Information:
RTECS: TY2000000

Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions (64-17-5) :

Information on toxicological effects
Acute toxicity:
LD50 Oral - rat - 7,060 mg/kg Remarks: Lungs, Thorax, or Respiration:Other changes.
LC50 Inhalation - rat - 10 h - 20000 ppm
Dermal: no data available
Skin corrosion/irritation: Skin - rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)
Serious eye damage/eye irritation: Eyes - rabbit Result: Mild eye irritation - 24 h (OECD Test Guideline 405)
Respiratory or skin sensitisation: no data available
Germ cell mutagenicity: no data available

Carcinogenicity:
Carcinogenicity - mouse - Oral:
Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkins disease.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, NTP and OSHA.

Reproductive toxicity: no data available
Reproductive toxicity - Human - female - Oral:
Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects. Effects on Newborn: Drug dependence.
Specific target organ toxicity - single exposure: no data available
Specific target organ toxicity - repeated exposure: no data available
Aspiration hazard: no data available
Additional Information:
RTECS: KQ6300000
Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Stomach - Irregularities - Based on Human Evidence

Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.- (27306-78-1) : no data available

12

ECOLOGICAL INFORMATION

Propylene glycol (57-55-6) :

Information on ecological effects
Toxicity:
Toxicity to fish mortality NOEC - Pimephales promelas (fathead minnow) - 52,930 mg/l - 96 h.
Toxicity to daphnia mortality NOEC - Daphnia - 13,020 mg/l - 48 h.
and other aquatic invertebrates
EC50 - Daphnia magna (Water flea) - > 10,000 mg/l - 48 h
Persistence and degradability: no data available
Bioaccumulative potential: no data available
Mobility in soil: no data available
PBT and vPvB assessment: no data available



Super Slip

Other adverse effects: no data available

Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions (64-17-5) : no data available

Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.- (27306-78-1) : no data available

13 DISPOSAL CONSIDERATIONS

Waste Disposal Method: Review Federal, Provincial and Local Government requirements prior to disposal.

14 TRANSPORT INFORMATION

Non-hazardous.

15 REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.- (27306-78-1) TSCA

Propylene glycol (57-55-6) HAP, PA, TSCA

Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions (64-17-5) MASS, OSHAWAC, PA, TSCA, TXAIR

All ingredients for this product are listed on the TSCA inventory.

SARA Title III chemicals: None

California Prop 65 chemicals: This product contains chemicals known to the State of California to cause cancer or reproductive toxicity. Ethanol (64-17-5) [.5-2%]

CERCLA reportable quantity: None

RCRA hazardous waste no: None

Regulatory CODE Descriptions

TSCA = Toxic Substances Control Act

HAP = Hazardous Air Pollutants

PA = PA Right-To-Know List of Hazardous Substances

MASS = MA Massachusetts Hazardous Substances List

OSHA = OSHA Workplace Air Contaminants

TXAIR = TX Air Contaminants with Health Effects Screening Level



Super Slip


16

OTHER INFORMATION

HMIS III: Health = 1, Fire = 0, Physical Hazard = 0

HMIS PPE: B - Safety Glasses, Gloves

HMIS	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B



HMIS Index: 1-slight , 2-moderate, 3-serious, 4-severe

The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Winsol Laboratories, Inc. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

Sections 11 and 12 are based on composition of 100% raw materials.

ISSUE DATE: 05/18/15

REVISION DATE: 12/14/17

REVISIONS: 3 year revision/review