Productsheet



SR PRODUCTS SR-L-01

Pendant, Floor Lamp or Sculpture? The SR-L-Ol has the power to immediately transform any space with its simplicity and elegance.

Designed and produced in Austria with precision to last.

CARE GUIDE

POWDER COATING

the surface temperature during cleaning must not ex- of the structure. ceed 25 °C.

BRUSHED BRASS

for wiping and polishing, never use sponges or metal followed. scrubs. always wipe in the direction of the structure. Contact with acid or caustic liquids of any kind as well as hand perspiration must be avoided at all costs.

BRUSHED STAINLESS STEEL

If possible, the surface should only be cleaned with Daily cleaning can be done by wiping with a clean pure water (maximum 25 °C). Use a clean and soft dry cloth. Should the surface need more attention, this cloth for daily cleaning. Use a soft damp cloth to remo- can be cleaned with water and a mild detergent or ve stains. Do not use acidic or alkaline cleaning ma- soap applied with a damp cloth. Wipe afterwards with terials, glass cleaner or household ammonia. Use only a clean dry cloth. Do not use acidic or alkaline cleasoft cloth for wiping and polishing, never use sponges ning materials, glass cleaner or household ammonia. or metal scrubs. Avoid rubbing hard on the surface. Use only soft cloth for wiping and polishing, never use Dont use sharp objects, steam blasting equipment, sponges or metal scrubs. always wipe in the direction

DISCLAIMER

The information included in these materials is a Wear soft gloves during assembly. Daily cleaning can quidance on the proper care and maintenance of be done by wiping with a clean dry cloth. Should the our products, but this guidance cannot be consurface need more attention, this can be cleaned with sidered a guarantee of specific results. We are water and a mild detergent or soap applied with a not liable for any damage resulting from care and damp cloth. Wipe afterwards with a clean dry cloth. maintenance activities. Information from suppliers Do not use acidic or alkaline cleaning materials, glass of chemicals and cleaning solvents, including but cleaner or household ammonia. Use only soft cloth not limited to label instructions, should always be

TECHNICAL SPECS LIFE HOURS approx. 50.000 h Pipe diameter 30 **CERTIFICATION** CE (230V) **ILLUMINATION** LFD WATTAGE approx. 14 Watt **COLOR TEMPERATURE** approx. 3.000 K CORD Textile Covered white, 2 m LM/W approx. 98 140 mm **MATERIALS** Brushed brass Brushed stainless steel

SR PRODUCTS SR-L-01 SR PRODUCTS SR-L-01

Powder coated black

Powder coated white

We are a product company with a singular aesthetic driven by the idea of bringing back a deeper meaning into spaces.

Based in Vienna, rooted in the mountains of Austria and inspired by the depth and simplicity of nature from around the world.

Our products are characterized by meticulous craftsmanship and an archaic aesthetic, that outlast trends and instantly transform any space.

SR PRODUCTS GMBH

Währinger Strasse 6-8 1090 Vienna info@sr-products.net sr-products.net

SR PRODUCTS SR-L-01