

Prepared for:
NANO LABS LLC

2833 N. EL PASO ST. SUITE 130
COLORADO SPRINGS, CO USA 80907


Phytomana Arnica Cream, 2oz, 1000mg

Batch ID or Lot Number: PMAC1000-001	Test: Potency	Reported: 25Jan2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000233496	Started: 23Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Jan2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.016	0.054	ND	ND	
Cannabichromenic Acid (CBCA)	0.014	0.049	ND	ND	
Cannabidiol (CBD)	0.049	0.167	2.040	20.40	
Cannabidiolic Acid (CBDA)	0.050	0.171	ND	ND	
Cannabidivarin (CBDV)	0.012	0.039	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.021	0.071	ND	ND	
Cannabigerol (CBG)	0.009	0.030	0.250	2.50	
Cannabigerolic Acid (CBGA)	0.038	0.127	ND	ND	
Cannabinol (CBN)	0.012	0.040	0.130	1.30	
Cannabinolic Acid (CBNA)	0.026	0.087	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.045	0.152	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.041	0.138	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.036	0.122	ND	ND	
Tetrahydrocannabivarin (THCV)	0.008	0.028	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.032	0.108	ND	ND	
Total Cannabinoids			2.420	24.20	
Total Potential THC			ND	ND	
Total Potential CBD			2.040	20.40	

Final Approval



Sam Smith
25Jan2023
12:48:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
25Jan2023
12:52:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/dcc1db59-d975-462c-b6a8-70bc005dd15f>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
dcc1db59d975462cb6a870bc005dd15f.1