

C.I. TAKIRON Corporation

belbien

2022-23

belbien

Decorative film with pressure sensitive adhesive
belbien Sample Book

2022-23



belbien

2022-23

CONTENTS



2022-23 NEW PATTERNS	1
Limited Stocks	3
Wood Grains	4
WOOD REGULAR, WR	5
SUPER REAL WOOD, SW / W	9
BELBIEN EX FOR INTERIOR AND EXTERIOR INSTALLATION	19
BELBIEN+TEX TEXTURED SOLID COLOR	23
BASIC COLOR	27
BELBIEN WHITEBOARD SHEET	28
METAL	29
ABSTRACT	33
ABSTRACT / STONE / SAND	35
FABRIC / LEATHER	37
Index/ Technical Information	On the first page of separate booklet

Description Guide



① SW-100
 ② Elite Walnut
 Repeat: W580 H970 1/2step
 ③ ④ ⑤

- ① Code
- ② Name
- ③ Horizontal Repeat
- ④ Vertical Repeat
- ⑤ Transfer Pattern
- ⑥ Functionality
- ⑦ Wood Grain
- B : Burl Grain
- C : Cathedral Grain
- S : Straight Grain
- SC : Straight / Cathedral Grain

⑥
 SC
 ⑦

2022-23 New Patterns

Bigger images and product specifications are available on our web site



Bigger images and product specifications are available on our web site



METAL



Wall/ FM-48 / FM-50 Ceiling/ FM-49



FM-50 NEW
Bumpy Chrome Mirror



FM-48 NEW
Stain Enzu



FM-49 NEW
Yellow Gold Enzu



CM-146 NEW
Alba Trico
Repeat : W520 H460 1/2step



CM-147 NEW
Fuego Trico
Repeat : W520 H460 1/2step




CM-144 NEW
Dark Bronze
Repeat : W300 H635 1/2step




CM-145 NEW
Stainless Metal Twill



CM-143 NEW
Luna Stain
Repeat : W300 H635 1/2step



BR-511 NEW
Pearl White Twill



BR-514 NEW
Real Black Twill

SUPER REAL WOOD



SW-179 NEW
Queen Walnut(S)
Repeat : W485 H940 1/2step



SW-178 NEW
Mark Walnut(S)
Repeat : W485 H940 1/2step




SW-177 NEW
Naked Ash (S)
Repeat : W270 H970 1/2step



SW-178

Feature



Specifications

Width

1,220mm

Length

50m

Please check the technical data on our website before installing the item. The URL is available on the last page.

Special value!

SUSTAINABLE DEVELOPMENT GOALS
Limited Stocks

Bigger images and product specifications are available on our web site



With an eye to achieving the SDGs, the following products, originally scheduled to be discontinued will be on a sale at reduced price. This will contribute to a reduction in product wastes and a minimization of environmental impacts.

Please feel free to inquire of us regarding stock availability.

METAL

		
CM-51 Flow Cream Repeat : W310 H640 1/2step	CO-281 Stormy Silver	CO-285 Silver Ash

WOOD

		
SW-113 Naked Ash Repeat : W270 H970 1/2step	W-304 Vanilla Ash Repeat : W300 H810 box	W-390 Slender Oak Repeat : W470 H985 1/2step
		
W-900 Italian Walnut(S) Repeat : W210 H760 1/2step	W-308 Naked American Walnut Repeat : W580 H960 1/2step	WA-233 Primo Noce Repeat : W725 H970 1/2step
		
WA-380 Nuts Oak Repeat : W480 H980 1/2step	WB-405 Bison Oak Repeat : W525 H970 1/2step	W-306 Modest Ash Repeat : W505 H945 1/2step

Contact us for details.

Designed to fit every situation and purposes /

Make a Great Choice from Our Wood Grain Collections




WR “Wood Regular” Series



Easy to Choose.

- Six fine wood types including classic designs to new trends.
- Each pattern is prepared in a beautiful gradation.
- Easy to make a change, darker or lighter.
- Nude Matte with natural wood texture and subdued gloss.




SW “Super Real Wood” Series



Extremely Realistic.

- Realistic as a real wood.
- Creates a powerful impression that never gets dull even in large spaces.




W “Wood” Series



Wide Variety of Designs.

- Large selection including classics to characteristic patterns.
- An easy-to-use lineup at a reasonable price range.





WR-4160

**Choose wood grain
in a quick
and easy way.**

Feature



Water Resistance

Specifications

Width
1,220mm

Length
50m

Please check the technical data on our website before installing the item. The URL is available on the last page.

[For your first selection]
:The color chart in different wood types will help you to make a instant choice!

[When you select matching color for the site]
: The gradations will help you to find a perfect match!

[When you seek different impression]
: Various colors, Various impressions.

FABRIC WOOD / S

Repeat : W445 H790 1/2step



1		WR-3000 White Fabric Wood ♠♠
2		WR-3005 Cream Fabric Wood ♠♠
3		WR-3010 Vanille Fabric Wood ♠♠
4		WR-3020 Beige Fabric wood ♠♠
5		WR-3030 Camel Fabric Wood ♠♠
6		WR-3040 Taupe Fabric Wood ♠♠
7		WR-3050 Light Gray Fabric Wood ♠♠
8		WR-3060 Light Taupe Fabric Wood ♠♠
9		WR-3070 Sepia Fabric Wood ♠♠
10		WR-3080 Dark Brown Fabric Wood ♠♠
11		WR-3085 Gray Fabric Wood ♠♠
12		WR-3090 Charcoal Fabric Wood ♠♠



WALNUT / S

Repeat : W210 H795 1/2step

WR-1000 White Walnut ♠♠	
WR-1010 Silk Walnut ♠♠	
WR-1020 Pale Walnut ♠♠	
WR-1040 Clay Walnut ♠♠	
WR-1045 Greige Walnut ♠♠	
WR-1050 American Walnut ♠♠	
WR-1055 Salem Walnut ♠♠	
WR-1060 Missouri Walnut ♠♠	
WR-1070 Évreux Walnut ♠♠	
WR-1080 Smoke Walnut ♠♠	
WR-1085 Ohio Walnut ♠♠	
WR-1090 Charcoal Walnut ♠♠	

WALNUT / SC

Repeat : W580 H960 1/2step

WR-1100 White Walnut ♠♠	
WR-1110 Silk Walnut ♠♠	
WR-1120 Pale Walnut ♠♠	
WR-1140 Clay Walnut ♠♠	
WR-1145 Greige Walnut ♠♠	
WR-1150 American Walnut ♠♠	
WR-1155 Salem Walnut ♠♠	
WR-1160 Missouri Walnut ♠♠	
WR-1170 Évreux Walnut ♠♠	
WR-1180 Smoke Walnut ♠♠	
WR-1185 Ohio Walnut ♠♠	
WR-1190 Charcoal Walnut ♠♠	



OAK / S

Repeat : H960

OAK / SC

Repeat : W580 H960 1/2step

ASH / S

Repeat : W270 H970 1/2step

ASH / SC

Repeat : H975

CHERRY / SC

Repeat : W575 H950 1/2step

SUGI / S

Repeat : W540 H960 1/2step

1	WR-2000 Neve Oak		WR-2100 Neve Oak	
2	WR-2010 Vernal Oak		WR-2110 Vernal Oak	
3	WR-2020 Vara Oak		WR-2120 Vara Oak	
4	WR-2030 Laurel Oak		WR-2130 Laurel Oak	
5	WR-2040 Malmo Oak		WR-2140 Malmo Oak	
6	WR-2050 Viera Oak		WR-2150 Viera Oak	
7	WR-2060 Permanan Light Oak		WR-2160 Permanan Light Oak	
8	WR-2070 Helena Oak		WR-2170 Helena Oak	
9	WR-2075 Casper Oak		WR-2175 Casper Oak	
10	WR-2080 Permanan Oak		WR-2180 Permanan Oak	
11	WR-2090 Dark Oak		WR-2190 Dark Oak	
12	WR-2095 Black Oak		WR-2195 Black Oak	

WR-4000 Warm White Ash		WR-4100 Warm White Ash	
WR-4020 Greige Ash		WR-4120 Greige Ash	
WR-4040 Science Ash		WR-4140 Science Ash	
WR-4060 Soil Ash		WR-4160 Soil Ash	
WR-4070 Dull Chic Ash		WR-4170 Dull Chic Ash	
WR-4090 Dark Ash		WR-4190 Dark Ash	

WR-6110 Ecru Cherry		WR-5000 Haijiro Sugi	
WR-6120 Natural Cherry		WR-5020 Usukou Sugi	
WR-6130 Apricot Cherry		WR-5040 Chouji Sugi	
WR-6150 Mandarin Cherry		WR-5050 Kou Sugi	
WR-6160 Brownish Cherry		WR-5070 Fushihiro Sugi	
WR-6180 Reddish Cherry		WR-5080 Kobicha Sugi	

Feature



Specifications

Width 1,220mm

Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.

Easy-to-choose wood grain

Easy-to-choose wood grain



Extremely Realistic.
SUPER REAL WOOD SERIES



SW-131

SUPER REAL WOOD

			
SW-134 White Purplewood Repeat : W480 H970 1/2step	SW-135 Brosse Macassar Repeat : W430 H970 1/2step	SW-121 White Bubinga Repeat : W560 H970 1/2step	SW-145 Shiratsuchi Gaki Repeat : W590 H970 1/2step
			
SW-157 Nordic White Ash Repeat : H975	SW-133 Snow Elm Repeat : W485 H975 1/2step	SW-127 Grayish Elm Repeat : W460 H970 1/2step	
			
SW-153 Jindai-Hinoki Rain Repeat : W630 H945 1/2step	SW-131 Shabby Chic Elm Repeat : W485 H975 1/2step	SW-129 Grunge Chic Elm Repeat : W485 H975 1/2step	SW-154 Jindai-Sen Moon Repeat : W270 H970 1/2step

Wide Variety of Designs.
WOOD SERIES



W-654

WOOD

			
W-669 Porta Pine Repeat : H1365	W-621 Snow Larch Repeat : W530 H940 1/2step	W-305 White Paulownia Repeat : W340 H960 1/2step	WB-401 Canard Oak Repeat : W430 H970 1/2step
			
WB-403 Siberian Oak Repeat : W525 H970 1/2step	W-628 Salt Oak Repeat : H950	W-653 Milky Dao Repeat : W450 H1300 1/2step	W-807 Earnest Oak Repeat : H940
			
W-663 Calando Maple Repeat : W940 H1310 1/2step	W-626 Fog Larch Repeat : W530 H940 1/2step	W-716 Light Gray Ash Repeat : W300 H810 box	W-666 Lento Maple Repeat : W970 H1310 1/2step
			
W-627 Cloud Larch Repeat : W530 H940 1/2step	W-659 Greige Dark Elm Repeat : W970 H1290 1/2step	W-647 Grunge Chic Drape Repeat : W630 H945 1/2step	W-809 Faith Oak Repeat : H940

Individual

Water Resistance

Same design as other belbien

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width 1,220mm

Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.



SUPER REAL WOOD

1				
	SW-76 White Elm Repeat: W460 H970 1/2step SC	SW-82 White Teak Repeat: W240 H810 1/2step S	SW-151 Greige Oak Repeat: H960 S	SW-159 Tornio Ash Repeat: H975 SC
2				
	SW-125 Ivory Oak Repeat: W375 H810 box S	SW-126 Ivory Oak Repeat: W575 H1085 1/2step SC	SW-158 Scandinavian Ash Repeat: H975 SC	SW-155 Donau Oak Repeat: H970 SC

1				
	SW-64 Irene Oak Repeat: W575 H1085 1/2step SC	SW-160 Nordic Greige Ash Repeat: H975 SC	SW-130 Dull Chic Elm Repeat: W485 H975 1/2step S	
2				
	SW-147 Naked Italian Walnut Repeat: W585 H960 1/2step SC	SW-148 Naked American Walnut Repeat: W585 H960 1/2step SC	SW-171 Naked Walnut Repeat: W210 H790 1/2step S	SW-172 Naked Walnut Repeat: W585 H970 1/2step SC

WOOD


3				
	W-216 Line Walnut Repeat: W600 H970 1/2step S	WA-256 Fresh Anigre Repeat: W525 H1325 1/2step S	W-650 Rowdy Oak Greige Repeat: W700 H1300 1/2step SC	W-719 Missouri Gray Repeat: W430 H970 1/2step S
4				
	W-200 White Oak Repeat: W525 H970 1/2step S	W-639 Pale Maple Repeat: W500 H965 1/2step SC	W-664 Marcato Maple Repeat: W940 H1310 1/2step C	WB-400 Lapin Oak Repeat: W430 H970 1/2step S
5				
	W-723 Aizu Kiri Repeat: W340 H960 1/2step S	W-732 Natural Light Oak Repeat: H960 S	W-637 Clay Cherry Repeat: W575 H950 1/2step SC	W-652 Rowdy Oak Beige Repeat: W700 H1300 1/2step SC
6				
	W-651 Rowdy Oak Light Repeat: W700 H1300 1/2step SC	W-634 Pale Walnut Repeat: W580 H960 1/2step SC	W-643 Zingana Light Repeat: W480 H970 1/2step S	W-731 Light Greige Oak Repeat: H960 S
7				
	W-717 Cinnamon Ash Repeat: W300 H810 box S	W-635 Clay Walnut Repeat: W580 H960 1/2step SC		

3				
	W-617 Naked Italian Walnut Repeat: W210 H760 1/2step S	W-622 Italian Walnut Repeat: W400 H385 1/2step S	W-618 Naked American Walnut Repeat: W210 H760 1/2step S	W-623 American Walnut Repeat: W400 H385 1/2step S
4				
	W-307 Naked Italian Walnut Repeat: W580 H960 1/2step SC	W-660 Rowdy Walnut Italian Repeat: H1330 SC	W-802 Italian Noce Repeat: W580 H960 1/2step SC	W-661 Rowdy Walnut American Repeat: H1330 SC
5				
	W-808 Sincere Oak Repeat: H940 S	W-630 Pepper Oak Repeat: H950 S	W-646 Dull Chic Drape Repeat: W630 H945 1/2step S	W-640 Grey Striped Wood Repeat: W575 H970 1/2step S
6				
	W-658 Greige Medium Elm Repeat: W970 H1290 1/2step SC	W-644 Zingana Mocha Repeat: W480 H970 1/2step S	W-641 Smoke Striped Wood Repeat: W575 H970 1/2step S	W-656 Rastic Oak Greige Repeat: H1290 C
7				
	W-686 Courtyard Dark Birch Repeat: W415 H1035 1/2step C	W-633 Marron Drape Repeat: W630 H945 1/2step S		

Individual



Water Resistance



Same design as other belbien



Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width 1,220mm

Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.



SUPER REAL WOOD

1				
	SW-152 Hinoki Repeat : W635 H945 1/2step S	SW-70 Petit Elm Repeat : W460 H970 1/2step SC	SW-161 Yoshino Sugi Repeat : W540 H960 1/2step S	
2				
	SW-150 Naked Oak Repeat : H960 S	SW-141 Sen Repeat : W270 H970 1/2step S	SW-124 Naked Oak Repeat : W575 H1085 1/2step SC	SW-140 Real Oak Repeat : W415 H970 1/2step C
3				
	SW-72 Beige Sycamore Repeat : W620 H970 1/2step SC	SW-128 Naked Elm Repeat : W485 H975 1/2step S	SW-54 Viera Oak Repeat : W575 H1085 1/2step SC	SW-55 Aruba Oak Repeat : W575 H1085 1/2step SC

	SW-60 Mave Ash Repeat : W270 H970 1/2step S	SW-61 Oisein Ash Repeat : W270 H970 1/2step S	SW-28 Keyaki Repeat : W290 H1300 box C	SW-43 Angel Wood Repeat : W370 H970 1/2step SC
	SW-80 Siena Cherry Repeat : W400 H810 1/2step S	SW-93 Siena Cherry Repeat : W400 H805 1/2step S	SW-18 Omi Sakura Repeat : W400 H810 1/2step S	SW-27 Omi Sakura Repeat : W415 H970 box C
	SW-168 Naked Cherry Repeat : W400 H810 1/2step S	SW-45 Rosé Walnut Repeat : W210 H790 1/2step S	SW-98 Rosé Walnut Repeat : W395 H390 1/2step S	SW-56 Rosé Walnut Repeat : W410 H970 1/2step C

WOOD


4				
	W-685 Courtyard Light Birch Repeat : W415 H1035 1/2step C	W-714 Light Ash Repeat : W300 H810 box S	W-213 Cremona Sycamore Repeat : W590 H970 1/2step S	W-638 Plain Maple Repeat : W500 H965 1/2step SC
5				
	W-665 Largo Maple Repeat : W970 H1310 1/2step C	W-629 Naked Oak Repeat : H950 S	W-681 Jingu Sugi Repeat : W610 H1180 1/2step SC	WA-257 Pleasant Anigre Repeat : W525 H1325 1/2step S
6				
	W-720 Missouri Light Repeat : W430 H970 1/2step S	W-657 Plain Elm Repeat : W970 H1290 1/2step SC	W-715 Natural Ash Repeat : W300 H810 box S	W-385 Yachi Tamo Repeat : W340 H990 1/2step S
7				
	W-721 Missouri Oak Repeat : W430 H970 1/2step S			

	W-372 Kiso Hinoki Repeat : W465 H995 box S	W-251 Luna Elm Repeat : W455 H970 1/2step S	W-316 Franc Poplar Repeat : W290 H970 1/2step S	W-320 Léger Maple Repeat : W365 H970 1/2step S
	W-786 Leo Maple Repeat : W525 H1340 1/2step C	W-636 Plain Cherry Repeat : W575 H950 1/2step SC	W-203 Carnus Beech Repeat : W680 H1085 1/2step SC	WA-386 Malaga Cherry Repeat : W335 H980 1/2step S
	W-360 Sakura Repeat : W415 H995 1/2step C	W-346 Bernerd Oak Repeat : W585 H970 1/2step SC	W-255 Coupé Anigre Repeat : W545 H1000 1/2step S	W-764 Massive Cherry Repeat : W370 H1005 1/2step S

Individual



Water Resistance



Same design as other belbien



Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width 1,220mm

Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.



SUPER REAL WOOD

1				
	SW-170 Naked Teak Repeat : W240 H810 1/2step S	SW-163 Karon Teak Repeat : W240 H810 1/2step S	SW-164 Victoria Teak Repeat : W240 H810 1/2step S	SW-169 Modern Teak Repeat : W585 H970 1/2step S
2				
	SW-46 Marée Walnut Repeat : W210 H790 1/2step S	SW-57 Marée Walnut Repeat : W410 H970 1/2step C	SW-101 Grand Walnut Repeat : W580 H970 1/2step SC	SW-16 Wave Mahogany Repeat : W685 H810 1/2step S
3				
	SW-167 Jeune Sapelli Repeat : W405 H785 box S	SW-91 Moderate Teak Repeat : W580 H970 1/2step S		

1				
	SW-100 Elite Walnut Repeat : W580 H970 1/2step SC	SW-81 Mid Cherry Repeat : W400 H810 1/2step S	SW-59 Torino Teak Repeat : W585 H970 1/2step C	SW-79 Almagnac Teak Repeat : W240 H810 1/2step S
2				
	SW-47 Palace Cherry Repeat : W400 H810 1/2step S	SW-165 Maenam Karin Repeat : W270 H790 1/2step S	SW-166 Maenam Karin Repeat : W405 H960 box C	SW-63 Miyama Karin Repeat : W270 H790 1/2step S
3				
	SW-62 Beaune Sapele Repeat : W405 H785 box S	SW-104 Spin Mahogany Repeat : W570 H970 1/2step S	SW-49 Dark Wenge Repeat : W405 H970 1/2step S	SW-26 Glory Rose Repeat : W405 H970 box C

WOOD


4				
	W-654 Cinnamon Dao Repeat : W450 H1300 1/2step S	W-631 Cinnamon Oak Repeat : H950 S	W-648 Medium Walnut Repeat : W210 H760 1/2step S	W-624 Medium Walnut Repeat : W400 H385 1/2step S
5				
	W-244 Remain Ash Repeat : W400 H970 box S	WB-404 Gale Oak Repeat : W525 H970 1/2step S	W-655 Rastic Oak Natural Repeat : H1290 S	W-668 Pu-erh Cherry Repeat : H1345 C
6				
	W-670 Hérissan Oak Natural Repeat : H1290 C	WA-381 Sienna Oak Repeat : W480 H980 1/2step S	W-683 Enju Repeat : W400 H1170 1/2step SC	W-662 Rowdy Walnut Smoke Repeat : H1330 SC

4				
	W-722 Yoshino Sakura Repeat : W400 H810 1/2step S	W-667 Rooibos Cherry Repeat : H1345 C	W-205 Mandarin Cherry Repeat : W565 H970 1/2step SC	
5				
	W-210 Zebra Nova Repeat : W480 H970 1/2step S	W-282 Nadia Teak Repeat : W560 H1340 1/2step SC	W-378 Jaguar Burl Repeat : W370 H330 box B	W-376 Deep Mahogany Repeat : W385 H995 1/2step S
6				
	W-765 Country Cherry Repeat : W370 H1005 1/2step S	WA-227 Berg Cherry Repeat : W565 H970 1/2step SC	W-364 Sumie Karin Repeat : W170 H995 1/2step S	W-642 Red Striped Wood Repeat : W575 H970 1/2step S

Individual



Water Resistance



Same design as other belbien



Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width 1,220mm

Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.



























SUPER REAL WOOD

1				
	SW-173 Dors Walnut Repeat : W210 H790 1/2step S	SW-174 Dors Walnut Repeat : W585 H970 1/2step SC	SW-102 Dandy Walnut Repeat : W580 H970 1/2step SC	SW-175 Wenge Repeat : W405 H970 1/2step S
2				
	SW-19 Valois Walnut Repeat : W210 H790 1/2step S	SW-99 Valois Walnut Repeat : W395 H390 1/2step S	SW-24 Valois Walnut Repeat : W410 H970 1/2step C	SW-116 Dark Mahogany Repeat : W570 H970 1/2step S
3				
	SW-156 Donau Oak Soir Repeat : H970 SC	SW-84 Frigo Teak Repeat : W240 H810 1/2step S	SW-137 Bitter Elm Repeat : W485 H975 1/2step S	SW-143 Henri Walnut Repeat : W585 H960 1/2step SC

1				
	SW-73 Dark Sycamore Repeat : W620 H970 1/2step SC	SW-77 Dark Elm Repeat : W460 H970 1/2step SC	SW-112 Charcoal Ash Repeat : W270 H970 1/2step S	SW-176 Black Wenge Repeat : W405 H970 1/2step S
2				
	SW-65 Nadja Oak Repeat : W575 H1085 1/2step SC	SW-138 Gramme Ebony Repeat : W630 H970 1/2step S	SW-89 Dark Purplewood Repeat : W480 H970 1/2step SC	SW-136 Husky Macassar Repeat : W430 H970 1/2step C
3				
	SW-162 Akita Yakisugi Repeat : W540 H960 1/2step S	SW-146 Shibusumi Gaki Repeat : W590 H970 1/2step SC	SW-110 Black Elm Repeat : W460 H970 1/2step SC	SW-122 Black Bubinga Repeat : W560 H970 1/2step S

WOOD


4				
	W-620 Evreux Walnut Repeat : W210 H760 1/2step S	W-625 Evreux Walnut Repeat : W400 H385 1/2step S	W-619 Valois Walnut Repeat : W210 H760 1/2step S	W-358 Queen's Walnut Repeat : W410 H980 1/2step C
5				
	WA-382 Dark Umber Oak Repeat : W480 H980 1/2step S	W-245 Deep Ash Repeat : W400 H970 box S	W-632 Sepia Drape Repeat : W630 H945 1/2step S	W-810 Steady Walnut Repeat : W210 H960 1/2step S
6				
	W-682 Kumano Sugi Repeat : W610 H1180 1/2step SC	W-800 Grunge Strata Repeat : H930 SC	W-393 Memphis Cherry Repeat : W330 H1325 1/2step S	W-394 Tennessee Cherry Repeat : W330 H1325 1/2step S

4				
	W-684 Ginkai Enju Repeat : W400 H1170 1/2step SC	W-671 Hérisson Oak Gray Repeat : H1290 C	W-391 Modest Oak Repeat : W470 H985 1/2step C	W-217 Line Dark Walnut Repeat : W600 H970 1/2step S
5				
	W-806 Gold-Inlaid Walnut Repeat : W585 H960 1/2step SC	W-805 Silver-Inlaid Walnut Repeat : W585 H960 1/2step SC	W-202 Bitter Oak Repeat : W525 H970 1/2step S	W-223 Zebra Vino Repeat : W480 H970 1/2step S
6				
	W-724 Sumizome Kiri Repeat : W340 H960 1/2step S	W-224 Zebra Marino Repeat : W480 H970 1/2step S	W-726 Charcoal Bamboo Repeat : W630 H970 1/2step S	W-303 Black Oak Repeat : W535 H810 box S


Individual



Water Resistance



Same design as other belbien



Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width 1,220mm

Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.



**Ideal Solution for Exterior Decoration.
A Multi-Functional All-Rounder.**

- ◆ Has a long and successful record, exceeding 30 years
- ◆ Stable and long-lasting functions
- ◆ Applicable to various site
- ◆ Improved workability

Exterior Wall, Eave, Siding, Sign Board, Elevator Wall, Door, Wet Areas, Smoking Room



Strength of belbien EX : belbien's basic functions plus higher performances

<p>Salt Damage Resistant</p> <p>The fluorine-treated surface prevents deterioration caused by sea breeze.</p>	<p>Scratch Resistant</p> <p>The sheet is designed to resist scratching and prevent the tear or damage resulting from sharp object such as metals.</p>	<p>Colour Fastness Resistant for 10 years.</p> <p>The sheet prevent its fading and discoloration approximately for 10 years. (The performance period is not guaranteed)</p>
<p>Stain Resistant</p> <p>The fluorine-treated surface prevents stains and makes it easier to clean.</p>	<p>Chemical Resistant</p> <p>Even severe stains can be removed with organic solvents such as alcohol or thinner.</p>	<p>Improved Workability</p> <p>The new hybrid paper makes it easy to evacuate air during the installation.</p>

<p>EW-1300 Line Walnut Plus Repeat : W600 H970 1/2step</p>	<p>EW-1707 Beat Oak Repeat : W395 H980 1/2step</p>	<p>EW-1708 Rhythm Oak Repeat : W395 H980 1/2step</p>	
<p>EW-1215 Snow Larch Repeat : W530 H955 1/2step</p>	<p>EW-1216 Greige Larch Repeat : W530 H955 1/2step</p>	<p>EW-1210 Dull Chic Elm Repeat : W485 H950 1/2step</p>	
<p>EW-1209 Pale Walnut Repeat : W590 H950 1/2step</p>	<p>EW-1301 Naked Italian Walnut Repeat : W210 H760 1/2step</p>	<p>EW-1213 Italian Walnut Repeat : W400 H395 1/2step</p>	<p>EW-1302 Naked American Walnut Repeat : W210 H760 1/2step</p>
<p>EW-1208 Sen Repeat : W275 H925 1/2step</p>	<p>EW-1207 Viera Oak Repeat : W585 H950 1/2step</p>	<p>EW-1303 Medium Walnut Repeat : W210 H760 1/2step</p>	<p>EW-1305 Bagan Teak Repeat : W245 H780 1/2step</p>
<p>EW-1202 Fair Wood Repeat : W350 H970 1/2step</p>	<p>EW-1212 Sedona Cherry Repeat : W575 H925 1/2step</p>	<p>EW-1201 Regal Oak Repeat : W415 H970 1/2step</p>	<p>EW-1306 Karon Teak Repeat : W245 H780 1/2step</p>
<p>EW-1304 Evreux Walnut Repeat : W210 H760 1/2step</p>	<p>EW-1214 Evreux Walnut Repeat : W400 H395 1/2step</p>	<p>EW-1211 Bitter Elm Repeat : W485 H950 1/2step</p>	<p>EW-1805 Black Dao Repeat : W520 H1310 1/2step</p>

1
2
3
4
5
6

- belbien EX Feature**
- Color Fastness about 10 years
 - Scratch Resistance
 - Stain Resistance
 - Chemical Resistance
 - Salt damage Resistance
 - Water Resistance
- Feature**
- Same design as other belbien
 - Precautions in installation
Patterns will not be matched in the joint part due to large design included.
- Specifications**
- Width 1,220mm
 - Length 50m
- Please check the technical data on our website before installing the item. The URL is available on the last page.



For Interiors and Exteriors

1				
	EA-6100 Haily White Plus Repeat : W460 H335 box	ES-5229 Bianco Palazzo Repeat : W485 H795 1/2step	EA-6110 Douce Branc Repeat : W440 H665 1/2step	
2				
	ES-5600 Perlino Skill Repeat : H650	ES-5712 Silky Frost Repeat : W250 H405 1/2step	ES-5200 Irish Clay Repeat : W170 H220 1/2step	ES-5202 Mist Clay Repeat : W170 H220 1/2step
3				
	ES-5523 Alt Marble Gray Repeat : H1305	ES-5522 Alt Marble Beige Repeat : H1305	ES-5525 Malta Greige Repeat : H1310	ES-5524 Malta Dark Beige Repeat : H1310
4				
	ES-5221 Arenite Vellum Repeat : H670	ES-5222 Granite Vellum Repeat : H670	ES-5223 Marlite Vellum Repeat : H670	ES-5224 Chromite Vellum Repeat : H670
5				
	ES-5225 Cinnabar Vellum Repeat : W440 H675 1/2step	ES-5226 Covelline Vellum Repeat : W440 H675 1/2step	ES-5103 Silver Stony Repeat : W295 H645 1/2step	
6				
	EF-1004 White Lattice Repeat : W345 H390 box	EF-1003 Lucifer Satin Repeat : W480 H670 box	EF-1001 Earthy Linen Repeat : W490 H330 box	EF-1002 Twilight Linen Repeat : W490 H330 box

				1	
	EM-4216 Hairline Stainless	EM-4226 Bronze Hairline	EM-4220 Navy Hairline		
				2	
	EM-4221 Silver Metallic	EM-4217 Bronze Chiaro	EM-4223 Deep Metallic		
					3
	EM-4224 Yellow Metallic	EM-4225 Bronze Metallic	EM-4219 Noir Vibration	EM-4218 Antique Vibration	
					4
	EM-4222 Tapestry Metallic	EM-4227 Bronze Sand	EM-4215 Rusty Brown	EM-4228 Noir Sand	
					5
	EC-001 White Cœur 5.5GY 9.2/0.3	EC-010 Shell White 6.2Y 8.5/0.5	EC-020 Cream Cœur 5.0Y 9.1/1.0	EC-050 Cool Grey 0.8GY 4.9/0.1	
					6
	EC-110 Deep Red Cœur 7R 2.5/8.1	EC-200 Deep Green 0.6G 1.9/2.8	EC-300 Deep Blue 9.9B 1.5/3.7	EC-070 Brown Cœur 9YR 2.5/1.3	
					7
	EC-090 Black Cœur N1.9				

belbien EX Feature

- Color Fastness about 10 years
- Scratch Resistance
- Stain Resistance
- Chemical Resistance
- Salt damage Resistance
- Water Resistance

Feature

- Same design as other belbien
- Precautions in installation
Patterns will not be matched in the joint part due to large design included.

Specifications

Width 1,220mm
Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.



TX-027

TX-083



TX-031 / GC-011

BASIC COLOR
BELBIEN WHITEBOARD

More expressive designs?
••the answer is "belbien +TEX"

finely embossed solid color belbien.
The intricate emboss creates additional brilliance.



TX-039



<p>1</p> <p>DELTA</p> <p>2</p> <p>ENZU</p> <p>3</p> <p>NUBUCK</p> <p>4</p> <p>CLEAR</p> <p>5</p> <p>TISSU</p> <p>6</p> <p>CŒUR</p> <p>7</p> <p>DEW</p>							
	<p>TX-030 Precious White Delta 9.5GY 9.3/0.1</p>	<p>TX-031 be White Delta 2.0GY 9.3/0.3</p>	<p>TX-032 Misty White Delta 4.0GY 9.2/0.3</p>	<p>TX-033 Silver White Delta 8.6Y 8.7/0.1</p>	<p>TX-034 Pale White Delta 9.9GY 8.3/0.2</p>	<p>TX-035 Pearl Gray Delta 5.1Y 7.9/0.3</p>	<p>TX-035 Pearl Gray Delta 5.1Y 7.9/0.3</p>
	<p>TX-020 Precious White Enzu 9.5GY 9.3/0.1</p>	<p>TX-021 be White Enzu 2.0GY 9.3/0.3</p>	<p>TX-022 Misty White Enzu 4.0GY 9.2/0.3</p>	<p>TX-023 Silver White Enzu 8.6Y 8.7/0.1</p>	<p>TX-024 Pale White Enzu 9.9GY 8.3/0.2</p>	<p>TX-025 Pearl Gray Enzu 5.1Y 7.9/0.3</p>	<p>TX-025 Pearl Gray Enzu 5.1Y 7.9/0.3</p>
	<p>TX-010 Precious White Nubuck 9.5GY 9.3/0.1</p>	<p>TX-011 be White Nubuck 2.0GY 9.3/0.3</p>	<p>TX-012 Misty White Nubuck 4.0GY 9.2/0.3</p>	<p>TX-013 Silver White Nubuck 8.6Y 8.7/0.1</p>	<p>TX-014 Pale White Nubuck 9.9GY 8.3/0.2</p>	<p>TX-015 Pearl Gray Nubuck 5.1Y 7.9/0.3</p>	<p>TX-015 Pearl Gray Nubuck 5.1Y 7.9/0.3</p>
<p>GC-010 Precious White Clear 9.5GY 9.3/0.1</p>	<p>GC-011 be White Clear 2.0GY 9.3/0.3</p>	<p>GC-012 Misty White Clear 4.0GY 9.2/0.3</p>	<p>GC-013 Silver White Clear 8.6Y 8.7/0.1</p>	<p>GC-014 Pale White Clear 9.9GY 8.3/0.2</p>	<p>GC-015 Pearl Gray Clear 5.1Y 7.9/0.3</p>	<p>GC-015 Pearl Gray Clear 5.1Y 7.9/0.3</p>	
<p>TX-060 Precious White Tissu 9.5GY 9.3/0.1</p>	<p>TX-061 be White Tissu 2.0GY 9.3/0.3</p>	<p>TX-062 Misty White Tissu 4.0GY 9.2/0.3</p>	<p>TX-063 Silver White Tissu 8.6Y 8.7/0.1</p>	<p>TX-064 Pearl Gray Tissu 5.1Y 7.9/0.3</p>	<p>TX-065 Silver Gray Tissu 0.7GY 7.2/0.4</p>	<p>TX-065 Silver Gray Tissu 0.7GY 7.2/0.4</p>	
<p>TX-050 Precious White Cœur 9.5GY 9.3/0.1</p>	<p>TX-051 Warm White Cœur 7.3Y 9.4/0.3</p>	<p>TX-052 Misty White Cœur 4.0GY 9.2/0.3</p>	<p>TX-053 Shell White Cœur 5.7Y 8.5/0.4</p>	<p>TX-054 Pearl Gray Cœur 5.1Y 7.9/0.3</p>	<p>TX-055 Raisin Gray Cœur 8.2PB 3.1/0.3</p>	<p>TX-055 Raisin Gray Cœur 8.2PB 3.1/0.3</p>	
<p>TX-100 Precious White Dew 9.5GY 9.3/0.1</p>	<p>TX-101 be White Dew 2.0GY 9.3/0.3</p>	<p>TX-102 Misty White Dew 4.0GY 9.2/0.3</p>	<p>TX-103 Pale White Dew 9.9GY 8.3/0.2</p>				

Feature

Water Resistance

Precautions in installation (TX-DELTA)

Patterns will not be matched in the joint part due to large design included.

Keep in mind when checking color: (GC-CLEAR)

When checking the color of the product, remove the protective film on the surface. * The tips on the right had not been present from the beginning.

Specifications

Width 1,220mm

Length 50m

The value to the bottom of the product name is the Munsell value.

Please check the technical data on our website before installing the item. The URL is available on the last page.



TX-036
Silver Gray Delta
0.7GY 7.2/0.4



TX-037
Sensitive Gray Delta
7.6Y 6.3/0.3



TX-038
Off-Black Delta
0.6Y 2.45/0.3



TX-039
Carbon Black Delta
9.2PB 0.9/0.2



TX-026
Silver Gray Enzu
0.7GY 7.2/0.4



TX-027
Sensitive Gray Enzu
7.6Y 6.3/0.3




TX-028
Off-Black Enzu
0.6Y 2.45/0.3




TX-029
Carbon Black Enzu
9.2PB 0.9/0.2



TX-016
Silver Gray Nubuck
0.7GY 7.2/0.4



TX-017
Sensitive Gray Nubuck
7.6Y 6.3/0.3



TX-018
Off-Black Nubuck
0.6Y 2.45/0.3



TX-019
Carbon Black Nubuck
9.2PB 0.9/0.2




GC-016
Silver Gray Clear
0.7GY 7.2/0.4




GC-017
Sensitive Gray Clear
7.6Y 6.3/0.3



GC-018
Off-Black Clear
0.6Y 2.45/0.3



GC-019
Carbon Black Clear
9.2PB 0.9/0.2



MAZE



Easy-to-choose
textured single-color sheening




TX-070
Silver Gray Maze
0.7GY 7.2/0.4



TX-071
Off-Black Maze
0.6Y 2.45/0.3




TX-072
Black Maze
N 1.9/




WOODY




TX-080
Warm White Woody
7.3Y 9.4/0.3



TX-081
Misty White Woody
4.0GY 9.2/0.3



TX-082
Shell White Woody
5.7Y 8.5/0.4




TX-083
Sensitive Gray Woody
7.6Y 6.3/0.3



TX-084
Charcoal Gray Woody
0.2PB 2.1/0.5



TX-085
Carbon Black Woody
9.2PB 0.9/0.2



SLENDER



TX-040
Precious White Slender
9.5GY 9.3/0.1



TX-041
Misty White Slender
4.0GY 9.2/0.3



TX-042
Pale White Slender
9.9GY 8.3/0.2




TX-043
Sensitive Gray Slender
7.6Y 6.3/0.3



TX-044
Off-Black Slender
0.6Y 2.45/0.3



TX-045
Carbon Black Slender
9.2PB 0.9/0.2



RIPPLE



TX-090
be White Ripple
2.0GY 9.3/0.3



TX-091
Misty White Ripple
4.0GY 9.2/0.3



TX-092
Silver White Ripple
8.6Y 8.7/0.1



TX-093
Pearl Gray Ripple
5.1Y 7.9/0.3



TX-094
Carbon Black Ripple
9.2PB 0.9/0.2

BASIC COLOR

Bigger images and product specifications are available on our web site



Bigger images and product specifications are available on our web site



belbien WHITE BOARD SHEET

Upgrading Your Meeting Room, Take a Note and Put your idea on a Screen




Image projected on Belbien BWH-101

Feature



Water Resistance



Precautions in installation

In overlap, please make sure to sand and apply primer on overlapping part.

Specifications

Width 1,220mm

Length 50m

The value to the right of the product name is the Munsell value.

Please check the technical data on our website before installing the item. The URL is available on the last page.

Feature



Whiteboard (Erasable)



Same design as other belbien

Specifications

Width 1,250mm

Length 30m

The value to the right of the product name is the Munsell value.

Before using the product, check the online technical data from the URL on the end page of this booklet.

BASIC COLOR
BELBIEN WHITEBOARD

1									
	MT-10 Silky White 7.5Y 9.5/0.2	MT-11 Silky Vanilla 10Y 9.0/0.7	MT-12 Silky Snow 10B 8.8/0.1						
2									
	NC-050 Cool White 2.6YR 9.1/0.2	NC-2150 Precious White 9.5GY 9.3/0.1	BC-040 Warm White 7.3Y 9.4/0.3	BC-1A Snow White 3.0GY 8.9/0.4	BC-9A Fresh Milk 3.0Y 8.8/0.3				
3									
	NC-051 Shell White 5.7Y 8.5/0.4	BC-061 Pale White 9.9GY 8.3/0.2	NC-052 Pearl Gray 5.1Y 7.9/0.3	BC-8B Light Gray 6.0Y 7.7/0.2	NC-053 Silver Gray 0.7GY 7.2/0.4				
4									
	NC-055 Sensive Gray 7.6Y 6.3/0.3	NC-056 Mid Gray 3.0B 5.6/0.3	NC-057 Slate Gray 1.9B 4.0/0.3	NC-058 Charcoal Gray 0.2PB 2.1/0.5	NC-059 Black N 1.9/				
5									
	NC-2151 Trust White 6.8Y 8.9/0.5	BC-2131 Tender White 3.3Y 9.0/1.1	BC-042 Shell Gray 2.1Y 8.2/1.3	BC-132 Milk White 2.2Y 8.3/1.3					
6									
	BC-2B Ivory 3.5Y 8.3/1.6	BC-3B Bone White 5Y 8.1/1.3	BC-043 Ivory Gray 4Y 7.7/1.3	BC-045 Clay 4.4Y 6.3/0.8					
7									
	BC-124 Ficelle Beige 9.7YR 6.8/1.9	BC-046 Mastic 1.4Y 5.2/1.5	BC-037 Umber 0.1Y 4.5/2.1	BC-039 Sepia 6.3YR 2.1/2.1	BC-129 Burnt Umber 2.3YR 1.4/1.1				
8									
	BC-4B Silky Green 5.5G 8.3/1.0	BC-5B Mist Blue 9.5Y 8.2/0.6	BC-7B Coral Pink 0.5Y 8.4/2.0						
9									
	PR-276 Elm Green 2.4G 2.9/5.6	PR-265 Prussian Blue 2.3PB 2.5/5.4	PR-156 Wine Red 5.1R 2.6/7.8	PR-160 Cinnamon 0.1R 4.6/6.3					
10									
	PR-287 Tirol Green 4.2GY 4.9/5.0	PR-273 Mare Blue 5.8PB 3.4/10.1	PR-282 Bacchus Red 0.5R 2.8/10.2	PR-142 Flax 0.2Y 6.3/3.6					
11									
	PR-263 Sunflower 1.7Y 7.5/10.6	PR-291 Cerulean 0.5PB 4.8/11.0	PR-261 Carmine 4.8R 3.1/10.7	PR-262 Persimmon 9.6R 5.3/12.3					



BWH-101
White Purple Wood
Repeat : W505 H900 1/2step SC

BWH-102
Naked American Walnut
Repeat : W215 H745 1/2step S

BWH-001 Warm White 7.3Y 9.4/0.3	BWH-004 Shell White 10B 8.8/0.1	BWH-002 Pale Pink 0.5YR 8.5/1.5	BWH-003 Pale Green 8GY 8.5/1

Notice For ensuring the product performance, the substrate should be a metal. The sheet can be classified as a fire-rated material only when it is installed to metal substrate.
Ceiling-mounted or short-focus projectors are recommended.



METAL

1				
	MA-700 Light Duralmin	BR-391 Excess Silver	BR-392 Excess Gray	BR-393 Excess Black
2				
	FM-31 Shower Silver	CM-64 Hairline Stainless	FM-32 Shower Stain	FM-33 Shower Brass
3				
	FM-34 Shower Gold	CM-129 Silk Brass Repeat: H640	CM-134 Silk Cuivre Repeat: H640	BR-541 Antique Brass
4				
	CM-61 Yellow Bronze	CM-60 Red Bronze	CM-63 Blue Bronze	CM-62 Dark Bronze
5				
	CO-195 Blanche Sablon	CO-180 Luna Grano	CO-181 Meteor Grano	CO-197 Charcoal Sablon
6				
	CO-196 Noir Sablon			
7				
	FM-44 Cheval Etain Repeat: W65 H130 1/2step	FM-11 Bright Silver	FM-23 Clémantine Gold	
8				
	FM-46 Cheval Champagne Repeat: W65 H130 1/2step	FM-45 Cheval D'or Repeat: W65 H130 1/2step		

- Feature**
- Water Resistance
 - Twinkling effect under lights

Specifications

Width
1,220mm

Length
50m

Please check the technical data on our website before installing the item. The URL is available on the last page.

1				
	F-409 Snow Nest	BR-381 Fiber Silver	BR-382 Fiber Dark	F-408 Fabric Metal
2				
	CY-100 Luminance White	FM-38 Precious Silver	FM-40 Silver Spin	FM-42 Precious Stainless
3				
	CY-110 Luminance Beige	FM-47 Luna Oro	BR-398 Silver Neige	BR-604 Stainless Vibration
4				
	BR-291 Gold Blade	FM-39 Precious Gold	FM-41 Gold Spin	BR-600 Red Vibration
5				
	BR-292 Bronze Blade	BR-601 Yellow Vibration	BR-603 Blue Vibration	BR-602 Dark Vibration
6				
	BR-242 Scar Bronze	CY-104 Luminance Maroon	CY-109 Luminance Black	CY-111 Luminance Noir
7				
	BR-296 Peridot Blade			



METAL

1				
	CM-65 Sand Etain Repeat : W450 H630 1/2step	CM-133 Carta Cuivre Repeat : W670 H640 1/2step	CM-140 Nebula Stainless Repeat : W500 H760 1/2step	BR-542 Nebula Bronze Dark ☹️
2				
3				
	CM-123 Grunge Etain Repeat : W525 H315 1/2step	CM-135 Martello Cuivre Repeat : W520 H320 1/2step	CM-127 Wet Cuivre	BR-540 Bronze Sand ☹️
4				
	CM-130 Martello Brass Repeat : W520 H320 1/2step	CM-128 Dry Cuivre	CM-124 Grunge Cuivre Repeat : W450 H640 1/2step	A-731 Tempyo Repeat : W345 H670 1/2step ☹️
5				
	BR-551 Brown Fer Repeat : H1260 ☹️	BR-553 Brown Fer Repeat : H1260 ☹️	BR-552 Black Fer Repeat : H1260 ☹️	BR-554 Black Fer Repeat : H1260 ☹️
6				
7				
	CM-126 Burnt Fer Repeat : W550 H760 1/2step	DA-75 Grunge Fer Repeat : W510 H330 1/2step	DA-54 Rusty Gray Repeat : W345 H670 1/2step	DA-52 Rusty Brown Repeat : W345 H670 1/2step ☹️
8				
				DA-53 Rusty Charcoal Repeat : W345 H670 1/2step

Feature



In overlap, please make sure to sand and apply primer on overlapping part.

Specifications

Width 1,220mm

Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.

METAL WOOD

1				
	CM-131 Cervantes	CM-122 Confiance Repeat : W630 H640 1/2step	CM-66 Chevalier Repeat : H635	CM-142 Orlando Repeat : H640
2				
		CM-125 Officier Repeat : H635	CM-121 Sage Repeat : W630 H640 1/2step	
3				
	CM-53 Shirotae Repeat : H765	CM-57 Ima Tanyu Repeat : H645	CM-58 Ima Korin Repeat : H645	CM-55 Ubatama Repeat : H765
4				
5				
	BR-544 Metal Tide Bronze Repeat : H985 ☹️	BR-545 Metal Tide Dark Repeat : W585 H790 1/2step ☹️	CM-136 Silver Fox Oak Repeat : H910 SC	CM-137 Sable Oak Repeat : H910 SC
6				
	BR-543 Metal Tide Silver Repeat : W585 H790 1/2step ☹️			
7				
	CM-132 Luce Drape Light Repeat : W650 H910 1/2step	CM-82 White Tineo Repeat : W610 H915 1/2step	CM-83 Dark Tineo Repeat : W610 H915 1/2step	
8				
	CM-141 Flow White Repeat : W310 H640 1/2step	CM-52 Flow Black Repeat : W310 H640 1/2step		



ABSTRACT

1				
2				
3				
4				
5				
6				



Abstract

Abstract

Feature

- Water Resistance
- Same design as other belbien

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data on our website before installing the item. The URL is available on the last page.

Bigger images and product specifications are available on our web site



Bigger images and product specifications are available on our web site



ABSTRACT / STONE / SAND

1				
2				
3				
4				
5				
6				
7				
8				

1				
2				
3				
4				
5				
6				
7				
8				

Abstract / Stone / Sand

Abstract / Stone / Sand

Feature
Water Resistance

Specifications
Width 1,220mm
Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.



FABRIC / LEATHER

1				
	F-718 Snow Satin Repeat : W480 H650 box	F-470 Luna Satin Repeat : W480 H650 box	F-469 Venus Satin Repeat : W480 H650 box	F-717 Dark Satin
2				
	DA-61 Snow Lattice Repeat : W345 H390 box	DA-57 Luna Linea Repeat : W345 H390 box	F-477 Bengal Satin Repeat : W480 H330 box	F-478 Azurite Satin Repeat : W480 H330 box
3				
	F-719 White Linen Repeat : W500 H330 box	F-473 Oyster Linen Repeat : W500 H330 box	F-475 Twilight Linen Repeat : W500 H330 box	F-723 Black Linen Repeat : W500 H330 box
4				
	F-2745 Cheval Brun Repeat : W65 H130 1/2step	DA-81 Graysh Lattice Repeat : W345 H390 box	DA-80 Greige Lattice Repeat : W345 H390 box	DA-58 Baron Lattice Repeat : W345 H390 box
5				
	F-746 Cheval Noir Repeat : W65 H130 1/2step	F-715 Kasuri Brun Repeat : H830	F-716 Kasuri Charcoal Repeat : H830	F-714 Kasuri Noir Repeat : H830
6				
	K-276 Light Olive Goat Repeat : W460 H1000 1/2step	K-275 Light Gray Goat Repeat : W460 H1000 1/2step	K-277 Soft Khaki Goat Repeat : W460 H1000 1/2step	K-274 Pink Beige Goat Repeat : W460 H1000 1/2step
7				
	K-200 White Morocco Repeat : W215 H200 box	K-202 Cream Calf Repeat : W215 H200 box	K-257 Beige Calf Repeat : W675 H665 box	K-216 Marron Calf Repeat : W225 H335 1/2step
8				
	K-214 Bordeaux Calf Repeat : W380 H605 1/2step	K-203 Bitter Morocco Repeat : W215 H200 box	K-201 Black Morocco Repeat : W215 H200 box	K-206 Black Calf

Feature

- Water Resistance
- Twinkling effect under lights
- Same design as other belbien

Precautions in installation

When bended sharply, please use dryer and warm up the films to prevent appearance change of the edge.

Specifications

Width 1,220mm

Length 50m

Please check the technical data on our website before installing the item. The URL is available on the last page.

For further information

❗ For technical data, please visit the Belbien website.

The technical data, which used to be attached on a separate booklet is now available on the website. You can browse the information at the URL below.

Go to the technical data web page



https://www.belbien.net/english/catalog/browse/technical_book_2022-23en

❗ The index and information of material design are on the booklet, attached to the front page.

On the front page of the booklet you can find certification numbers and information on primers.



ISO 9001 CERTIFIED
C.I.TAKIRON Corporation
Shiga Plant



ISO14001 01ER-106
ISO 14001 CERTIFIED
C.I.TAKIRON Corporation
Shiga Plant

Manufacturer

C.I. TAKIRON Corporation

Head Office North Gate Building, 3-1-3,Umeda,
Kita-Ku,Osaka, 530-0001, Japan

www.belbien.com

海外 World Network

U.S.A.

Interior Design Solutions , Inc.

9223 Harford Road Baltimore ,
MD 21234

TEL : +1-866-95-34662 FAX: +1-866-96-34662

E-mail : info@idsfinishes.com

Europe

Bonlex Europe S.r.l.

Via Friuli 35, 31045 Motta di Livenza
(Treviso) Italy

TEL : +39-0422-2806 FAX: +39-0422-280880

E-mail: sales@bonlexeurope.com

中 国

上海世爱化成贸易有限公司

邮编: 200020 上海市茂名南路205号

瑞金大厦2503B

TEL : +86-21-64671010 FAX: +86-21-64726383

E-mail: belbien@cik.com.cn

Personal information provided by customers is handled appropriately in accordance with the related Japanese laws and the company's own policies. For details on the company's own policies, please refer to "Policy on Protection of Personal Information" in www.belbien.com.