Ignyte Cosmetics – I-Bond -Acid Free Primer

SDS DATE:25/10/23

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Ignyte Cosmetics – I-BOND (Acid Free Primer)

SYNONYMS: Acidfree primer **MANUFACTURER:** Ignyte Cosmetics

ADDRESS: 24 Kesteven Street, Albany Creek, Qld, 4035

PHONE: 0432423787 (Business Hours)

AFTER HOURS: 0432423787

FAX:

EMAIL: sandradln.info@gmail.com www.cheekyco.com.au WEB:

CHEMICAL NAME: Acrylate mixture in Ethyl acetate

CHEMICAL FAMILY: Acrylates

PRODUCT USE: Priming agent for artificial nail enhancements

SECTION 2: HAZARDS IDENTIFICATION





Hazardous Nature

This product is classified as hazardous under GHS for Australian criteria

Hazardous Classification

Flammable Liquids: 2; Serious Eye Damage/Irritation: 2A; Skin Sensitisation 1; STOT SE 3

Hazard Statements

H225: Highly flammable liquid and vapour

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness.

Precautionary Statements

P102: Keep out of reach of children.

P403+ 235: Store in a well ventilated place and keep cool.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P243: Take precautionary measures against static discharges.

P242: Use only non sparking tools.

P261 +271: Avoid breathing vapours and use in a well ventilated space.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves and eye protection.

Ignyte Cosmetics – I-Bond -Acid Free Primer

SECTION 2: HAZARDS IDENTIFICATION (cont)

Response and Disposal Statements

Poisons Information – Australia wide Ph 13 11 26

P304+340+ 312: If inhaled remove victum to fresh air and keep at rest in a position comfortable for beathing. Call a Poison Information Centre or doctor if you feel unwell.

SDS DATE:25/10/23

P301+312+330: In swallowed call a Poison Information Centre or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so.

P303+362+353+362: If on skin remove contaminated clothing and wash skin with soap & water. Wash clothing before reuse.

P305+351+338+310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Contact a Poisons Information Centre or doctor.

P501: Dispose of contents/container in accordance with local regulations.

Dangerous Goods Classification 3

Poisons Schedule Not regulated

SECTION 3: COMPOSITION

Ingredient	CAS	Percentage	
Ethyl Acetate	141-78-6	75-95%	
2 hydroxy ethylmethacrylate (HEMA)	868-77-9	5-10%	

This product also contains suitable inhibitors at less than 0.1%.

SECTION 4: FIRST AID MEASURES

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor.

Ingestion

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing suchas a collar, tie, belt or waistband.

Eve Contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Get medical attention.

Skin Contact

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 15 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ignyte Cosmetics - I-Bond -Acid Free Primer

SECTION 4: FIRST AID MEASURES (cont)

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for up to 48 hours.

SDS DATE:25/10/23

First Aid facilities

Provide eye baths and safety showers.

Medical Attention

Treat according to symptoms. Avoid gastric lavage: risk of aspiration of product to the lungs with the potential to cause chemical pneumonitis

SECTION 5: FIRE-FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing firefighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Use dry chemical, CO_2 , water spray (fog) or foam. Do NOT use water jet

Hazards from combustion products

Oxides of carbon

Precautions for fire fighters and special protective equipment

Fully self-contained breathing aparatus, overalls, and safety boots

Hazchem Code: •3YE

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Prevent fluid from escaping to drains and waterways. Contain leaking packaging in a containment drum.

Prevent vapours from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.

Emergency Procedures

Methods and materials for containment

Small Spill

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Ignyte Cosmetics – I-Bond -Acid Free Primer

SECTION 6: ACCIDENTAL RELEASE MEASURES (cont)

Major Land Spill

Eliminate sources of ignition.

Warn occupants of downwind areas of possible fire and explosion hazard.

Prevent liquid from entering sewers, watercourses, or low-lying areas.

Keep the public away from the area.

Shut off the source of the spill if possible and safe to do so.

Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.

SDS DATE:25/10/23

Take measures to minimise the effect on the ground water.

Contain the spilled liquid with sand or earth.

Recover by pumping - use explosion proof pump or hand pump - or with a suitable absorbent material.

Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

See "First Aid Measures" and "Stability and Reactivity"

Major Water Spill

Eliminate any sources of ignition.

Warn occupants and shipping in downwind areas of possible fire and explosion hazard.

Notify the port or relevant authority and keep the public away from the area.

Shut off the source of the spill if possible and safe to do so.

Confine the spill if possible.

Remove the product from the surface by skimming or with suitable absorbent material.

Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

See "First Aid Measures" and "Stability and Reactivity".

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

This product is highly flammable. Do not open near open flame, sources of heat or ignition. No smoking. Keep container tightly closed. Handle containers with care. Open slowly to control possible pressure release.

Material may accumulate static charge. Use grounding leads to avoid discharge (electrical spark).

Conditions for safe storage

Store in a cool, dry place away from direct sunlight. Do not pressurise, cut, heat or weld containers - residual vapours are combustible. This product will fuel a fire in progress. The product contains an inhibitor which may be reduced with age. For further information contact the supplier.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards

Ethyl acetate: TWA 720mg/m3 (200ppm), STEL 1440mg/mg (400ppm)

The time weighted average concentration (TWA) is the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short-term exposure limit (STEL) is the maximum allowable exposure concentration at any time.

Personal Protective Equipment

Respiratory Protection: It is suggested that this product is used with a recognized ventilation system that is routinely maintained in order to minimize exposure to vapours. Such equipment should be fitted with explosion proof equipment.

Ignyte Cosmetics - I-Bond -Acid Free Primer

SDS DATE:25/10/23

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (cont)

Eye Protection: Always use safety glasses or a face shield when handling this product.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves (e.g. PVC) be worn when handling this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Unit of Measurement	Value	
Appearance	Visual	Clear, colourless liquid	
Boiling Point/ Range	°C	Not determined	
Flash Point	°C	-3.3	
Density @ 15°C	g/ml	0.94	
Vapour Pressure @ 20°C	kPa	Not determined	
Explosive Limits (LEL - UEL)	%	0.04- Not determined	
Vapour Density @ 20°C	kPa	1 (Air =1)	
Autoignition Temperature	°C	>750	
Viscosity @ 20°C	mPa.s	15	
Percent Volatiles	%	>75	
Solubility with Water	% w/w	Not determined	

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability

Stable at room temperature and pressure.

Conditions to avoid

Sources of heat and ignition, open flames. Keep container tightly closed as vapours may accumulate in low and/or confined areas.

Hazardous decomposition products

Carbon oxides on burning

Hazardous reactions

Strong oxidising agents.

Hazardous Polymerisation

Does not usually occur under normal conditions of storage.

Ignyte Cosmetics - I-Bond -Acid Free Primer

SDS DATE:25/10/23

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Information

Ethyl acetate: Oral LD₅₀: 5.62g/kg (rat);.

2 Hydroxy ethylmethacrylate: Oral LD₅₀ 5.05g/kg (rat)

Acute Effects

Ingestion

This material will cause irritation to the throat, trachea and respiratory tract. It may cause nausea. Vomiting may cause the product to be aspirated to the lungs resulting in chemical pneumonitis.

Eye Contact

Liquid may cause moderate to severe eye irritation and corneal damage.

Skin Contact

Adverse symptoms may include the following:redness & irritation. Sensitisation may occur so that subsequent exposures result in more promounced allergic reactions.

Inhalation

Adverse symptoms may include the following: respiratory tract irritation, coughing

Chronic Effects

Repeated or prolonged skin contact with the liquid may cause irritant contact dermatitis with subsequent reactions becoming more pronounced.

There are no known significant effects or hazards relating to carcinogenicity, mutagenicity, teratogenicity, developmental effects or effects on fertility with this product.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Toxicity

ethyl acetate: Acute EC50 2500000 µg/l Fresh water Algae - Selenastrum sp. 96 hours

Acute LC50 750000 μg/l Fresh water Crustaceans - Gammarus pulex 48 hours Acute LC50 154000 μg/l Fresh water Daphnia - Daphnia cucullata 48 hours Acute LC50 212500 μg/l Fresh water Fish - Heteropneustes fossilis 96 hours Chronic NOEC 2400 μg/l Fresh water Daphnia - Daphnia magna 21 days

Chronic NOEC 75.6 mg/l Fresh water Fish - Pimephales promelas – Embryo 32 days 2-hydroxyethyl methacrylate: Acute LC50 227000 µg/l Fresh water Fish - Pimephales promelas -

Juvenile (Fledgling, Hatchling,Weanling)96 hours

Persistence/ degradability

Ethyl acetate LogPow = 0.68. Low potential for bioaccumulation.

2 Hydroxy ethylmethacrylate LogPow = 0.42. Low potential for

bioaccumulation.

Mobility

No available data

Ignyte Cosmetics - I-Bond -Acid Free Primer

SDS DATE:25/10/23

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain fumes and vapours that are flammable and harmful. Ensure that empty packaging is allowed to dry.

Special Precautions for Landfill or Incineration

This product is NOT suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers.

SECTION 14: TRANSPORT INFORMATION

Road & Rail		Maritime		Air	
UN Number	1993	UN Number	1993	UN Number	1993
Proper Shipping name	Flammable Liquid NOS (ethyl acetate)	Proper Shipping name	Flammable Liquid NOS (ethyl acetate)	Proper Shipping name	Flammable Liquid NOS (ethyl acetate)
DG Class	3	DG Class	3	DG Class	3
Sub Risk	None	Sub Risk	None	Sub Risk	None
Packing group	II	Packing group	II	Packing group	II
Hazchem	3YE	Hazchem	3YE	Hazchem	3YE

Dangerous Goods Segregation

This product is classed as Dangerous Goods Class 3, packing group II. Please consult the Australian Dangerous Goods Code for Transport by Road and Rail for information.

SECTION 15: REGULATORY INFORMATION

Country/ Region: Australia

Inventory: AICS
Status: Listed

Poisons Schedule: Not regulated

SECTION 16: OTHER INFORMATION

References: Supplier SDS

http://chem.sis.nlm.nih.gov/chemidplus http://hsis.ascc.gov.au/SearchHS.aspx

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Ignyte Cosmetics