Ignyte Cosmetics – Onyx PH-Prep

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Ignyte Cosmetics – Onyx PH-Prep

SYNONYMS: Nil

MANUFACTURER: Ignyte Cosmetics

ADDRESS: 24, Kesteven Street, Albany Creek, Qld 4035

PHONE: 0432423787 (Business Hours)

AFTER HOURS: 0432423787

FAX PHONE:

EMAIL: Sandradln.info@gmail.com
WEB: www.cheekyco.com.au

CHEMICAL NAME: Alkaline solution in Acetone & Ethyl Acetate

CHEMICAL FAMILY: Ketone + Ester PRODUCT USE: Nail pH adjuster

SECTION 2: HAZARDS IDENTIFICATION





Hazardous Nature

This product is classified as hazardous under GHS for Australian criteria

Hazardous Classification

Flammable Liquids: 2; Acute Toxicity - Inhalation: 4; Skin Corrosion/Irritation: 2; Serious Eye Damage/Irritation: 2A

SDS DATE:25/10/23

Hazardous Statement

Highly Flammable liquid and vapour

Hazard Statements

H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation

AUH066: Repeated exposure may cause skin dryness or cracking

H336: May cause drowsiness or dizziness

Precautionary Statements

P102: Keep out of reach of children.

P403+235: Store in a well ventilated place. Keep cool.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P262: Do not get in eyes, on skin or on clothing.

P273: Avoid release to the environment.

P242+243: Use only non sparking tools. Take precautionary measures against static discharges.

P280: Wear protective butyl gloves and eye protection.

P370+ 378: In case of fire: Use sand, earth or chemical foam to extinguish.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

Ignyte Cosmetics - Onyx PH-Prep

SDS DATE:25/10/23

SECTION 2: HAZARDS IDENTIFICATION (cont)

P303+361+353: IF ON SKIN: Remove immediately all contaminated clothing and wash skin with soap and water. P501: Dispose of contents/container in accordance with local regulations.

Dangerous Goods Classification: 3, Poisons Schedule: 5

SECTION 3: COMPOSITION

Ingredient	CAS	Percentage	
Ethyl Acetate	141-78-6 60-90%		
Acetone	67-64-1	10-30%	
Ammonium Hydroxide Solution	1336-21-6	<1%	

SECTION 4: FIRST AID MEASURES

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor.

Ingestion

If swallowed, DO NOT induce vomiting. Keep at rest. Seek immediate medical attention.

Eye Contact

Flush eyes with large amounts of water until irritation subsides. Seek immediate medical attention.

Skin Contact

Flush area with large amounts of water and wash area with soap if available. Remove contaminated clothing, including shoes, and launder before reuse. Seek medical attention for skin irritations.

Inhalation

Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Seek immediate medical attention.

First Aid facilities

Provide eye baths and safety showers.

Medical Attention

Treat according to symptoms. Avoid gastric lavage: risk of aspiration of product to the lungs with the potential to cause chemical pneumonitis

SECTION 5: FIRE-FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing firefighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Water spray, water fog or fine spray mist or alcohol foam

Hazards from combustion products

Carbon dioxide, carbon monoxide

Precautions for fire fighters and special protective equipment

Fully self-contained breathing aparatus, overalls, and safety boots

Hazchem Code: •2YE

Ignyte Cosmetics - Onyx PH-Prep

SDS DATE:25/10/23

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Prevent fluid from escaping to drains and waterways. Contain leaking packaging in a containment drum.

Prevent vapours from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.

Methods and materials for containment

Major Land Spill

Eliminate sources of ignition.

Warn occupants of downwind areas of possible fire and explosion hazard.

Prevent liquid from entering sewers, watercourses, or low-lying areas.

Keep the public away from the area.

Shut off the source of the spill if possible and safe to do so.

Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.

Take measures to minimise the effect on the ground water.

Contain the spilled liquid with sand or earth.

Recover by pumping - use explosion proof pump or hand pump - or with a suitable absorbent material.

Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

See "First Aid Measures" and "Stability and Reactivity"

Major Water Spill

Eliminate any sources of ignition.

Warn occupants and shipping in downwind areas of possible fire and explosion hazard.

Notify the port or relevant authority and keep the public away from the area.

Shut off the source of the spill if possible and safe to do so.

Confine the spill if possible.

Remove the product from the surface by skimming or with suitable absorbent material.

Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

See "First Aid Measures" and "Stability and Reactivity".

SECTION 7: HANDLING AND STORAGE

Precautions for handling

This product is flammable. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Use grounding leads to avoid discharge (electrical spark).

Conditions for safe storage

Store in a cool, dry place away from direct sunlight. Do not pressurise, cut, heat or weld containers - residual vapours are flammable. This product is flammable and will fuel a fire in progress.

Incompatible materials

Natural Rubber, Butyl Rubber, EPDM, Polystyrene

SDS DATE:25/10/23

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards

Acetone - TWA 1185 mg/m³ (500 ppm), STEL 2375 mg/m (1000 ppm)

Ethyl Acetate – TWA 720mg/m³ (200 ppm), STEL 1440 mg/m (400 ppm).

TWA = time weighted average = highest allowable exposure concentration in an eith hour day for a five day working week. STEL = short term exposure limit = maximum allowable exposure concentration at any time.

Biological limit values

Not available

Engineering Controls: Ventilation

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment

Respiratory Protection: Where concentrations in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type "A" filter material is considered suitable for this product.

Eye Protection: Always use safety glasses or a face shield when handling this product.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves (e.g. PVC) be worn when handling this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Unit of Measurement	Value	
Appearance	Visual	Clear, colourless liquid	
Boiling Point/ Range	°C	From 56	
Flash Point	°C	-17	
Density @ 15°C	g/ml	0.89	
Vapour Pressure @ 20°C	kPa	No data	
Explosive Limits (LEL - UEL)	%	No data	
Vapour Density @ 20°C	kPa	>1.0	
Autoignition Temperature	°C	>450	
Viscosity @ 20°C	cSt	Not available	
Percent Volatiles	%	>99	
Solubility with Water	% w/w	15-20%	

Ignyte Cosmetics - Onyx PH-Prep

SDS DATE:25/10/23

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability

Stable at room temperature and pressure

Conditions to avoid

Sources of heat and ignition, open flames.

Hazardous decomposition products

Carbon monoxide, carbon dioxide and other organic complexes on incomplete burning or oxidation.

Hazardous reactions

Oxidizing agents, mineral acids, halogenated organic compounds, chloroform and alkalis, stored mixtures with IPA

Hazardous Polymerisation

Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects

Ingestion

This product is harmful by ingestion. Large amounts of this product will result in central nervous system effects such as: headaches, dizziness, hallucinations, euphoria, tingling of the extremities, vomiting, and possibly loss of consciousness.

Eve Contact

High vapour concentrations produce conjunctiva irritation. This product can cause corneal burns.

Skin Contact

This product is easily absorbed to the skin and produces dryness and cracking after prolonged contact.

Inhalation

High vapour concentrations are irritating to respiratory system producing central nervous system effects such as dizziness, headaches, nausea, vomiting and loss of appetite.

Chronic Effects

This product is an experimental teratogen and affects the peripheral nervous system (arms and legs). People with pre-existing liver or kidney disfunction should limit exposure to this product.

Other Health Effects Information

The effects of this product in combination with n-hexane are potentiated (greatly increased). This means that the effects suffered by ingestion or inhalation will be increased, or experienced more quickly.

Toxicological Information

Acetone Oral: 5.8 - 8.4 g/kg (rat); dermal: 20 g/kg (rabbit). Acetone Inhalation: LC50: 32000 ppm for 4 hours (rat)

Ethyl Acetate Oral: 6100 mg/kg (rat)

Ethyl Acetate Inhalation: 1600 ppm/8hr (rat); 400ppm (human)

Ignyte Cosmetics – Onyx PH-Prep

SDS DATE:25/10/23

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Toxicity

Acetone

Fish Toxicity (rainbow trout, goldfish, bluegill): LC₅₀(96hr): 5000 - 13000 mg/L

Daphnia Magna EC₅₀ (24 hr): > 10000 mg/L Daphnia Magna EC₅₀ (48 hr): 13500 mg/L Blue-green algae (Toxicity threshold 7-8 days): 530 mg/L Green algae (Toxicity threshold 7-8 days): 7500 mg/L

Aquatic Toxicity

Ethyl Acetate

Fish Toxicity (rainbow trout, goldfish, bluegill): LC₅₀(96hr): Not available

Daphnia Magna EC_{50} (24 hr): Not available Daphnia Magna EC_{50} (48 hr): Not available Blue-green algae (Toxicity threshold 7-8 days): 550 mg/l Green algae (Toxicity threshold 7-8 days): 15 mg/l

Persistence/ degradability

Volatilises in air

Mobility

This product is highly volatile and will rapidly evaporate to the air if released into the water

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain fumes and vapours that are flammable and harmful. Ensure that empty packaging is allowed to dry.

Special Precautions for Landfill or Incineration

This product is NOT suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product is ashless and can be burned directly in appropriate equipment.

Ignyte Cosmetics – Onyx PH-Prep

SECTION 14: TRANSPORT INFORMATION

Road & Rail		Maritime		Air	
UN Number	1993	UN Number	1993	UN Number	1993
Proper	Flammable	Proper	Flammable	Proper	Flammable
Shipping name	Liquid NOS (Shipping name	Liquid NOS (Shipping name	Liquid NOS (
	Ethyl acetate,		Ethyl acetate,		Ethyl acetate,
	Acetone)		Acetone)		Acetone)
DG Class	3	DG Class	3	DG Class	3
Sub Risk	None	Sub Risk	None	Sub Risk	None
Packing group	II	Packing group	II	Packing group	II
Hazchem	2YE	Hazchem	2YE	Hazchem	2YE

SDS DATE:25/10/23

Dangerous Goods Segregation

This product is classed as Dangerous Goods Class 3, packing group II. Please consult the Australian Dangerous Goods Code for Transport by Road and Rail for information.

SECTION 15: REGULATORY INFORMATION

Country/ Region: Australia

Inventory: AICS Status: Listed

Poisons Schedule: Not scheduled

SECTION 16: OTHER INFORMATION

Reasons for Issue: Upgrade to GHS SDS;

Abbreviations:

AICS: Australian Inventory of Chemical Substances

CAS Number: Chemical Abstracts Number

IARC: International Agency for Research on Cancer NOHSC: National Occupational Health and Safety Council

References:

Supplier SDS

http://chem.sis.nlm.nih.gov/chemidplus http://hsis.ascc.gov.au/SearchHS.aspx

Ecotoxicology data: http://cfpub.epa.gov/ecotox/quick_query.htm

Sax's Dangerous Properties of Industrial Materials, Richard J. Lewis Snr., pub. Canada (2000)

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Ignyte Cosmetics