



SAFETY DATA SHEET

This Safety Data Sheet complies with the Canadian Hazardous Products Regulations, the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard, 29 CFR 1910 (OSHA HCS), and the European Union Directives.

1 Product and Supplier Identification

- 1.1 **Product:** UV/LED Options Colour Gels
- 1.2 **Product Use:** Nail Gel
- 1.3 **Producer:** Haigh Industries Inc.
#5-8118 North Fraser Way
Burnaby BC Canada
V5J 0E5
Telephone: (604) 278-5851
- 1.4 **Supplier:** As above
- 1.5 **Emergencies (24-hour number):** +1(604) 278-5851

2 Hazards Identification

2.1 **Classification of product or mixture**

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2
Eye Irritation: Category 2A
Skin Sensitization: Category 1
Reproductive Toxicity: Category 2

2.2 **GHS Label Elements**
Pictogram:



Signal Word: Warning

GHS Hazard Statements:

H315 Causes skin irritation.
H317 May cause an allergic reaction.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.

GHS Precautionary Statements:

UV/LED Options Colour Gels: All Shades

Prevention:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash skin thoroughly after handling.
P363	Wash contaminated clothing before reuse.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P321	Specific treatment (see Section 4).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash it before reuse.

Storage:

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Disposal:

P501	Dispose of contents/containers to an approved waste disposal plant.
------	---

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:	Yes
Skin Absorption:	Yes
Eye Contact:	Yes
Ingestion:	No
Inhalation:	Yes

Emergency Overview: This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

UV/LED Options Colour Gels: All Shades

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermatitis or aggravate existing skin problems.

Medical Conditions Aggravated by Exposure: Persons susceptible to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3 Composition

3.1 Mixture Composition

Component	CAS No.	EINECS No.	% (w/w)	GHS Classification
Bis-Hydroxyethyl Acrylate Poly(Neopentyl Glycol Adipate)/IPDI Copolymer	82339-15-9	N/A	20-40	Skin Irritant (Category 2): H315 Skin Sensitizer (Category 1): H317
Bis-HEA SMDI/PPG-7 Copolymer	66848-65-5	N/A	20-40	Skin Irritant (Category 2): H315 Skin Sensitizer (Category 1): H317
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	10-30	Skin Sensitizer (Category 1): H317 Eye Irritant (Category 2A): H319
Trimethylbenzoyl Diphenylphosphine Oxide	75980-60-8	278-355-8	1-2	Skin Sensitizer (Category 1): H317 Reproductive Hazard (Category 2): H361 Chronic Aquatic Toxicity (Category 2): H411
Silica Silylate	68909-20-6		0-1	None assigned
P-Hydroxyanisole (4- Methoxyphenol)	150-76-5	205-769-8	< 0.01	Acute Toxicity Oral (Category 4): H302 Eye Irritant (Category 2A): H319 Acute Aquatic Toxicity (Category 3): H402 Chronic Aquatic Toxicity (Category 3): H412
May contain the following				
Acrylates Copolymer	25035-69-2		0-10	None assigned
Aluminum - CI 77000	7429-90-5	231-072-3	0-10	None assigned
Aluminum Hydroxide	21645-51-2	244-492-7	0-1	None assigned
Basic Red 1:1	3068-39-1	221-326-1	0-10	None assigned
Basic Violet 11:1	73398-89-7	277-459-0	0-10	None assigned
Bis(glycidioxyphenyl) propane/Bisaminomethylnorbornane copolymer	146277-66-9		0-10	None assigned
Black 2 - CI 77266 (nano)	1333-86-4	215-609-9	0-10	None assigned
Blue 1 Lake - CI 42090	15792-67-3	239-897-0	0-10	None assigned
Calcium Aluminum Borosilicate	65997-17-3	266-046-0	0-10	None assigned
Calcium Sodium Borosilicate	65997-17-3	266-046-0	0-10	None assigned
Carmine - CI 75470	1390-65-4	215-724-4	0-10	None assigned
Chromium Oxide Green - CI 77288	1308-38-9	215-160-9	0-10	None assigned
Phthalocyanine Blue - CI 74160	147-14-8	205-685-1	0-10	None assigned
Phthalocyanine Green - CI 74260	1328-53-6	215-524-7	0-10	None assigned
Orange 5 - CI 45370	596-03-02	209-876-0	0-10	None assigned
Diethylaminomethylcoumarin	91-44-1	202-068-9	0-10	None assigned
Ext. Violet 2 - CI 60730	4430-18-6	224-618-7	0-10	None assigned
Ferric Ferrocyanide - CI 77510	14038-43-8	237-875-5	0-10	None assigned
Fluorescent Brightener 230	27344-06-5	248-420-5	0-10	None assigned
Formaldehyde/Melamine/Tosylamide Copolymer	Proprietary		0-10	None assigned

UV/LED Options Colour Gels: All Shades

Iron Oxide - CI 77491	1309-37-1	215-168-2	0-10	None assigned
Iron Oxide - CI 77492	51274-00-1	257-098-5	0-10	None assigned
Iron Oxide - CI 77499	12227-89-3	235-442-5	0-10	None assigned
Manganese Violet - CI 77742	10101-66-3	233-257-4	0-10	None assigned
Mica	12001-26-2	310-127-6	0-10	None assigned
Norbornanediamine/Resorcinol Diglycidyl Ether Crosspolymer	2176443-64-2		0-10	None assigned
Polyethylene Terephthalate	25038-59-9		0-10	None assigned
Polypropylene	9003-07-0		0-10	None assigned
Polyurethane-11	68258-82-2		0-10	None assigned
Polyurethane-33	125826-44-0		0-10	None assigned
Red 22 - CI 45380	17372-87-1	241-409-6	0-10	None assigned
Red 27 Lake - CI 45410	13473-26-2	282-941-9	0-10	None assigned
Red 28 - CI 45410	18472-87-2	242-355-6	0-10	None assigned
Red 30 Lake - CI 73360	2379-74-0	219-163-6	0-10	None assigned
Red 33 Lake - CI 17200	3567-66-6	222-656-9	0-10	None assigned
Red 34 - CI 15880	6417-83-0	229-142-3	0-10	None assigned
Red 36 - CI 12085	2814-77-9	220-562-2	0-10	None assigned
Red 40 - CI 16035	25956-17-6	247-368-0	0-10	None assigned
Red 6 - CI 15850	5858-81-1	227-497-9	0-10	None assigned
Red 7 Lake - CI 15850	5281-04-9	226-109-5	0-10	None assigned
Silica	7631-86-9	231-545-4	0-10	None assigned
Silver - CI 77820	7440-22-4	231-131-3	0-10	None assigned
Solvent Yellow 172	68427-35-0	270-393-3	0-10	None assigned
Synthetic Fluorhlogopite	12003-38-2	234-426-5	0-10	None assigned
Tin Oxide - CI 77861	18282-10-5	242-159-0	0-1	None assigned
Titanium Dioxide - CI 77891	13463-67-7	236-675-5	0-10	Carcinogenicity (Category 2): H351
Ultramarine Blue - CI 77007	57455-37-5	309-928-3	0-10	None assigned
Violet 2 - CI 60725	81-48-1	201-353-5	0-10	None assigned
Yellow 10 Lake - CI 47005	68814-04-0	285-989-9	0-10	None assigned
Yellow 5 Lake - CI 19140	12225-21-7	235-428-9	0-10	None assigned

4 First Aid Measures

4.1 Description of First Aid Measures

General Advice: Consult a physician. Show this safety data sheet to the physician in attendance. Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In Case of Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In Case of Skin Contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

UV/LED Options Colour Gels: All Shades

If Inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult, give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If Ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. Do not induce vomiting. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most Important Symptoms and Effects Acute and Delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermatitis or aggravate existing skin problems.

Medical Conditions Aggravated by Exposure: Persons susceptible to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5 Fire Fighting Measures

5.1 Extinguishing Media

Dry chemical, carbon dioxide, water spray, foam, or water fog.

5.2 Special Hazards Arising from Mixture

Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.

5.3 Advice for Firefighters

Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine spray or fog at fire to cool and extinguish flames.

5.4 Further Information

Sensitivity to Impact: No

Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3

FLAMMABILITY: 1

REACTIVITY: 0

6 Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin Protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to splashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental Precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and Materials for Containment and Cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to Other Sections

For disposal, see section 13.

7 Handling and Storage

7.1 Precautions for Safe Handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for Safe Storage

Store indoors in a well-ventilated area where the storage temperature can be maintained between 10°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific End Use(s)

No other uses except those mentioned in Section 1.2.

8 Exposure Controls and Personal Protection

UV/LED Options Colour Gels: All Shades

8.1 Control Parameters

Components with Workplace Control Parameters:

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure Controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust.

Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin Protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to splashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of Environmental Exposure: Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9 Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Viscous liquid, various colours
Odour:	Characteristic acrylic odour
Odour Threshold:	Not available
pH:	Not applicable
Melting Point/Freezing Point:	0°C
Initial Boiling Point:	131°C
Flash Point:	>94°C
Evaporation Rate:	Negligible
Flammability:	Not flammable
Upper Explosion Limit:	No data
Lower Explosion Limit:	No data
Vapour Pressure:	< 0.01 @ 20°C
Vapour Density:	No data
Relative Density:	1.15 @ 25°C (water=1)
Solubility:	Negligible in water
Partition Coefficient:	Not available
Autoignition Temperature:	No data
Decomposition Temperature:	No data
Viscosity:	No data
Explosive Properties:	Not explosive. Not expected to be sensitive to electrostatic discharge.
Oxidizing Properties:	No data

UV/LED Options Colour Gels: All Shades

9.2 Other Safety Information None

10 Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of Hazardous Reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to Avoid

Exposure to heat, light and moisture.

10.5 Incompatible Materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous Decomposition Products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11 Toxicological Information

11.1 Information on Toxicological Effects

Note to reader: We do not test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute Toxicity

Component	LD ₅₀	LC ₅₀
Hydroxypropyl Methacrylate CAS No. 27813-02-1 EINECS No. 248-666-3	>2000 mg/kg (oral/rat) >5000 mg/kg (dermal/rabbit)	N/av
Trimethylbenzoyl Diphenylphosphine Oxide CAS No. 75980-60-8 EINECS No. 278-355-8	>5000 mg/kg (oral/rat) >2000 mg/kg (dermal/rabbit)	N/av
Titanium Dioxide – CI 77891 CAS No. 13463-67-7 EINECS No. 236-675-5	>25,000 mg/kg (oral/rat) >3,000 mg/kg (dermal/rabbit)	>6820 mg/m ³
Black 2 – CI 77266 CAS No. 1333-86-4 EINECS No. 215-609-9	>15,400 mg/kg (oral/rat)	N/av
Silica CAS No. 7631-86-9 EINECS No. 231-545-4	>5000 mg/kg (oral/rat) >2000 mg/kg (dermal/rabbit)	N/av
Tin Oxide CAS No. 18282-10-10 EINECS No. 242-159-0	>20,000 mg/kg (oral/rat)	N/av
Aluminum Hydroxide CAS No. 21645-51-2	5000 mg/kg (oral/rat)	N/av

Abbreviation Key: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available.

11.2 Skin Corrosion/Irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

UV/LED Options Colour Gels: All Shades

- 11.3 Serious Eye Damage/Eye Irritation**
Components of this mixture may cause eye irritation, H319, Category 2A, Warning
- 11.4 Respiratory of Skin Sensitization**
Components of this mixture may cause skin sensitization, H317, Category 1, Warning
- 11.5 Germ Cell Mutagenicity**
No information available.
- 11.6 Carcinogenicity**
Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.
- 11.7 Reproductive Toxicology**
Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning
- 11.8 Specific Target Organ Toxicity – Single Exposure**
No information available.
- 11.9 Specific Target Organ Toxicity – Repeated Exposure**
No information available.
- 11.10 Aspiration Hazard**
No information available.
- 11.11 Additional Information**
None

12 Ecological Information

12.1 Toxicity To Fish:

Bis-HEA SMDI/PPG-7 Copolymer	No data available		
Bis-Hydroxyethyl Acrylate Poly(Neopentyl Glycol Adipate)/IPDI Copolymer	No data available		
Hydroxypropyl methacrylate	LC ₅₀	48H	493 mg/L
4-Methoxyphenol	LC ₅₀	96H	28.5 mg/L (Rainbow trout)
Trimethylbenzoyl diphenylphosphine oxide	LC ₅₀	48H	6.53 mg/L

To Algae:

Bis-HEA SMDI/PPG-7 Copolymer	No data available		
Bis-Hydroxyethyl Acrylate Poly(Neopentyl Glycol Adipate)/IPDI Copolymer	No data available		
Hydroxypropyl methacrylate	EC ₅₀	72H	> 97 mg/L
4-Methoxyphenol	No data available		
Trimethylbenzoyl diphenylphosphine oxide	EC ₅₀	72H	> 2.01 mg/L

To Daphnia:

Bis-HEA SMDI/PPG-7 Copolymer	No data available		
Bis-Hydroxyethyl Acrylate Poly(Neopentyl Glycol Adipate)/IPDI Copolymer	No data available		
Hydroxypropyl methacrylate	EC ₅₀	48H	> 143 mg/L
4-Methoxyphenol	No data available		
Trimethylbenzoyl diphenylphosphine oxide	EC ₅₀	48H	3.53 mg/L

UV/LED Options Colour Gels: All Shades

- 12.2 Persistence and Degradability**
Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable.
- 12.3 Bio accumulative Potential**
No data available
- 12.4 Mobility in Soil**
No data available
- 12.5 Results of PBT and vPvB Assessment**
Not conducted
- 12.6 Other Adverse Effects**
No data available

13 Disposal Considerations

- 13.1 Waste Treatment Methods**
Product: Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.
- Contaminated Packaging:** Dispose as above.

14 Transport Information

- Transport of Dangerous Goods (TDG and CLR):** Not regulated
- United States Department of Transport (49CFR):** Not regulated
- International Air Transport Association (IATA):** Not regulated
- International Maritime Organization (IMO):** Not regulated

15 Regulatory Information

- 15.1 CANADIAN FEDERAL REGULATIONS**
CEPA, DOMESTIC SUBSTANCES LIST: Listed
- 15.2 UNITED STATES FEDERAL REGULATIONS**
TOXIC SUBSTANCES CONTROL ACT (TSCA): All components are listed in the inventory.
- California Proposition 65:** No ingredients listed.
- OSHA (29 CFR 1910 Subpart Z):** Meets criteria for a hazardous substance.
- CERCLA (40 CFR 302):** No ingredients listed.
- SARA 302 (40 CFR 355):** No ingredients listed.
- SARA 313 (40 CFR 372):** No ingredients listed.
- SARA 311/312 (40 CFR 370):** Immediate (Acute) Health, Delayed (Chronic) Health
- Massachusetts Right to Know:** 4- Methoxyphenol (p- Hydroxyanisole)

UV/LED Options Colour Gels: All Shades

New Jersey Right to Know: 4- Methoxyphenol (p- Hydroxyanisole), Trimethylbenzoyl Diphenylphosphine Oxide

Pennsylvania Right to Know: 4- Methoxyphenol (p- Hydroxyanisole), Trimethylbenzoyl Diphenylphosphine Oxide

16 Other Information

Original Preparation Date: February 5, 2021

Prepared By: Haigh Industries Inc.
#5-8118 North Fraser Way
Burnaby BC
Canada V5J 0E5

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Haigh Industries Inc.

Revisions: None