














CATALOG













Season after season, Corona® Tools delivers professional results to pros and passionate gardening enthusiasts alike, helping them create inspired outdoor spaces. Our tools are at the root of the pride and satisfaction felt in every job, every project, every beautiful outcome. Every Corona tool consistently delivers years of reliability and performance, and our proven designs, quality craftsmanship and industry-leading customer service deliver on our most important promise—to provide every user with Corona Confidence.









#### **NEW PRODUCTS**

6-9



## PLANTING, **CULTIVATING & TURNING SOIL**

10-21

Hoes Cultivators **Forks Small Hand Tools** Lawn & Garden Tools Garden Tools



#### **KIDS TOOLS**

22-23

Kids Garden Tools Kids Wheelbarrows



#### RAKING, **CLEANUP & HAULING**

24-35

**Bow Rakes** Level Head Rakes Landscape Rakes Lawn Rake Leaf Rakes **Brooms** Wheelbarrows Yard Carts



## **SHOVELING & TRENCHING**

36-45

All-Steel Shovels **MAXForged Shovels** Closed-Back Shovels Standard Shovels Trench Shovels Scoop Shovels Lightweight Shovels DIY Shovels & Spades Post Hole Diggers



# DEMOLITION, **SPLITTING & PRYING**

46-49

Axes Hammers Picks & Mattocks Heavy Bars



### **COMMERCIAL &** MUNICIPAL **MAINTENANCE**

50-53

**Cutting Tool** Probe F7 Out Tools Wrenches Tamps & Post Drivers Scrapers



### STEM, BRANCH & LIMB PRUNING

54-77

**Hand Pruners** Accessories **Grass Shears** Hedge Shears Loppers Machetes **Pruning Saws** Tree Pruners Fruit Picker



## THINNING, **SHEARING & HARVESTING**

78-83

Shears & Snips Hydroponic Tools Floral Shears



#### **ACCESSORIES**

84-85

Scabbard Sharpener Kneeler Pad



## **DISPLAYS & PROMO PACKS**

86-88

Corrugated Displays Display Racks Promo Packs



**INDEX** 89-90



# **NEW PRODUCTS**







#### Flex**REACH System**™

Cut, prune and saw with the all-new FlexREACH System™ from Corona® Tools. This innovative modular system combines our tree pruner and RazorTOOTH Saw™ blade into one easy-to-use, extendable pole saw. Simply lock your pruner or saw head into place and extend the pole to make quick work of cutting or pruning hard-to-reach branches. For lower branches, simply detach the saw blade to use it as a hand saw. Easily store and transport your FlexREACH System by collapsing the pole to 5 ½-ft. Components sold separately.



#### TP1300

- Can be used as a hand saw or attached to the pole to cut branches that are out of reach
- Razor tooth sharpness and 3-sided teeth cut 2X faster
- Durable hardened steel
- Lifetime warranty



#### PRUNER HEAD

#### TP13005

- For cutting branches and limbs up to 11/4-in
- Dual-pulley power requires less effort
- Heavy-duty smooth action chain drive system
- Ergonomic angled head
- Lifetime warranty



#### **EXTENDABLE POLE**

#### TP13489

- Extends to 15-ft.; collapses to 5 ½-ft.
- Fiberglass safety outer pole
- Aluminum lightweight inner poles
- Use with TP13001 Saw Head and TP13005 Pruner Head
- Telescoping pole collapses for easy transportation and storage
- Lifetime warranty

# **PRUNING TOOLS**

## COROND

#### **ALUMINUM HEDGE & SHRUB SHEARS** Precision **CUT**

#### HS15340CC

- Pointed steel blades for perfect cuts and topiary work
- Weighs less than 2-lb. for less fatigue when trimming overhead
- Rubber cushioned, nonslip grip
- Rubber bumpers prevent jarring
- Lifetime warranty

#### **HEDGE & SHRUB SHEARS** Yard Essentials

#### HS11109

- Bypass cutting action and extended reach
- Nonstick coating on blades for minimal stickiness while cutting
- Reduced hand and shoulder fatigue due to integral rubber bumpers
- Lifetime warranty

#### **LOPPER** Yard Essentials

#### **SL 3310CC**

- Compact design perfect for cutting small branches
- High carbon steel blades for lasting sharpness and precise cutting
- Contoured cushioned grip, tubular steel handles and bumper system minimize vibration and reduce fatigue
- Replaceable parts available
- Lifetime warranty









#### **ERGO DEAD HEADER SNIPS** Ergo**CUT**

#### FS14630

- · Perfect for repetitive deadhead removal
- Ergonomic design reduces hand strain
- Finger loop provides improved control
- Precision-ground, high carbon steel blades for lasting sharpness
- Easy release secure blade lock

Lifetime warranty



### HOUSEPLANT PRUNER Yard**Essentials**

#### BP13623

- Specially-shaped blade is designed to help isolate the leaf or stem
- Provides precision control
- Rust-resistant stainless steel blade
- All metal handle with a soft-feel grip
- Easy release secure blade lock
- Red only
- · Lifetime warranty



### MINI FLORAL SNIPS Yard Essentials

#### FS43623

- Provides precision control
- Rust-resistant stainless steel blade
- All metal handle with a soft-feel grip
- Easy release secure blade lock
- · Red only
- Lifetime warranty



#### **POCKET PRUNER** Yard Essentials

#### BP13630

- Compact design perfect for smaller hands
- High carbon steel blades for lasting sharpness and precise cutting
- Rust-resistant stainless steel blade
- Contoured cushioned grip makes repetitive cuts more ergonomic
- Easy to open swivel latch lock · Lifetime warranty



#### HOUSEPLANT PRUNER VARIETY PACK Yard**Essentials**

#### BP13624

- Pack of 12: 3 red, 3 green, 3 yellow, 3 black
- Easy-to-spot colors
- Lifetime warrantv





#### MINI FLORAL SNIPS VARIETY PACK Yard**Essentials**

#### FS43624

- Pack of 12: 3 red, 3 green, 3 yellow, 3 black
- Easy-to-spot colors
- Lifetime warranty





# **GARDEN TOOLS**

#### MACHETE WITH NYLON SHEATH

#### MA13161

- Makes quick work of unwanted dense vegetation
- Durable, tempered steel blade stays sharp
- Ergonomically balanced handle with integral rubber grip
- Includes a nylon sheath with belt loop
- Lifetime warranty



#### **KNEELER PAD**

#### **KN 1000**

- Shock absorbing EVA foam
- Ultra cushioning memory foam
- Water-resistant neoprene
- Easy grip with carrying handle
- 1-year warranty



# MULTI-SCOOP Comfort GEL.

#### CT15411

- Serrated edge, stainless-steel scoop
- Perfect for digging, weeding, scooping, and furrowing
- ComfortGEL® grip reduces stress on hands and wrists
- Lifetime warranty



#### 3-PC. GARDEN HAND TOOL SET

#### **CT 2000**

- Transplanting trowel, rake, narrow transplanting trowel
- Hanger for easy storage
- Ideal gift for parents or kids
- Made of sturdy hard nylon plastic
- 1-year warranty



# NURSERY SHOVEL DIGMASTER LG13744

- LUI3144
- Narrow, hardened steel blade
- Long reach powder-coated steel handle
- Soft ComfortGEL® grip
- Ideal for digging in small spaces
- · Lifetime warranty



# **WOODEN HANDLE GARDEN TOOLS**

#### CT 4020 TRANSPLANTER

CT 4030 CULTIVATOR

CT 4050 WEEDER

**CT 4060 SC00P** 

#### **CT 4080 BULB TRANSPLANTER**

- Carbon steel heads with wood handles
- Perfect for the gardener looking for a natural aesthetic
- Individually sold
- 1-year warranty



# **KIDS TOOLS**



#### KIDS LONG HANDLE TOOLS

#### **KD 1000**

- Sold as a PDQ: Includes 30 tools (10 shovels, 10 rakes and 10 hoes)
- For ages 4+
- Durable 30-in. metal handle
- 1-year warranty

#### **KD 1000SH SHOVEL**

• Sold in master packs of 6

#### **KD 1000RA RAKE**

• Sold in master packs of 6

#### **KD 1000HO H0E**

• Sold in master packs of 6

#### KIDS WHEELBARROW

#### **KD 1002**

- · Perfect starter wheelbarrow for kids
- Poly tray
- · Easy assembly
- For ages 6+
- 1-year warranty







3-PC. KIDS GARDEN TOOL SET

• Great for outdoor use alongside parents

• Sold as 3-piece hand tool set in a container

**KD 1001** 

• For ages 4+

• 1-year warranty





# **GARDEN CARTS AND WHEELBARROW**

#### **POLY DUMP CART**

#### **CR 1000**

- 4-cu. ft. poly tray
- Quick release dumping mechanism
- 400-lb. capacity
- 10-in. pneumatic tires for smoother ride
- 1-year warranty



#### **METAL LANDSCAPE CART**

#### **CR 1001**

- Tough steel construction
- 400-lb. capacity
- Easy to assemble
- Sides fold down for easy configuration
- 10-in. pneumatic tires for smoother ride
- 1-year warranty



#### 5-CU. FT. STEEL WHEELBARROW IN A BOX **WB 1000**

- Strong steel construction
- Solid hardwood handles
- 15-in, flat free tires
- Robust braces for maximum support
- Handles and tray ship in 1 box
- Easy to assemble
- 1-year warranty



- AC10001 Replacement wheel and tire
- AC10002 Replacement handles (2)






# **MAX HOES**

#### **MAXFORGED EYE HOE**

#### FH 71000 | 7-IN. BLADE | 60-IN. ASH HANDLE FH 71002 | $7^{2}/_{3}$ -In. Blade | 60-In. ASH Handle



- Sharpened blade easily penetrates soil and slices through weeds
- 60-in. wood handle withstands heavy weed chopping
- Ox-eye connections for extra-thick handles
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**71000-4** - Handle **71000-8** - 7-in. head

71002-8 - 7 <sup>2</sup>/<sub>3</sub>-in. head

#### **MAX GARDEN HOE**

#### SH 60060 | 6-IN. BLADE | 60-IN. ALUMINUM HANDLE

- Tempered steel head for strength and long life
  Gooseneck design ideal for working around plants
- 6-in. wide blade most popular size for general
- 6-in. wide blade most popular size for general maintenance tasks
- Lightweight aluminum, non-slip oval-shaped handle
- Lifetime warranty

#### MAX OSCILLATING HOE SH 60001 | 5-In. Blade | 60-In. ASH HANDLE

- Heavy-duty blade design for long service life
- Heads automatically angle to slice weeds just below surface on both forward and back stroke
- Concave blades sharpen during use
- Extra-long handle lets you work upright and reduces back strain
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**60100-4** - Handle **60101-8** - Head

#### MAX OSCILLATING HOE

#### SH 60061 | 6-IN. BLADE | 60-IN. ALUMINUM HANDLE

- Heavy-duty, double-edged blade for push/pull weed cutting
- Slice weeds just below the surface with automatically angling blade
- 60-in. lightweight aluminum, non-slip, 2X bolt-thru handle
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 60061-8 Head

#### MAX DIAMOND HOE

#### SH 61000 | 8-IN. BLADE | 60-IN. ASH HANDLE

- 8-in. diamond-shaped head with four sharpened edges cuts weeds on both forward and back strokes
- Points of diamond-shaped blade can nick even small weeds from hard to reach areas
- Easily sharpened carbon steel blade
- Extra-long handle lets you work upright and reduces back strain
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

60001-4 - Handle

#### MAX HEAVY-DUTY WEEDING HOE SH 63000 | 7-IN. BLADE | 60-IN. ASH HANDLE

- Tough, tempered, abrasion-resistant 7-in. steel blade holds edge
- Notched and sharpened blade cuts on both push and pull stroke, slices easily through fibrous, overgrown weeds such as thistles, bindweed, wild mustard and clumping grasses
- Extra-long handle lets you work upright and reduces back strain
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 60001-4 Handle

#### MAX MCLEOD HOE

#### SH 65000 | 48-IN. ASH HANDLE SH 65000KD | KNOCKED-DOWN

- Tempered steel tines for superior strength and long service life
- Very versatile, used for raking, scraping, grubbing and tamping
- 10  $\frac{4}{5}$  x 8  $\frac{4}{5}$ -in. head with 9-in. sharpened edge and 3  $\frac{3}{5}$ -in. tines
- SH65000KD- Knocked-down version of SH 65000 for shipping purposes - assembly required
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**65001-8** - Head **65000-4** - Handle

## HOE

#### **GARDEN HOE**

#### SH 20000 | 6-IN. BLADE | 54-IN. WOOD HANDLE

- Swan-shaped neck keeps soil from building up on the tool
- Strong socket joint bolstered with a screw
- 6-in. wide blade most popular size for general maintenance tasks
- Lifetime warranty



# **MAX CULTIVATORS**

#### **MAX 4 PRONG CULTIVATOR**

#### CV 60064 | 60-IN. ALUMINUM HANDLE



- cultivating soil

  Reinforced riveted connections to prevent handle
- wobble

  Lightweight aluminum, non-slip, oval-shaped handles
- Lifetime warranty

## **CULTIVATORS**



#### 4 PRONG CULTIVATOR

#### CV 20004 | 54-IN. ASH HANDLE



- Tempered steel head for long service life
- Welded tines have oval cross-section for reduced pulling effort
- Weeding and cultivating in one stroke
- Lifetime warranty

# **MAX FORKS**

#### **MAXFORGED DIGGING FORK**

#### FK 70000 | 4 TINES | 48-IN. ASH HANDLE



- Forged, tempered tines for maximum strength and long service life
- Tines are narrow and tapered for easier soil penetration, yet extra thick to prevent splaying
- Riveted steel tang for maximum strength head-to-handle connection
- Durable ash wood handles. 2X varnished for weather resistance
- Lifetime warranty

#### **MAXFORGED HAY FORK**

#### FK 71005 | 5 TINES | 54-IN. ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving loose hay, mulches, tree trimmings, landscape waste
- Oval tines for greater lifting strength
- Durable ash wood handles, 2X varnished for weather resistance
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

71002-4 - Handle

#### MAXFORGED REFUSE FORK

#### FK 70004 | 4 TINES | 54-IN. ASH HANDLE



- Use to drag refuse and harvest root vegetables
- Heavy-duty forged steel head for maximum durability
- Steel ferrule design for stronger connection
- Durable ash wood tapered handle, 2X varnished for weather resistance
- Lifetime warranty

#### MAXFORGED MANURE FORK

#### FK 72065 | 5 TINES | 54-IN. ALUMINUM HANDLE



- Tempered steel head for superior strength and long service life
- 5-tine configuration is ideal for lifting and transferring materials
- Oval tines for greater lifting strength
- Lightweight aluminum, non-slip, oval-shaped handle
- Lifetime warranty

# **MAX FORKS**

#### **MAXFORGED MANURE FORK**

#### FK 72004 | 4 TINES | 54-IN. ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving manure, compost, planting mix and other dense, damp material
- Oval tines for greater lifting strength
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 71001-4 - Handle

#### **MAXFORGED MANURE FORK**

#### FK 72005 | 5 TINES | 54-IN. ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving manure, compost, planting mix and other dense, damp material
- Oval tines for greater lifting strength
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 71002-4 - Handle

# **FORKS**

#### **DIGGING FORK**

FK 42000 | 4 TINES | 29-IN. D-GRIP ASH HANDLE



- Tempered steel tines for long service life
- 10-in. tapered tines for easier soil penetration
- 29-in. D-grip handle is easy to use in tight spaces
- Lifetime warranty

#### **ENSILAGE FORK**

FK 44010 | 10 TINES | 30-IN. D-GRIP ASH HANDLE



- Tempered welded steel head to lift ensilage, construction debris, mulch or other loose materials
- Durable ash wood handle, 2X varnished for weather resistance
- Lifetime warranty

#### MANURE FORK

FK 42010 | 10 TINES | 48-IN. ASH HANDLE



- Tempered steel head to lift manure, compost or dense materials
- Durable ash wood tapered handle, 2X varnished for weather resistance
- Long steel ferrule provides strength and durability
- Lifetime warranty

# MAX SMALL HAND TOOL


#### MAX PLANTING MATTOCK

#### HT 69200 | DUAL BLADES - 1 1/3-IN. AND 2-IN. WIDE

- Chop through hardpan soil up to 4 1/3-in. deep
- 14-gauge welded steel construction withstands repeated use and exposure to the elements
- 14-in. handles with non-slip grips reduce hand strain, absorb vibration and make for easy work in close quarters
- Quickly set "pony pack" plants
- Lifetime warranty







#### Premium Grade Comfort**GEL** Garden Tools

Our line of stainless steel hand tools is built to work as hard as you do for the long haul. This fully featured line comes with ComfortGEL® grips and large-diameter reinforced square tangs for added strength. With welded joints and robust tool heads, these garden tools are backed by a lifetime warranty that promises to deliver for all-day use.

#### **HOE/CULTIVATOR**

#### Comfort**GEL**®

#### **CT 3344**

- Dual working heads 2 tools in 1
- Sharp hoe to break up clumpy soil
- Cultivator for weeding between rows
- Lifetime warranty

#### WEEDER Comfort**GEL**®

#### CT 3354

- 2-prong end for piercing soil, extracting weed at root
- Serrated-edge for cutting weeds and weed roots
- Lifetime warranty

#### ComfortGEL® CT 3314

**TROWEL** 

- Integrated bag ripper
- Flat-ended tamper handle/grip
- Finger guard protects hand during digging
- Depth gauge for precise holes
- Lifetime warranty

#### **TRANSPLANTER** Comfort**GEL**®

#### **CT 3324**

- Depth gauge for precise holes
- Finger guard protects hand during digging
- Ideal for transplanting smaller plants
- Lifetime warranty

#### **SCOOP** ComfortGEL®

#### CT 3364

- Large scoop for transporting more soil, ice melt and pet food
- Finger guard protects hand during úse
- Lifetime warranty




#### **CULTIVATOR** Comfort**GEL**®

#### **CT 3334**

- Large-diameter robust tines
- Finger guard protects hand during digging
- Ideal for aerating around young plants/weeding between rows
- Lifetime warranty







#### Comfort GEL Garden Tools

Designed to deliver comfort to gardeners who seek an easier, more therapeutic gardening experience, these tools feature tactile gel grips, anti-slip thumb risers and finger guards. The lightweight, one-piece construction and stainless steel alloy heads ensure durability and prevent bending, breaking or rusting.



# TROWEL ComfortGEL® CT 3214 • Graduated 3-in, wide blade with the state of the st

- Graduated 3-in. wide blade with bag ripper
- Lifetime warranty

#### **HOE/CULTIVATOR**

#### Comfort**GEL**®

#### CT 3244

- Convenient 2-in-1 tool for weeding and cultivating
- Lifetime warranty



# TRANSPLANTER Comfort**GEL**®

#### **CT 3224**

- Serrated 2 ½-in. wide blade with bag ripper
- Lifetime warranty



#### WEEDER Comfort**GEL**®

#### CT 3254

- Easier weeding with 6-in. serrated blade and forked tip
- Lifetime warranty



# COMFORTGEL.

#### CT 3234

- Penetrate soil easily with tapered tines
- · Lifetime warranty



#### SC00P

#### Comfort**GEL**®

#### CT 3264

- Large capacity scoop
- Lifetime warranty







#### WIDGER

#### Comfort**GEL**®

#### CT15408

- · Long, narrow shape for levering plants out of pots
- Depth markings on blade assure precise planting depth
- Lifetime warranty



#### **MULTI-SCOOP**

#### Comfort**GEL**

#### CT15411

- Serrated edge, stainless-steel scoop
- Perfect for digging, weeding, scooping, and furrowing
- · Elongated tang for additional reach and access in tight spaces
- Lifetime warranty



## HORI HORI GARDEN KNIFE

#### Comfort**GEL**®

#### CT15409

- Flanged at base to protect hand from slipping onto blade
- Serrated multi-purpose steel blade for digging, cutting & transplanting
- Depth markings on blade assure precise planting depth
- Lifetime warranty



#### **Garden Tools**

These essential hand tools are ideal for a broad range of gardening applications. The one-piece aluminum alloy heads provide a lightweight and durable solution, complemented by cushioned non-slip grips for added comfort.

#### **CULTIVATOR**

#### CT 3030i

- 3 angled tines set 1 1/4-in. apart to break and mix up soil while avoiding damage to plants
- Lifetime warranty



#### **TROWEL**

#### CT 3010i

- Easily dig, plant, pot and more with a sharpened 3-in, wide blade
- Lifetime warranty



#### **TRANSPLANTER**

#### CT 3020i

- Insert new plants at proper depth with a 2 1/8-in. wide marked and graduated blade
- Lifetime warrantv



#### **FORK**

#### CT 3040i

- 3 straight tines set 1½-in. apart to break and mix up soil while avoiding damage to plants
- Lifetime warranty




#### WEEDER

#### CT 3050i

- Get at weeds' roots with a tapered 7 1/4-in. long blade
- Lifetime warranty





#### **Wooden Handle Garden Tools**

Discover the perfect blend of functionality and natural aesthetics with these wooden handle garden tools. Featuring carbon steel heads and classic wood handles, they are ideal for gardeners who appreciate both durability and timeless charm in their gardening essentials.



#### **TRANSPLANTER** CT 4020

- Easily dig, plant, pot and more with a sharpened blade
- 1-year warranty





#### CT 4030

- Penetrate soil easily with tapered tines
- 1-year warranty



#### **SCOOP**

#### **CT 4060**



• 1-year warranty



# **WEEDER**

#### CT 4050

- Weeding made easier with a tapered blade
- 1-year warranty



#### **BULB TRANSPLANTER**

#### **CT 4080**



- Depth markings for precise planting
- 1-year warranty





# 3-PC. GARDEN HAND TOOL SET

#### CT 2000

- Transplanting trowel, rake, narrow transplanting trowel
- Hanger for easy storage
- Ideal gift for parents or kids
- Made of sturdy hard nylon plastic
- 1-year warranty

# **LAWN & GARDEN TOOLS**



# Comfort**GEL**

#### **Lawn and Garden Tools**

Introducing Corona's newest line of lawn and garden tools with ComfortGEL® grips for exceptional comfort and control. We've engineered and developed this range of tools to provide you with hand-held solutions to cultivate, weed, till and maintain your property. Repair your lawn, edge a border or prepare a garden bed with comfort and innovative features.



#### GARDEN TILLER Soilripper

#### with **ComfortGEL**®

#### LG 3624

- Used for tilling soil and the development of seed-rows in gardens
- A substitute for rototillers in small developed gardens or raised-bed gardens
- Durable, heat-treated high carbon steel tines versus cast aluminum
- Self-sharpening, large 9-in. wide x 6-in. long steel tines
- All metal footplate will withstand high-load bearing pressure
- Quick release plunger to push out dirt and mud clots from tool between submersions into soil
- Lifetime warranty

U.S. Patent D838.150



- Narrow, hardened steel blade
- Long reach powder-coated steel handle
- Ideal for digging in small spaces
- Lifetime warranty



# GARDEN & SOIL CULTIVATOR DISCEULTIVATOR ON THE PROPERTY OF T

#### with **ComfortGEL**®

#### LG 3634

- 3 tine-configurations for different uses: weed, aerate and till soil
- Three, easy to adjust sets of detachable rotational tines
- Large steel tines quickly break up soil and are self-cleaning
- All metal footplate versus plastic for added durability
- 60-in. long angled handle for enhanced leverage and reduced back strain
- Lifetime warranty

U.S. Patent D845,093 and D868,552



# LAWN & SOIL AERATOR Yard Breather with Comfort Gel®

#### **LG 3604**

- Penetrates and breaks up grass and compact soil to allow air, water and nutrients to reach the roots, promoting growth
- Designed to automatically eject 3.5-in. long soil plugs with each step
- Slip-resistant, traction groves on the footplate add safety and stability
- Heat-treated steel on footplate and spikes for lasting durability
- Lifetime warranty



#### **WEEDING TOOL**

# WeedDESTROYER® with ComfortGEL®

#### LG 3654

- Removes tough weeds without the use of chemicals
- All-steel footplate with slip-resistant traction groves for added control
- Fully heat-treated, high carbon steel blades for extra strength when driving into the soil
- Quick release plunger for removing weed from tool
- Lifetime warranty

U.S. Patent D843,799

# **LAWN & GARDEN TOOLS**

#### **DutchHOE** with ComfortGEL®

#### LG 3664

- Long reach handle eliminates back pain associated with the need to stoop/bend down to weed or till soil
- Open head design keeps hoe socket section clear of soil and debris build-up when in use
- Lifetime warrantv



#### **GROUND CLEARING TOOL** Quick**COLLECTOR**® with **ComfortGEL**®

#### LG 3694

- Reduces time and effort in collecting tree nuts and seed pods
- Simple rolling action easily picks up and gathers nuts
- Flexible spring-steel cage makes emptying quick and easy
- 48-in. carbon steel handle for a comfortable, long reach
- Lifetime warranty

### Crack WEEDER with **ComfortGEL**®

#### LG 3674

- Long reach handle eliminates back pain associated with the need to stoop/bend down to weed or till soil
- Tool head is designed to slice, dig pull and extract weeds between pavers and in other tight spaces
- Lifetime warrantv



#### TREE & SHRUB IRRIGATOR Root**IRRIGATOR**

with **ComfortGEL**®

#### LG 3710

- Provides water or irrigation directly to the roots for healthy growth
- Prompts trees to grow roots deeper and further from trunk for longevity
- Eliminates water runoff and evaporation
- Detachable, universal, 3-in. shut off brass valve makes it easy to control water flow
- Depth markers of 12-in., 18-in. and 24-in. for precise watering of tree roots
- Lifetime warranty



#### SIDEWALK & BORDER EDGER Edge**MASTER** with ComfortGEL®

- Quick clean cuts in grass, sod or soil
- Trim sidewalks or create borders for gardens
- Ribbed blade that's self-sharpening, durable, fully heat-treated and made from high
- Double-traction grooved footplate supports additional load bearing pressure
- Lifetime warrantv



#### **SOD & LAWN TRANSPLANTER** Sod**PLUGGER**®

with **ComfortGEL**®

#### LG 3720

- Fill grassless areas without the expense of buying and installing sod
- Creates properly sized holes to accept standard 3-in. grass and sod plugs
- The guick release plunger efficiently removes sod plugs
- Heat-treated, high carbon steel construction for lasting durability
- Slip-resistant traction grooves designed into the footplate
- Lifetime warranty





# **EXTENDED REACH**Comfort**GEL**. Garden Tools

Specifically designed for working on raised-bed gardens, small gardens and tight access locations, Corona's ComfortGEL® garden tools feature an optimal length for extended reach and balance. Ideal for those with physical strength limitations, these tools also include unique trapezoid-shaped handles for added comfort and control, along with ComfortGEL® grips for an easier, more therapeutic gardening experience.

# 7-TINE RAKE Comfort**GEL**GT 3234

- 36-in. extended reach
- Tines cultivate soil during planting process
- 7 tine sides to transport, break-up and level soil
- Grooved top for fine smoothing of soil
- · Lifetime warranty

U.S. Patent D852,021

# HOE/CULTIVATOR ComfortGEL® GT 3244

- 36-in. extended reach
- Breaks up clumpy-soil and digs up weeds
- Moves and aerates soil
- Lifetime warranty

U.S. Patent D852,021

# 2-PRONG WEEDER Comfort**GEL**GT 3254

- 40-in. extended reach
- Sharpened, fork-tipped blade pulls weeds at root source
- Lifetime warranty

U.S. Patent D852,021



# Extenda**HANDLE**Garden Tools

Corona's ExtendaHANDLE garden tools feature lightweight steel handles that extend from 18 to 34 inches for added reach. The fully heat-treated heads ensure enhanced durability, while protective coatings resist chipping and rust. Non-slip grips provide comfort during extended use, and convenient hanging rings facilitate easy storage. Backed by a lifetime warranty.









# **KIDS TOOLS**





## 3-PC. KIDS GARDEN TOOL SET NEW

#### KD 1001

- Great for outdoor use alongside parents
- Sold as 3-piece hand tool set in a container
- For ages 4+
- 1-year warranty









#### KIDS LONG HANDLE TOOLS

#### **KD 1000**





- Encourages exercise by getting kids moving alongside adults
- Make great gifts for curious young kids who enjoy the outdoors
- Sold as a PDQ: Includes 30 tools (10 shovels, 10 rakes & 10 hoes)
- For ages 4+
- 1-year warranty

#### KD 1000SH SHOVEL

• Sold in master packs of 6

#### **KD 1000RA RAKE**

• Sold in master packs of 6

#### **KD 1000HO H0E**

• Sold in master packs of 6






### KIDS WHEELBARROW

# NEW

#### **KD 1002**

- Perfect starter wheelbarrow for kids
- Poly tray
- Easy assembly
- For ages 6+
- 1-year warranty







## **BOW RAKES**

#### **MAXFORGED BOW HEAD RAKES**

#### RK 65001 | 14-IN. | 14 TINES | 60-IN. ASH HANDLE RK 65002 | 16-IN. | 16 TINES | 60-IN. ASH HANDLE

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60-in. handles lets you work upright, reduces back strain
- Lifetime warranty
- REPLACEMENT PART AVAILABLE

64002-4 - Handle - RK 65001

#### MAX BOW HEAD RAKE

#### RK 65061 | 14-IN. | 14 TINES | 60-IN. ALUMINUM HANDLE

- 14-in. bow-head design acts as spring for better control of tine depth, small head is ideal for working in close quarters
- Extra-thick, tempered steel tines for greater strength and long life
- Curved tines efficiently gather and move soil
- Lightweight aluminum, non-slip oval-shaped handle
- Lifetime warrantv



#### **MAXFORGED BOW HEAD RAKES**


#### RK 65021 | 14-IN. | 14 TINES | 60-IN. FIBERGLASS HANDLE RK 65022 | 16-IN. | 16 TINES | 60-IN. FIBERGLASS Handle

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60-in. handle with poly jacket lets you work upright, reduces back strain
- Lifetime warranty

#### **BOW HEAD RAKES**

#### RK 20002 | 16-IN. | 16 TINES | 60-IN. ASH HANDLE RK 20022 | 16-IN. | 16 TINES | 60-IN. FIBERGLASS HANDLE\*

- Tempered heads for long service life
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60-in. handles let you work upright, reduces back strain
- Lifetime warranty





minimi

#### **VALUE RAKE**

# LIGHT-DUTY BOW HEAD RAKE RK 10000 | 48-IN. WOOD HANDLE

- Tempered head with 14 tines for greater durability and long-lasting performance
- Curved tines for easy penetration and gathering of soil
- 1-year warranty

# MAX LEVEL HEAD RAKES

#### **MAXFORGED LEVEL HEAD RAKE**

#### RK 64002 | 16-IN. | 14 TINES | 60-IN. ASH HANDLE

- Wide head for rapid tilling and leveling
- Extra-thick, tempered, single-piece head for greater durability and long service life
- Flat-head design for smooth tamping of seed beds
- Extra-long 60-in. handle lets you work upright, reduces back strain
- Lifetime warrantv
- REPLACEMENT PART AVAILABLE

**64000-4** - Handle **64002-4** - Handle

# MAX LEVEL HEAD RAKE RK 64060 | 14-IN. | 14 TINES | 60-IN. ALUMINUM HANDI F

- Level-head design for efficient tilling and leveling of landscape materials in close quarters
- Extra-thick, tempered steel tines for greater strength and long service life
- Flat head with straight tines for smooth tamping of seed beds
- Lightweight aluminum, non-slip, oval-shaped handle
- Lifetime warranty



# **MAX LANDSCAPE RAKES**



#### MAX ALUMINUM LANDSCAPE RAKES

- All-aluminum construction combines durability with ease of use during finish grading process
- Angled, extra-thick tine tips for long service life
- 66-in. lightweight aluminum handles with non-slip vinyl sleeves for gripping comfort in extreme heat or cold
- Wrap-around brace supports and heavy-duty heads
- Assembly required
- Lifetime warranty
- Product availability and packaging specifications are subject to change without notice. Please contact Corona® Customer Service for the latest information.



## LAWN RAKE

#### THATCH/GROOM RAKE

#### RK 42000 | 16-IN. HEAD | 54-IN. WOOD HANDLE

- Head adjusts up or down to suit the height of the users
- 16-in. head width works push and pull for easier removal of thatch and dead grass
- 54-in. wood handle lets you work in an upright position, reduces back strain
- Lifetime warranty



# MAX SPRING BRACE RAKE





#### **MAX SPRING BRACE RAKE**

#### RK 24061 | 24-IN. | 24 TINES | 54-IN. ALUMINUM HANDLE

- 54-in. long aluminum handle with anti-slip vinyl sleeve for gripping comfort
- A-shaped head combines flexible tines with durability of metal for raking power
- Bolt-thru head to handle connection for added durability
- Stress distribution bar prevents the 24 tines from twisting or breaking
- Tines and spring are made of high carbon steel, providing long-lasting performance
- Powder-coated frame and tines resist rust
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**62060-4** - Handle **24003-8** - Head

# **SPRING BRACE RAKES**

# SPRIN RK 24 RK 24 Fandura Streetwise Coa

#### **SPRING BRACE RAKES**

#### RK 24002 | 22-IN. | 22 TINES | 54-IN. WOOD HANDLE RK 24003 | 24-IN. | 24 TINES | 54-IN. WOOD HANDLE


- Fan-shaped heads combine flexible tines with durability of metal
- Stress distribution bars that prevent tines from twisting or breaking when pressed on
- Coated frames and tines resist rust
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**24003-4** - Handle

24003-8 - Head, 24-in/24 Tines - RK 24003

# SPRING BRACE RAKE REPLACEMENT HEAD 24003-8 | 24-In. | 24 Tines

• Easy to replace this fan-shaped replacement head for RK 24061 and RK 24003



# MAX FIXED TINE RAKES



#### **MAX FIXED TINE LEAF RAKES**

RK 62001 | 19-IN. | 25 TINES | 54-IN. WOOD HANDLE RK 62061 | 19-IN. | 25 TINES

#### 54-IN. ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- 3 rivets hold heads to handles
- 25 extra-wide tines
- Double crimps hold tines in place
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**62000-4** - Wood Handle

62060-4 - Aluminum Handle

62001-8 - Head

# MAX FIXED TINE SHRUB RAKES RK 62000 | 8-IN. | 11 TINES | 54-IN. WOOD HANDLE RK 62060 | 8-IN. | 11 TINES 54-IN. ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- Tines apply light pressure for debris removal without damage to plant feeder roots
- Narrow heads for working between closely spaced plants
- 2 rivets hold heads to handles
- Double crimps hold tines in place
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

62000-4 - Wood Handle

62060-4 - Aluminum Handle

62000-8 - Head

# **POLY LEAF RAKES**

#### Big**load** Leaf rake

#### RK 45030 | 30-IN. | 30 TINES 60-IN. ALUMINUM HANDLE

- Oversize head rakes up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 30-in. poly head is both lightweight and durable
- 60-in. aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- · Lifetime warranty
- REPLACEMENT PART AVAILABLE

45030-4 - Handle

# BIGLOAD JR LEAF RAKE RK 45026 | 26-IN. | 26 TINES 60-IN. ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 26-in. poly head is both lightweight and durable
- 60-in. aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Lifetime warranty
- REPLACEMENT PART AVAILABLE

**45030-4** - Handle





# **POLY LEAF RAKES**





#### **POLY LEAF RAKES**

#### RK 25024 | 24-IN. | 26 TINES | 48-IN. WOOD HANDLE RK 25030 | 30-IN. | 30 TINES | 48-IN. WOOD HANDLE

- Gather large amounts of leaves with closely spaced tines
- Extra-thick polypropylene construction with weather-resistant UV inhibitor
- Hardwood handles 2X varnished for weather resistance
- Assembly required
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 25030-4 - Handle - RK 25030

# MAX BROOMS

#### **MAX PUSH BROOM** BM 61002 | 2 BRISTLES | 24-IN. HEAD 60-IN. BAMBOO HANDLE

- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- · Assembly required
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

61002-4 - Handle 61002-60 - Hardware 61018-8 - Head



3-in. x 2 BRISTLES COARSE POLY FINE POLY



#### **MAX PUSH BROOM**

#### BM 62060 | 1 BRISTLE | 24-IN. HEAD **60-IN. ALUMINUM HANDLE**

- Heavy-duty replaceable hardwood head
- Cast-metal socket with bolted connection and wrap-around braces
- Oval-shaped aluminum handle is sturdy and lightweight
- · Assembly required
- Lifetime warrantv



3 <sup>1</sup>/<sub>4</sub>-in. MEDIUM-FINE POLY BRISTLES



# **BROOM**

#### **PUSH BROOM**

#### BM 41002 | 2 BRISTLES | 24-IN. HEAD 60-IN. BAMBOO HANDLE

- · Poly socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- · Assembly required
- Lifetime warranty



3-in. x 2 BRISTLES **COARSE POLY** FINE POLY



# **MAX WHEELBARROWS**

#### **EasyLIFTER**

by Corona®



# MAX EASYLIFTER BY CORONA® WHEELBARROWS WB 2806 | STEEL HANDLES | PNEUMATIC TIRE WB 2806FF | STEEL HANDLES | FLAT-FREE TIRE

- Heavy-duty all-steel frames and 6 cubic foot powder-coated trays for durability
- Lift with less effort by aligning wheel with center of gravity
- Effortless dumping with built-in fulcrum action
- Steel reinforcing plate under tray reduces puncture risk
- Two handle configurations: removable for easy transport and storage or 4-bolt semi-permanent connection\*
- Heavy-duty wheel options
- Smooth operation with 16-in. wheels featuring solid steel bushings and grease fittings
- For typical applications: WB 2806 with pneumatic 4-ply tire
- For the toughest jobs: WB 2806FF with flat-free tire
- Optional dual wheel kit sold separately for heavier loads and increased stability
- Assembly required
- Lifetime warranty

#### • REPLACEMENT PARTS AVAILABLE

2806-4 - Handle - Steel (2)

2806-80 - Tray - Steel

2806-83 - Front - Steel Bar - Flat

2806-87 - Rear Bracket - Trapezoidal

2806-88 - Steel Plate - Under Tray

2806-91 - Hardware Kit

2806-92 - Handle Pin - D-Locking (2)

2806-93\*\* - Steel Bushing for Pneumatic and Flat-Free Wheels

2806-100 - Frame - Left

2806-101 - Frame - Right

2806-102 - Front Bracket

**2806-103** - Axle and Locking Pin

2806-104 - Flat-Free Wheel and Hardware Kit - Handle

\*\*Fits all Corona® MAX wheelbarrows and AC 2500/AC 2600 flat-free tires.



All Corona® Wheelbarrows come with self-retaining washers for easier and faster tub-to-handle assembly. (Does not apply to WB 2506 and WB 2606 models due to Quick-connect design)



# MAX EASYLIFTER BY CORONA® DUAL WHEEL KITS AC 2806 | 16-In. PNEUMATIC 4-PLY TIRE

#### AC 2806FF | 16-IN. SOLID FLAT-FREE TIRE

- Increase capacity and stability to make short work of the toughest jobs
- Kits include 1 wheel, 1 axle and hardware
- Includes steel bushings and grease fitting
- Work in conjunction with single wheel on WB 2806 or WB 2806FF (sold separately)
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**2806-93\*** - Steel Bushing for Pneumatic and Flat-Free Wheels \*Fits all Corona® MAX wheelbarrows and AC 2500/AC 2600 flat-free tires.



# MAX WHEELBARROWS

## CORONA. SEASON AFTER SEASON

#### 6-Cu. Ft. Wheelbarrows

All Corona® MAX Wheelbarrows feature 6-cu. ft. class trays, optimizing carrying capacity with typical worker's lifting ability.



# MAX HEAVY-DUTY CONTRACTOR WHEELBARROWS WB 2706S | 60-IN. STEEL HANDLES | 16-IN. PNEUMATIC TIRE WB 2706SFF | 60-IN. STEEL HANDLES 16-IN. FLAT-FREE KNOBBY TIRE

- 1.4-mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- 6-cu. ft. class tray balances carrying capacity with typical worker's lifting ability
- · Assembly required
- · Lifetime warranty

U.S. Patent D677,852



# MAX HEAVY-DUTY CONTRACTOR WHEELBARROWS WB 2706 | 60-IN. WOOD HANDLES | 16-IN. PNEUMATIC TIRE WB 2706FF | 60-IN. WOOD HANDLES 16-IN. FLAT-FREE KNOBBY TIRE

- 1.4-mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Wheel with steel bushings and grease fitting
- · Assembly required
- Lifetime warranty

U.S. Patent D677,852

### HEAVY-DUTY CONTRACTOR WHEELBARROW - REPLACEMENT PARTS THE WIR 2704SEE WIR 2704SEE

FIT WB 2706SFF, WB 2706S, WB 2706FF, WB 2706 2706-4 - Handles - Wood (2)

**2706-4S** - Handles - Steel (2)

2706-80 - Tray

2706-82 - Leg Stabilizers (2)

2706-83 - Bumper Bracket

2706-84 - Wedges (2)

2706-85 - Stands (2)

**2706-86** - Front Stay Braces (2)

2706-87 - Brace Stand

2706-88 - Cross Braces (Short and Long)

2706-89 - Axle and 2 Brackets

2706-91 - Hardware Pack

2806-93\* - Steel Bushing for Pneumatic and Flat-free Wheels

AC 2500 - Flat-Free Knobby Tire

AC 2600 - Flat-Free Ribbed Tire

\*Fits all Corona® MAX wheelbarrows and AC 2500/AC 2600 flat-free tires.

#### **Flat-Free Tires**

Fit all Corona models with a 16-in. tire or axles that are \%-in. diameter.

#### MAX FLAT-FREE TIRE

#### AC 2500 | KNOBBY

- 16-in. solid flat-free tire with steel bushings and grease fitting
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE
   2806-93\* Steel Bushing for
   Pneumatic and Flat-Free Wheels



#### MAX FLAT-FREE TIRE AC 2600 | RIBBED

- 16-in. solid flat-free tire with steel bushings and grease fitting
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 2806-93\* - Steel Bushing for Pneumatic and Flat-Free Wheels



# **MAX WHEELBARROWS**





# MAX HEAVY-DUTY STEEL WHEELBARROWS WB 2506K | 60-IN. WOOD HANDLES | 16-IN. PNEUMATIC TIRE WB 2506KFF | 60-IN. WOOD HANDLES 16-IN. FLAT-FREE KNOBBY TIRE

- 1.4-mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Contractor-grade hardwood handles
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- · Assembly required
- Lifetime warranty

# MAX HEAVY-DUTY STEEL WHEELBARROWS WB 2606K | 60-IN. STEEL HANDLES | 16-IN. PNEUMATIC TIRE WB 2606KFF | 60-IN. STEEL HANDLES 16-IN. FLAT-FREE KNOBBY TIRE

- 1.4-mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings or easy lubricating
- Steel handles with comfort grips
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- · Assembly required
- Lifetime warranty

#### 6-CB FT. HEAVY-DUTY STEEL WHEELBARROW REPLACEMENT PARTS FIT -WB 2506KFF, WB 2506K, WB 2606KFF, WB 2606K

2506-4 - Wooden Handles (2)

2606-4 - Steel Handles (2)

2506-80 - Tray

2506-81 - Pneumatic Wheel

2506-83 - Bumper Bracket

2506-84 - Wedges (2)

2506-85 - Stands (2)

2506-86 - Front Stay Brace (2)

**2506-87** - Stand Brace

2506-88 - Long And Short Cross Brace

2506-89 - Axle and 2 Brackets

2506-91 - Hardware Pack

AC 2500 - Flat-Free Knobby Tire

AC 2600 - Flat-Free Ribbed Tire

2806-93\* - Steel Bushing for Pneumatic and Flat-free Wheels

\*Fits all Corona® MAX wheelbarrows and AC 2500/AC 2600 flat-free tires.







#### 6-CU. FT. STEEL WHEELBARROWS

# WB 2006 | 60-IN. HARDWOOD HANDLES | 15-IN. 2-PLY PNEUMATIC TIRE WB 2006FF | 60-IN. HARDWOOD HANDLES | 16-IN. FLAT-FREE TIRE

- 1.0-mm wrinkle-free steel tray
- Reinforced steel front tray braces for added support and stability
- 15-in. hub with ball bearings for years of smooth performance
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

2006-4 - Handles (2)

2006-80 - Tray

2006-81 - Pneumatic Wheel

2006-83 - Bumper Bracket

2006-84 - Wedges (2)

2006-85 - Stands (2)

**2006-86** - Front Stay Brace (2)

2006-87 - Stand Brace

2006-88 - Long And Short Cross Brace

**2006-89** - Axle and 2 Brackets

2006-91 - Hardware Pack

AC 2500 - Flat-Free Knobby Tire

AC 2600 - Flat-Free Ribbed Tire

#### 6-CU. FT. POLY WHEELBARROWS

# WB 1006 | 60-IN. HARDWOOD HANDLES | 15-IN. 2-PLY PNEUMATIC TIRE WB 1006FF | 60-IN. HARDWOOD HANDLES | 16-IN. FLAT-FREE TIRE

- Corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- Steel bushings and grease fitting ball bearings for years of smooth performance
- · Assembly required
- Lifetime warranty

#### • REPLACEMENT PARTS AVAILABLE

2006-4 - Handles (2)

1006-80 - Trav

2006-81 - Pneumatic Wheel

1006-91 - Hardware

2006-83 - Bumper Bracket

1006-84 - Wedges (2)

2006-86 - Front Stay Brace (2)

**1006-87** - Stand Brace

**2006-85** - Stands (2)

**2006-89** - Axle and 2 Brackets

AC 2500 - Flat-Free Knobby Tire

AC 2600 - Flat-Free Ribbed Tire

# **WHEELBARROWS**



#### 6-CU. FT. STEEL WHEELBARROW

#### WB13060 | 6.0 CUBIC FOOT WHEELBARROW | PNEUMATIC TIRE

- Durable steel tray & undercarriage
- Sealed wood handles
- Pneumatic tire
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

AC60007 - Wood Handles 60-in. (2)

AC50012 - Hardware Kit



#### 6-CU. FT. STEEL WHEELBARROW

#### WB13163 | 6.0 CUBIC FOOT WHEELBARROW | FLAT-FREE TIRE

- Durable steel tray & undercarriage
- Steel handles with comfort grips
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

AC50045 - Flat Free Wheel 16-in

**AC60014** - Metal Handles 60-in. (2)

AC50012 - Hardware Kit



# 10-CU. FT. POLY WHEELBARROW WB 1010 | 60-IN. HARDWOOD HANDLES DUAL 15.5-IN. 2-PLY PNEUMATIC KNOBBY TIRE

- Heavy-duty, corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- 2-ply knobby tires provide added control and stability when carrying heavy loads
- Steel hub bushings for years of smooth performance
- Contractor-grade hardwood handles
- · Assembly required
- Lifetime warranty

#### • REPLACEMENT PARTS AVAILABLE

1010-4 - Handles (2)

1010-80 - Trav

1010-81 - Pneumatic Wheel

1010-83 - Bumper Bracket

1010-85 - Stands (2)

1010-89 - Axle Bracket, Plate, Spacers (2)

1010-91 - Hardware Pack

2006-86 - Front Stay Brace (2)

**2006-87** - Stand Brace

2506-88 - Long And Short Cross Brace



#### 5-CU. FT. STEEL WHEELBARROW IN A BOX



#### **WB 1000**

- Handles and tray ship in 1 box making it easy to transport
- Strong steel construction
- Solid hardwood handles
- 15-in. flat free tires
- Robust braces for maximum support
- Easy to assemble
- 1-vear warranty
- REPLACEMENT PARTS AVAILABLE

AC10001 - Replacement wheel and tire

AC10002 - Replacement handles (2)

### CORONA SEASON AFTER SEASON



### POLY DUMP CART

### CR 1000

- 4-cu. ft. poly tray
- Quick release dumping mechanism
- 400-lb. capacity
- 10-in. pneumatic tires for smoother ride
- 1-year warranty





### **METAL LANDSCAPE CART**

### NEW

### **CR 1001**


- Tough steel construction
- 400-lb. capacity
- Easy to assemble
- Sides fold down for easy configuration
- 10-in. pneumatic tires for smoother ride
- 1-year warranty







### **CHOOSE THE RIGHT SHOVEL**













### MAX ALL-STEEL SHOVELS



### MAX ALL-STEEL SHOVELS

Unleash maximum digging and prying power with these all-steel shovels. The closed-back blade design provides extra strength and eliminates dirt buildup, while the solid steel end cap under the red grip allows for tamping. The thick, powder-coated, aerospace-grade steel handle is welded to the 12-gauge blade to ensure durability.

#### MAX ALL-STEEL SHARPSHOOTER SPADE

AS 90110 | 14 1/2-IN. BLADE, 29-IN. STEEL D-GRIP HANDLE



### AS 90100 | 14 1/2-IN. BLADE, 63 1/2-IN. STEEL HANDLE



- Large, forward-turned steps prevent material from spilling off rear of blade
- Extended widow's peak sockets with double rivets for stronger, secure connections
- Blade is enamel finished to protect against rust
- Lifetime warranty

#### MAX ALL-STEEL SPADE

AS 90220 | 15-IN. DIAMOND BLADE, 26-IN. STEEL D-GRIP HANDLE



AS 90240 | 15-IN. DIAMOND BLADE, 51-IN. STEEL HANDLE



- Made for spading, planting, prying, cutting roots, installing edging and digging
- 15-in. pre-sharpened diamond blade
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**AC 90000** - Footpad

### **MAX ALL-STEEL SPADE**

AS 90010 | 12-IN. STRAIGHT BLADE, 26-IN. STEEL D-GRIP HANDLE



AS 90040 | 15-IN. STRAIGHT BLADE, 54-IN. STEEL HANDLE



- Made for spading, planting, prying, cutting roots, installing edging and digging
- Pre-sharpened straight blade, steel handle
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**AC 90000** - Footpad

### ABOUT LIFT

- Handles with larger lift provide greater leverage
- Handles with smaller lift allow a nearly vertical cut
- Flat-bowled heads are nearly flat for straight cuts
- Deep-bowled heads are concave for "cupped" cuts

The 1-in. LIFT on AS 90310 allows for a nearly vertical cut. Maximum accessibility in tight spaces



The **2** 1/<sub>2</sub>-in. LIFT on AS 90320 allows for increased leverage.



#### MAX ALL-STEEL CAPROCK SHOVEL

AS 90310 | 10-IN. FLAT BOWL, 48-IN. STEEL HANDLE, 1-IN. LIFT



AS 90320 | 10-IN. DEEP BOWL, 48-IN. STEEL HANDLE, 2 1/2-IN. LIFT



- For maximum digging and prying power
- Closed-back blade design provides extra strength and eliminates dirt buildup
- Lifetime warranty

### MAX ALL-STEEL NURSERY #2 ROUND POINT SHOVEL

AS 90300 | 48-IN. HANDLE



- Made for spading, planting, prying, cutting roots and digging
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE AC 90000 Footpad

### MAX ALL-STEEL WIRE AND EDGING TRENCHER

AS 90400 | 45-IN. OVERALL LENGTH



- Use to install wire for landscape lighting, edging and more
- Designed for the professional who needs maximum digging and prying power
- $\bullet$  Extra large steps on 8  $\!\!\!\!/_4$  x 10-in. pre-sharpened blade, 45-in. overall length
- T-handle design for extra leverage
- Lifetime warranty

### **FOOTPAD**

### AC 90000

 Replacement footpad for AS 90220, AS 90240, AS 90010, AS 90040, AS 90300,



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

### **MAX SHOVELS**

### **MAXFORGED #2 CAPROCK SHOVEL SF 80000 | 48-IN. ASH HANDLE**



#### SF 80020 | 48-IN. SOLID-CORE FIBERGLASS HANDLE



- Forged, one-piece, tempered head for greater strength and long service life
- Breaks up dense material such as coral rock, clay and decomposed granite
- Sharpened blade edge
- 48-in. handles give added leverage for easier breaking of dense, heavy soils
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

70000-4 - Handle - SF 80000 77000-4 - Handle - SF 80000 61020-4 - Handle - SF 80020

### MAX #2 ROUND POINT CLOSED-BACK SHOVEL SS 60000 | 48-IN. ASH HANDLE



SS 60020 | 48-IN. SOLID-CORE FIBERGLASS HANDLE



- Thick, 14-gauge tempered steel blade for long service life
- Welded, closed-back design for greater strength
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- 48-in. handle gives added leverage for easier breaking of dense, heavy soils
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

61000-4 - Handle - SS 60000 61020-4 - Handle - SS 60020

### MAX CLOSED-BACK SHOVELS

### MAX CLOSED-BACK DRAIN SPADE SS 62000 | 16-IN. BLADE, 48-IN. ASH HANDLE



### SS 62010 | 16-IN. BLADE, 30-IN. ASH D-GRIP HANDLE



- Tapered, round-nose, slightly cupped blade for efficient digging of deep, round-bottom drains and trenches
- Thick, 14-gauge tempered steel blade for long service life
- Welded, close-back design for greater strength
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

61000-4 - Handle - SS 62000 61010-4 - Handle D-grip - SS 62010

#### MAX CLOSED-BACK DRAIN SPADE

SS 62020 | 16-IN. BLADE, 48-IN. SOLID-CORE FIBERGLASS HANDLE



SS 62130 | 14-IN. BLADE, 27-IN. SOLID-CORE FIBERGLASS D-GRIP



- Tapered, round-nose, slightly cupped blade for efficient digging of deep, round-bottom drains and trenches
- Thick, 14-gauge tempered steel blade for long service life
- Welded, close-back design for greater strength
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

61030-4 - Handle D-grip - SS 62130

### MAX STANDARD SHOVELS



### MAX #2 SQUARE POINT SHOVEL SS 66000 | 48-IN. ASH HANDLE



### SS 66020 | 48-IN. SOLID-CORE FIBERGLASS HANDLE



- Square-head design for efficient lifting and moving of loose material
- Thick, 14-gauge tempered steel blade for long service life
- Large, forward-turned steps prevent material from spilling off rear of blade
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**61000-4** - Handle - SS 66000 **61020-4** - Handle - SS 66020

### MAX #2 ROUND POINT, IRRIGATION SHOVEL SS 65500 | 48-In. Ash Handle



- Smaller head for easy digging around plants or narrow areas
- Heavy-duty 14-gauge tempered steel, sharpened blade with enamel finish
- Ash tapered handle with 2X rivet connection, 2X varnished 48-in.
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**61000-4** - Handle

### MAX #2 ROUND POINT SHOVEL SS 65000 | 48-IN. ASH HANDLE



### SS 65020 | 48-IN. SOLID-CORE FIBERGLASS HANDLE



- Thick, 14-gauge tempered steel blade for long service life
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- 48-in. long handle gives added leverage for easier breaking of dense, heavy soils
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**61000-4** - Handle - SS 65000 **61020-4** - Handle - SS 65020

### **MAX TRENCH SHOVELS**

### Corona® offers industry-correct, color-coded trenchers for digging new trenches and cleaning them out.

Finish the job faster with these durable trench shovels, featuring heavy-duty 12-gauge tempered steel blades that outperform thinner-gauge blades and dual handle angles at 35° and 28° that are optimized for digging or clean-out. Available in industry-standard head sizes and colors to quickly find the right-sized tool for the job.



### MAX 3-IN. TRENCH SHOVEL

SS 64103 | 48-IN. ASH HANDLE

SS 64123 | 48-IN. HOLLOW FIBERGLASS HANDLE

SS 64223 | 48-IN. SOLID-CORE FIBERGLASS HANDLE

- 35° angle is ideal for both cleaning and digging out trenches
- V-shaped beveled blade for easy soil penetration
- Color-coded blue for quick identification
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 64100-4 - Handle - Ash - SS 64103

### MAX 4-IN. TRENCH SHOVEL SS 64104 | 48-IN. ASH HANDLE

SS 64124 | 48-IN. HOLLOW FIBERGLASS HANDLE

SS 64224 | 48-IN. SOLID-CORE FIBERGLASS HANDLE

- 35° angle is ideal for both cleaning and digging out trenches
- V-shaped beveled blade for easy soil penetration
- Color-coded orange for quick identification
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

64100-4 - Handle - Ash - SS 64104

▲ WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DIDP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

### MAX TRENCH SHOVELS

### MAX 5-IN. TRENCH SHOVEL

SS 64105 | 48-IN. ASH HANDLE



SS 64125 | 48-IN. HOLLOW FIBERGLASS HANDLE

SS 64225 | 48-IN. SOLID-CORE FIBERGLASS HANDLE

- 35° angle is ideal for both cleaning and digging out trenches
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded red for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

64100-4 - Handle - Ash - SS 64105

### MAX 6-IN. TRENCH SHOVEL

SS 64106 | 48-IN. ASH HANDLE



SS 64126 | 48-IN. HOLLOW FIBERGLASS HANDLE



- 35° angle is ideal for both cleaning and digging out trenches
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded green for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

64100-4 - Handle - Ash - SS 64106

### MAX 3-IN. TRENCH SHOVEL

SS 64303 | 48-IN. ASH HANDLE

SS 64323 | 48-IN. HOLLOW FIBERGLASS HANDLE

SS 64333 | 48-IN. SOLID-CORE FIBERGLASS HANDLE

- Flatter, 28° lift angle brings handle closer to worker for efficient digging
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded blue for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

64100-4 - Handle - Ash - SS 64303

### MAX 4-IN. TRENCH SHOVEL

SS 64304 | 48-IN. ASH HANDLE



SS 64324 | 48-IN. HOLLOW FIBERGLASS HANDLE



SS 64334 | 48-IN. SOLID-CORE FIBERGLASS HANDLE



- Flatter, 28° lift angle brings handle closer to worker for efficient digging
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded orange for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

64100-4 - Handle - Ash - SS 64304

### MAX 5-IN. TRENCH SHOVEL

SS 64305 | 48-IN. ASH HANDLE



SS 64325 | 48-IN. HOLLOW FIBERGLASS HANDLE



SS 64335 | 48-IN. SOLID-CORE FIBERGLASS HANDLE



- Flatter, 28° lift angle brings handle closer to worker for efficient digging
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded red for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

64100-4 - Handle - Ash - SS 64305

#### MAX 6-IN. TRENCH SHOVEL

SS 64306 | 48-IN. ASH HANDLE



SS 64326 | 48-IN. HOLLOW FIBERGLASS HANDLE



- Flatter, 28° lift angle brings handle closer to worker for efficient digging
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded green for guick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

64100-4 - Handle - Ash - SS 64105

### MAX SCOOP SHOVELS

### CORONE

### MAX #10 ALUMINUM WESTERN SCOOP SHOVEL SS 68000 | 48-IN. LONG WOOD HANDLE



- Strong, 12-gauge aluminum head reduces workload to a minimum while giving a long service life
- Western-style scoop head with reinforced ribs
- 48-in. ash wood handle
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

68000-4 - Handle

### MAX #10 ALUMINUM WESTERN SCOOP SHOVEL SS 68010 | 30-IN. WOOD D-GRIP HANDLE



- Strong, 12-gauge aluminum head reduces workload to a minimum while giving long service life
- Western-style scoop head with reinforced ribs
- 30-in. steel and ash wood D-grip helps turn loosened soil, easier to use in close quarters
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 68010-4 - Handle

### LIGHTWEIGHT SHOVELS

#### **#2 ROUND POINT SHOVEL**

SS 30020 | 48-IN. FIBERGLASS HANDLE



- Strong, 14-gauge tempered steel blade
- Large, forward-turned steps
- Textured epoxy finish protects head
- 48-in. fiberglass handle with non-slip grip
- Round point allows easy penetration of a variety of materials
- Steel collar for strong connection
- Lifetime warranty

### DIY SHOVELS

### **#2 ROUND POINT SHOVEL**

**SS 26000 | 48-IN. WOOD HANDLE** 



SS 26010 | 30-IN. WOOD D-GRIP HANDLE



SS 26020 | 48-IN. FIBERGLASS HANDLE



- 15-gauge tempered steel blade
- Large, forward-turned steps
- Round point allows easy penetration of a variety of materials
- Textured epoxy finish protects head
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

26000-4 - Handle - SS 26000

### **#2 SQUARE POINT SHOVEL SS 27000 | 48-IN. WOOD HANDLE**



### SS 27020 | 48-IN. FIBERGLASS HANDLE



- 15-gauge tempered steel blade
- Large, forward-turned steps
- Square-head design for efficient lifting and moving of loose material
- Textured epoxy finish protects head
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

26000-4 - Handle - SS 27000

### **DIY SHOVELS**

### **MULTI-PURPOSE MINI SHOVEL**

SS 25010 | 26 3/4-IN. WOOD D-GRIP HANDLE



- 5-gauge tempered steel blade
- Forward-turned steps for firmer footing
- D-grip handle to help control material being moved
- Lifetime warranty

### **DIY SPADES**

#### **GARDEN SPADE**

**SS 29000** | 11 <sup>3</sup>/<sub>4</sub>-IN. BLADE, 48-IN. WOOD HANDLE



SS 29010 | 11 3/4-IN. BLADE, 30-IN. WOOD D-GRIP HANDLE



- 15-gauge tempered steel blade
- Rounded edge penetrates ground easily, slices through small roots
- Forward-turned steps for firmer footing
- Textured epoxy finish protects head
- Hardwood handle
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

26000-4 - Handle - SS 29000

#### **DRAIN SPADE**

SS 28000 | 16-IN. BLADE, 48-IN. WOOD HANDLE



SS 28010 | 16-IN. BLADE, 30-IN. WOOD D-GRIP HANDLE



- Tapered, round-nose, slightly cupped blade for efficient digging of deep, round-bottom drains and trenches
- 15-gauge tempered steel blade for long service life
- Large, forward-turned steps for firmer footing
- Hardwood handle
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

61100-4 - Handle - SS 28000 61101-4 - Handle - SS 28010

### **SCOOP SHOVELS**

### #12 PLASTIC WESTERN SCOOP SHOVEL SS 42001 | 48-In. Wood Handle



- Designed for efficient moving of light, loose material
- Western-style scoop head with reinforced ribs
- 48-in, hardwood handle
- Lifetime warranty

### #12 PLASTIC WESTERN SCOOP SHOVEL SS 42011 | 30-IN. WOOD D-GRIP HANDLE



- Designed for efficient moving of light, loose material
- Western-style scoop head with reinforced ribs
- 30-in. hardwood handle with D-grip to help control material being moved, easier to use in close quarters
- Lifetime warranty

### **VALUE SHOVELS**

## LIGHT-DUTY #2 ROUND POINT SHOVEL SS 10000 | 43-IN. WOOD HANDLE

- 16-gauge tempered steel blade
- Round point allows easy penetration of a variety of materials
- 1-year warranty

### LIGHT-DUTY #2 SOUARE POINT SHOVEL SS 11000 | 43-IN. WOOD HANDLE

### • 16-gauge tempered steel blade

- Square-head design for efficient lifting and moving of loose material
- 1-year warranty

### LIGHT-DUTY FLORAL SHOVEL

#### SS 47000 | 42-IN. HARDWOOD HANDLE

- 16-gauge tempered steel blade
- Small 6-in. x 8-in. round point head design for easier use in gardens and tight spaces
- 1-year warranty




## **POST HOLE DIGGER** PD 60000



- Extra heavy-duty, 10-gauge tempered steel head for superior strength and long service life
- Sharpened blade edges easily penetrate ground, slice through small roots
- 48-in. extra-thick ash handles for durability and longer service life
- Square-to-round connection between handles and head prevents twisting
- Pivot point between blades optimally positioned to allow wider opening
- Lifetime warranty
- REPLACEMENT HANDLES NVAILABLE





### PD 40020 | 48-IN. FIBERGLASS HANDLE

- Fiberglass handles for best combination of weight and durability
- Heavy-duty 12-gauge tempered steel heads for greater strength and long
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Ruler markings make gauging depth of hole an easy task

### **POST HOLE DIGGER** PD 40000

### 48-IN. HARDWOOD HANDLE

- Heavy-duty 12-gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Lifetime warranty




### **POST HOLE DIGGER** PD 20000

### 48-IN. HARDWOOD HANDLE

- 14-gauge tempered steel head
- Lifetime warranty







### **MAX AXES**

### **MAXFORGED MICHIGAN AXE**

### AX 70020 | 34-IN. SOLID-CORE FIBERGLASS HANDLE

- Forged, 3 ½-lb. tempered steel head hardened for maximum strength
- Sharpened and polished blade edge, cuts cleaner and with less effort
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- Lifetime warranty



### MAXFORGED PULASKI ROOT GRUBBING TOOL AX 71020 | 34-IN. SOLID-CORE FIBERGLASS HANDLE

- Sharpened 3 ½-lb. axe blade with steep bevel holds edge while cutting roots in soil
- Triangular-shaped mattock blade for excavating around large roots
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- 34-in. solid-core fiberglass handle
- Lifetime warranty

### **MAX HAMMERS**

Featuring durable, forged, tempered steel heads, these hammers are designed to break through virtually any material, including concrete, asphalt, masonry or drywall. Dual-ground and polished convex striking faces minimize deflections for faster completion of tasks. Backed by a lifetime warranty.

MAXFORGED SLEDGEHAMMERS
WITH SOLID-CORE FIBERGLASS HANDLES
ST 70020 | 4-LB. HEAD | 15-IN. HANDLE
ST 70021 | 8-LB. HEAD | 32-IN. HANDLE
ST 70023 | 10-LB. HEAD | 32-IN. HANDLE
ST 70024 | 12-LB. HEAD | 34-IN. HANDLE
ST 70025 | 16-LB. HEAD | 34-IN. HANDLE



### MAXFORGED DRILLING HAMMER ST 73003 | 3-LB. HEAD

#### 10-IN. SOLID-CORE FIBERGLASS HANDLE

- Minimize deflections and finish your work faster with dual ground polished convex striking faces
- Lifetime warranty



### **MAX PICKS & MATTOCKS**



These picks and mattocks feature exceptionally durable heads that are hardened for maximum strength and connected through eye holes to allow for easy replacement. The hickory wood handles are also fitted with shock-absorbing poly guards. Readily available replacement parts.

## also litted with shock absorbing poly guards. Readily available replaced

#### MAXFORGED RAILROAD PICK

#### PM 40000 | 36-IN. POLY GUARD HICKORY HANDLE

- Points for fracturing rock and concrete
- Chisels for smoothing of rough edges and light prying
- Lifetime warranty

#### MAXFORGED PICK MATTOCK

### PM 41000 | 36-IN. POLY GUARD HICKORY HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Points for fracturing, prying rock
- Lifetime warranty



### PM 42000 | 36-IN. POLY GUARD HICKORY HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Extra-sharp cutter blades for severing roots
- Lifetime warranty



### REPLACEMENT PARTS

MAXFORGED RAILROAD PICK HEAD



MAXFORGED PICK MATTOCK HEAD



MAXFORGED CUTTER MATTOCK HEAD



#### MAX 36-IN. POLY GUARD HICKORY HANDLE

41000-4

MAX 36-IN. HICKORY HANDLE

40000-4

### MAX HEAVY BARS



### MAXFORGED SAN ANGELO BAR BR 70090 | 14-LB. | 60-IN

- Point for fracturing rock and concrete
- 2-in. wide chisel edge for straight line concrete breaking, smoothing of rough edges and prying
- Lifetime warranty



### MAXFORGED DIGGING BAR

### BR 71090 | 17-LB. | 70-IN

- 2 %-in. wide, thick blade for efficient digging in dense, heavy and rocky soils
- Tamp for compacting soils around fence posts, forms, etc.
- Lifetime warranty





### **MAX PVC CUTTING TOOL**

### MAX PVC PIPE CUTTER

#### UT 65050

 Easy one-hand cutting with ratchetaction blade

 Ergonomic handles with rubberized non-slip grips

- Use left- or right-handed
- Cuts schedule 40 PVC pipe
- Lifetime warranty

• REPLACEMENT PARTS AVAILABLE

**65050-1C** - Replacement blade **65050-3C** - Pivot bolt, spring, washer

release the blade.

Change the blade quickly by

flipping up the

tab, turning to

### **MAX SOIL PROBE**

### **MAX STEEL SOIL PROBE**

#### **UT 64050 | 48-IN. STEEL SHAFT**

- High-quality welded steel construction for greater strength
- Locate underground utilities and pipelines before digging
- Cushioned, non-slip T-bar handle for best control
- Lifetime warranty



### **MAX EZ OUT TOOLS**

#### **MAX EZ OUTS**

### UT 65001 | 1-IN. & 11/4-IN.

### UT 65002 | 1/2-IN. & 3/4-IN.

- Extractors to remove broken plastic riser stubs in irrigation systems
- Non-painted serrated zinc tips for a better grip
- Tapered tips fit two sizes for convenience
- Comfortable T-loop handles
- High-quality durable steel
- Lifetime warranty

U.S. Patent D540,632



### **MAX WRENCHES**

### **MAX OPERATING WRENCH 3-IN-1**

#### **UT 69000**

- Multifunctional; used to open gate valves, extends from 3 to 5-ft. easily by releasing a snap button
- Includes 3 interchangeable heads with snap button lock store on the tool -1,1 1/8 and 2-in.
- 2-in. square key operates gate valves with a 2-in. square operating nut
- T-bar handle design for better leverage, solid steel construction for durability
- Red color so it's easier to find on the job
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE



1/2-IN. SQUARE
METER KEY HEAD
69000-050



1-IN. VALVE KEY HEAD 69000-100



1 1/<sub>8</sub> -IN. METER KEY HEAD 69000-118



2-IN. SQUARE METER KEY HEAD 69000-200



### 83 ½-IN. SQUARE TUBING EXTENDER BAR

### 69000-835

 Converts UT 69000 to easily adjust deep valves. Snap button locks at 7, 8 or 9-ft. depths.

### **MAX DIRT TAMPS**



- Heavy-duty steel construction for long service life
- ¼-in. steel plate and gussets for maximum strength and even tamping
- Lifetime warranty

#### MAX DIRT TAMP

### UT 60053 | 10-IN. X 10-IN. | 58-IN. ASH HANDLE

 56% larger plate helps you finish your job faster than with standard 8-in. squared plate

#### UT 60050 | 8-IN. X 8-IN. | 43-IN. ASH HANDLE

- Ideal for efficient tamping of trenches, specimen tree holes and base materials
- REPLACEMENT PARTS AVAILABLE

60050-4 - Wood handle and wedges

### MAX DIRT TAMP | ALL-STEEL

UT 60057 | 8-IN. X 8-IN. | 58-IN. STEEL HANDLE

 Ideal for efficient tamping of trenches, specimen tree holes and base materials

#### UT 60055 | 31/2-IN. X 12-IN. | 58-IN. STEEL HANDLE

• Ideal for tamping in trenches and tight spaces

### MAX POST DRIVERS

- Easily drive standard-sized square wooden stakes and steel posts into the ground
- Standard models feature two angled handles for best gripping position and control
- Long-reach model features one extended handle for driving posts close to ground level
- High-quality welded steel construction for long service life
- Lifetime warranty



### MAX POST DRIVER

UT 67002 | 27-LB.

• 3 ½-in. squared hollow section



#### MAX POST DRIVER

UT 67001 | 21-LB.

• 2 ½-in. squared hollow section

### **MAX SCRAPERS**

### MAXFORGED SCRAPER/CHOPPER UT 71000 | 54-IN. ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 4-in. wide for efficient digging, edging and root cutting
- Durable ash wood handle 2X varnished for weather resistance
- Lifetime warranty



### MAXFORGED SIDEWALK SCRAPER UT 70000 | 48-IN. ASH HANDLE

UI 70000 | 48-IN. ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 7-in. wide for efficient edging of sidewalks and ice chipping
- Durable ash wood handle 2X varnished for weather resistance
- Lifetime warranty








### **MAX HAND PRUNERS**

### How to Pick the Right Size Pruner for Your Hand



**LARGE HANDS** Wide: more than 4-in. Height: more than 8-in.



### Forged tough. Proven performance. Season after season.

Experience the performance and durability of MAXFORGED tools with classic, simple designs that withstand the test of time. Agricultural and landscaping professionals' tool family of choice.










### **MAXFORGED BYPASS PRUNER DualCUT BP 7100D**



- New Lock
- The PrecisionZONE area of hook & blade is for quick, repetitive cuts on stems and smaller branches
- The **PowerZONE®** area of hook & blade is for maximum-leverage cuts on branches up to 1-in
- Maximum strength forged technology
- No blade crossover with fully forged steel construction for strength
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

7100-3 - Pivot Nut and Bolt 7100-5 - Spring

Patents U.S. D660,104, 8,910,386 Canada 2,775,512Patents U.S. D660,104, 8,910,386 Canada 2,775,512



### **MAXFORGED BYPASS PRUNER** Pro**CUT**

#### **BP 7200**

- New Lock
- Replaceable, resharpenable DualARC blade
- Advanced blade technology and highperformance blade coating reduce cutting effort by 25% when compared to titaniumcoated or non-coated blades
- Comfortable handle with contoured soft grip
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

7200-1 - Blade 7100-5 - Spring

U.S. Patents D660,104



### **MAX HAND PRUNERS**





### **MAXFORGED BYPASS PRUNER** Classic CUT. **BP15180**

### UTS UP TO in.

- · Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Comfortable handle with contoured non-slip grips fit various hand sizes
- One handed lock operation
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

15180-1 - Replacement Blade

15180-5 - Spring

15180-43 - Lock Replacement Kit



### **MAXFORGED BYPASS PRUNER** Classic CUT. **BP 3180D**



- Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**3180-1** - Blade

3180-3 - Pivot Bolt and Nut

6200-5 - Spring

6000-43 - Clip and Eyelet



### **MAXFORGED BYPASS PRUNERS** Classic CUT. BP 3160 | CUTS UP TO 3/4-IN.

BP 3130 | CUTS UP TO 1/2-IN.





- Resharpenable high-carbon steel blades
- High-precision pivot bolts and locking nuts keep blades and hooks aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

6100-3 - Pivot Nut and Bolt

6100-5 - Spring

6000-43 - Clip and Eyelet



### **MAXFORGED BYPASS PRUNER X**Series

#### BP16380

- Lightweight forged aluminum chassis
- Ergonomic tapered handle for all-day comfort
- Easy-to-resharpen, replaceable high-carbon steel blade
- Non-slip grip for greater control
- Precise blade adjustment with geared pivot nut
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

16380-1 - Blade and Pin

**16380-5** - Spring and Bumper

16380-43 - Lock and Screw



### **MAXFORGED TWO-HANDED PRUNER** Classic CUT.





- Lightweight, two-handed operation for easier cutting
- Forged, resharpenable bypass blade and hook
- Oval aluminum handles for greater comfort
- Handle length 111/4-in.
- Lifetime warranty



### MAXFORGED BYPASS PRUNER **ErgoACTION**





- Built-in sprinkler adjuster fits common nozzles
- Resharpenable, replaceable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

**3670-1C** - Replacement blade

3670-91C - Hardware kit - Pivot bolt and nut, spring, lock with screw and washer

U.S. Patent D652.272




### **MAXFORGED BYPASS PRUNER ErgoACTION**



- Resharpenable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 4300-5 - Spring

U.S. Patent D585,251



### MAX PRUNERS



### **MAXFORGED Aluminum** Bypass Pruners

Crafted with lightweight forged aluminum handles and non-slip grips, these durable bypass pruners feature high-carbon steel blades for lasting performance and narrow profile hooks for easy access to tight areas. Geared pivot nuts allow for precise blade adjustments and built-in wire cutters and sap grooves add versatility. Volute springs resist clogging and maintain smooth cutting action, while rubber bumpers absorb shocks.



### **MAXFORGED ANGLED BYPASS PRUNER** Aluminum



BP15280 Landscaping pros use MAXForged steel for

strength & sharpness

- 30° angled offset for less wrist strain
- Replaceable, resharpenable blade
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

15280-1C - Replacement Blade 15280-3 - Pivot Bolt

**15280-5C** - Spring and Bumper



### **MAXFORGED BYPASS PRUNER** Aluminum **BP 4840**



- Unique rolling handle designed to reduce cutting effort and hand fatigue
- Blade interchangeable with Felco® 7\*
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

4840-1 - Blade 6250-5T - Spring

6250-91C - Spare, Spring and Bumper



### **MAXFORGED BYPASS PRUNER** Aluminum **BP 6250**



- Straight, non-angled head
- Blade and spring are interchangeable with Felco® 2\*
- Lifetime warranty

#### REPLACEMENT PARTS AVAILABLE

6250-1T - Blade

6250-3T - Pivot Bolt and Nut

6250-5T - Spring

6250-91C - Spare, Spring and Bumper



### MAXFORGED BYPASS PRUNER Aluminum



### **BP 6360**

- · Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 8\*
- Lifetime warranty

### • REPLACEMENT PARTS AVAILABLE

6310-1C - Blade and 3 Pins

6310-3C - Pivot Bolt, Nut and Segment

6310-5C - Springs - 2 Per Card

6310-91C - Spare, Spring and Bumper



### **MAXFORGED BYPASS PRUNER** Aluminum **BP 4250**



- More affordable, heavier version of BP 6250
- Separate steel hook instead of one-piece aluminum hook
- Blade and spring fit Felco® 11\*
- Lifetime warranty

### • REPLACEMENT PARTS AVAILABLE

**6250-1T** - Blade

6250-3T - Pivot Bolt and Nut

6250-5T - Spring

6250-91C - Spare, Spring and Bumper



3/4in





### **BYPASS PRUNER** MultiLINK.

### **BP14364**

- Power boosting metal lever 35% less effort required to cut
- Comfortable ergonomic grips
- Non-stick blades
- Full steel construction
- Built-in lock
- Lifetime warranty



### BYPASS PRUNER Flex**DIAL** with **ComfortGEL**® **BP 4214D**



- Adjustable grip fits to hand size and reduces fatigue during repetitive cuts
- Anodized aluminum dial ranges from 1 for smaller hands to 8 for large hands
- · Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Lifetime warranty

Patents: U.S. D802,382, Canada 172123, 10.022.881





### **BYPASS PRUNER DualLINK** with ComfortGEL®



- Dual compound lever provides added power with reducing cutting effort
- Specially coated non-stick blades provide smooth cutting performance
- Lifetime warranty

Patents: U.S. D802,381, Canada 172122



3/4in



### Comfort**GEL**® Hand Pruners

Experience superior control and comfort with Corona's ComfortGEL® hand pruners. The soft, ergonomically shaped grips ensure a secure hold, while specially coated non-stick blades provide smooth cutting performance.



### **ANVIL PRUNER** Comfort**GEL**® **AP 3334**



- For pruning dead and dry woody growth.
- Brand & stem pruner with ComfortGEL® grips for superior comfort and less hand fatigue
- Non-stick blade
- Reduce hand fatigue with ShockGUARD® bumper system
- Lifetime warranty



### **ANVIL PRUNER** Comfort**GEL**®



- Branch & stem pruner with ComfortGEL grips for superior comfort and less hand fatigue
- Non-stick blade
- ShockGUARD® bumpers
- Anvil pruners are most suitable for cutting dead wood
- Lifetime warranty



### **BYPASS PRUNER** Comfort**GEL**®

### **BP 3214D**

- Bypass design for pruning live, green growth
- Suitable for right- and left-hand use
- Reduced hand fatigue with ShockGUARD® bumper system
- Lifetime warranty



### **HAND PRUNERS**



### **POCKET PRUNER** Yard**Essentials** BP13630



- Compact design perfect for smaller hands
- High carbon steel blades for lasting sharpness and precise cutting
- Rust-resistant stainless steel blade
- Contoured cushioned grip makes repetitive cuts more ergonomic
- Easy to open swivel latch lock
- Lifetime warranty



### RATCHET PRUNER Ratchet CUT with **ComfortGEL**® **RP 4224D**



- Ratchet action for easier, more comfortable multi-cuts through tough, thick branches
- 4-gear ratchet system
- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Lifetime warranty

Patents: U.S. D802,383, Canada 172120





### HOUSEPLANT PRUNER Yard**Essentials**

- 1/4<sub>ir</sub> BP13623 • Specially-shaped blade is designed to help isolate the leaf or stem
- Provides precision control
- Rust-resistant stainless steel blade
- All metal handle with a soft-feel grip
- Easy release secure blade lock
- Red only
- Lifetime warranty



#### RATCHET PRUNER

### **RP 3230**



- Power-multiplying ratchet action for easy cutting
- Non-stick coated blade for smooth cutting and easy cleaning
- Suitable for right- and left-hand use
- Lifetime warranty

### HOUSEPLANT PRUNER VARIETY PACK Yard Essentials





### **BP13624**

- Pack of 12: 3 red, 3 green, 3 yellow, 3 black
- Easy-to-spot colors
- Lifetime warranty



#### **ERGONOMIC BYPASS PRUNER**

#### **BP 4180**

- Lightweight pruner for general-purpose pruning
- Ergonomic, reinforced nylon handles
- Resharpenable, high-carbon steel blade
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**4180-1** - Blade

4180-2 - Hook

4180-3 - Pivot Bolt and Nut

4180-5 - Spring

4180-9 - Bumper

4180-41 - Handle Screw Set





### **LR 3460**

- High-carbon steel blade and hook are fully heat-treated
- Overall length of 46-in. allows reach to otherwise inaccessible areas
- Non-stick coated blade for easier cutting
- Adjustable foam grip provides balance and ease of use
- Cut 'n' hold feature holds stem until you release the grip
- Ergonomic grip for comfort
- Lifetime warrantv



### MAX ACCESSORIES

### **ACCESSORIES**





### MAX LEATHER SCABBARD

### AC 7220 | 5-IN.

- Universal design fits most hand pruners and folding saws up to 8-in.
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5-in.
- Lifetime warrantv



### UNIVERSAL TOOL POUCH

### AC 4510 | 5-IN.

- Universal design fits hand pruners and folding saws up to 8-in.
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5-in.
- Lifetime warranty



#### SHARPENING TOOL

#### AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5-in. super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Lifetime warranty

### **MAX GRASS SHEARS GRASS SHEARS**



### **MAXFORGED** GRASS SHEARS

### Classic CUT

#### **GS 6750D**

- Cuts tough sod and ground cover
- Professional cutting action
- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Comfortable, non-slip grip
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

**6750-3** - Pivot Bolt and Nut **6200-5** - Spring

6000-43 - Clip and Eyelet



### GRASS SHEARS Comfort**GEL**®

#### GS13760

- Three-position blade vertical for edging, horizontal for trimming, angled for hard-to-reach areas
- Precision ground, high carbon steel blades for strength; chrome plated for corrosion resistance
- Non-blade steel components are plated for corrosion resistance
- Easy-to-set thumb lock
- Lifetime warranty



### **SWIVEL GRASS SHEARS**

### **GS 3750D**

- Versatile three-position blade - vertical for edging, horizontal for trimming, angled for hard-to-reach areas
- Precision-ground, high-carbon steel blades
- Durable chrome plating
- Easy-to-set thumb lock
- Lifetime warranty

### MAX HEDGE SHEARS



#### MAX ALUMINUM HEDGE & SHRUB SHEARS Precision **CUT**

### NEW

#### HS15340CC

- Pointed steel blades for perfect cuts and topiary work
- Weighs less than 2-lb. for less fatigue when trimming overhead
- Rubber cushioned, non-slip grip
- Rubber bumpers prevent jarring
- Lifetime warranty



### MAXFORGED HEDGE SHEARS Classic CUT.

### HS15150 | 10-IN. BLADES | 12 ½-IN. STEEL HANDLES

- Enhanced performance with large cuts due to patented blade and hook design - includes limb notch
- Resharpenable, forged alloy steel blades
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**15150-40** - Bumper & Screw **7180-3** - Pivot Bolt and Nut

### **MAX HEDGE SHEARS**



#### **MAXFORGED HEDGE SHEARS**

#### Serrated**BLADE**

AH 6940 | 8 1/2-IN. BLADES | 13-IN. ALUMINUM HANDLES AH 6950 | 8 1/2-IN. BLADES | 21-IN. ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Dual forged-in. bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

6900-3 - Pivot Bolt, Nut and Washer

**6940-40** - Bumper



### MAXFORGED HEDGE SHEARS Dualcut

### HS 7140 | 10-IN. BLADES | 12 1/2-IN. STEEL HANDLES

- Enhanced performance with large cuts due to patented design includes limb notch
- Easy to resharpen
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

7180-3 - Pivot Bolt and Nut

7180-40 - Bumper with Screw

Patents U.S. D664,406, 8,910,386, Canada 2,775,512



### MAXFORGED HEDGE SHEARS LimbNOTCH Blade

### AH 6970 | 10 ½-IN. BLADES 12 ½-IN. ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch in lower blade
- Dual forged-in. bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

**6900-3** - Pivot Bolt, Nut and Washer **6940-40** - Bumper



### MAXFORGED HEDGE SHEARS SerratedBLADE

HS 6920 | 8 ½-IN. BLADES 9 ½-IN. HARDWOOD HANDLES

### HS 6930 | 8 ½-IN. BLADES 20-IN. HARDWOOD HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Shock Stop® bumper
- Bolted-on hardwood handles with non-slip grips
- Lifetime warranty

#### • REPLACEMENT PARTS AVAILABLE

6920-4 - Handle - HS 6920

6930-4 - Handle - HS 6930

6900-3 - Pivot Bolt, Nut and Washer

6900-40 - Bumper

6300-41 - Handle - Bolt and Nut



### MAXFORGED HEDGE SHEARS Extendable REACH

#### HS 3950 | 10-IN. BLADES | 13-IN. - 20-IN. STEEL HANDLES

- Lightweight steel handles with comfort grips extend from 13-in. to 20-in.
- Forged, high-carbon steel blades for durability and strength
- Precision-made pivot bolt provides smooth cutting action
- Shock Stop® bumper reduces arm and shoulder fatique
- Lifetime warranty



## MAXFORGED HEDGE SHEARS Resharpenable **BLADE**HS 6960 | 10-In. Blades | 9 1/4-In. Hardwood Handles

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch
- Shock Stop® bumper
- Bolted-on hardwood handles, comfortable non-slip grips
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

6920-4 - Handle

6900-3 - Pivot Bolt, Nut and Washer

6900-40 - Bumper

6300-41 - Handle - Bolt and Nut

### **HEDGE SHEARS**

### SEASON AFTER SEASON

### **DualLINK**

Boosted power and reduced effort unite through **DualLINK** tools, that utilize a dual compound lever designed for both engaged gardeners and landscapers searching for ease-of-cut.







#### **HEDGE SHEARS**

### **DUALLINK** with **ComfortGEL**® **HS 4244** | 9 <sup>3</sup>/<sub>4</sub>-IN. BLADES | 14-IN. HANDLES

- Minimize cutting effort with DualLINK linkage open handles less to cut more
- Steel handle
- Less fatigue with ShockGUARD® bumper system
- Lifetime warrantv

U.S. Patent D703.498



### EXTENDABLE HEDGE SHEARS Comfort GEL.

#### HS 3344 | 9-IN. BLADES | 16 3/4-IN. - 24 5/8-IN. HANDLES

- Extendable handles with innovative locking mechanism
- Lightweight steel handles with ComfortGEL® grips
- Specially coated non-stick blades provide maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Lifetime warranty



#### **HEDGE SHEARS**

### HS 3911 | 8 ½-IN. BLADES | 9 ½-IN. HARDWOOD HANDLES

- Resharpenable steel alloy blades
- Fully heat-treated for strength
- Limb notch for larger branches
- Top-grade hardwood handles
- Comfortable non-slip grips
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**3911-4** - Handle

6900-3 - Pivot Bolt, Nut and Washer



### **EXTENDABLE HEDGE SHEARS**

### **DUALLINK** with **ComfortGEL** $\odot$ HS 4344 | 9 $^{3}$ /-IN. BLADES | 16 $^{3}$ /-IN. - 24 $^{5}$ /8-IN. HANDLES

- Minimize cutting effort with DualLINK linkage open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Aluminum outer handle, steel inner handle ComfortGEL® Hedge Shears
- Extendable handles with innovative locking mechanism
- Lifetime warranty

U.S. Patent D703,498 and D712,230



## HEDGE & SHRUB SHEARS Yard Essentials HS11109 | 8 3/4-IN. BLADES | 11 1/2-IN. HANDLES

### Bypass cutting action and extended reach

- Nonstick coating on blades for minimal
- stickiness while cutting
- Reduced hand and shoulder fatigue due to integral rubber bumpers
- Lifetime warranty



### HEDGE SHEARS ComfortGEL

### HS 3244 | 9-IN. BLADES | 13-IN. HANDLES

- Lightweight steel handles with comfort grip
- Specially coated non-stick blades provide maximum cutting
- Reduced hand fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically shaped grips
- Lifetime warranty

### **VALUE HEDGE SHEARS**

#### **HEDGE SHEARS**

### AH 4220 | COMPOUND ACTION | 9-IN. BLADES | 11 ½-IN. HANDLES

- Compound cutting action
- Steel blades one serrated, one non-stick coated
- Aluminum handles with plastic grip
- 1-year warranty

### MAX LOPPERS

<b>Choose Your Loppers</b>	MAXFORGED	
choose four rophers	PRO/Master Gardener	DIY
	MAY FORGED LOPPERS	LOPPERS
PRICE LEVELS	\$\$\$	\$\$
KEY ADVANTAGE	Durability and Performance	Ease-of-Cut
MAX CUT CAPACITY	11/4 in. to 3 in.	11/4 in. to 13/4 in.
INTENSITY OF USE	High	Average
FREQUENCY OF USE	Daily	Weekly
WARRANTY	LIFETIME WARRANTY	LIFETIME WARRANTY

- What is the largest diameter you are considering cutting?
- Not every branch is suitable for cutting with a lopper
- Consider the hardness of the branch Bypass loppers are best for cutting green, live branches A High-Torque Bypass Lopper can cut hard or frozen branches - Anvil loppers are best for cutting dry or hard branches Consider your own physical condition, ability and experience
- Be safe: use a saw if a branch is too big or too hard to cut

- Professionals can continuously make thousands of large cuts a week: all Corona® MAXFORGED loppers offer lifetime warranties and most offer extensive replacement parts to get the job done, season after season
- Landscaping enthusiasts, casual gardeners and homeowners can make hundreds of moderate-sized cuts a month maintaining their yards and gardens: Corona® offers an extensive line of loppers featuring design innovations that can make cutting easier and more comfortable



### MAXFORGED BYPASS LOPPER **DualLINK**

### SL 8180 | 31-IN. | STEEL HANDLES

- Boosted power and reduced effort unite through DualLINK tools, that utilize a powercompounding link feature that appeals to both engaged gardeners and landscapers searching for ease-of-cut.
- Fully forged steel construction for strength
- Easy to resharpen
- Comfortable handle with contoured soft grip, fits various hand sizes
- Less fatigue with ShockGUARD® bumper system
- No-fail metal end cap
- Lifetime warrantv

Patents U.S. D802,384, Canada 172120

### **MAXFORGED BYPASS LOPPER DualCUT** SL 7180 | 31-IN. | STEEL HANDLES

- Enhanced performance with large cuts due to patented blade and hook design
- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip. fits various hand sizes
- No-fail metal end cap
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

7180-3 - Pivot Bolt and Nut

7180-40 - Bumper with Screw

Patents U.S. D664,406, 8,910,386, Canada 2,775,512



### MAXFORGED BYPASS LOPPER

#### Pro**CUT**®

### SL 7280 | 31-IN. | STEEL HANDLES

- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

**7280-1** - Blade

7180-40 - Bumper with Screw

U.S. Patents D664,406




### **MAXFORGED BYPASS LOPPER** Classic CUT

### SL15167 | 31-IN. | STEEL HANDLES



- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft. grip, fits various hand sizes
- · No-fail metal end cap
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 15150-40 - Bumper & Screw 7180-3 - Pivot Bolt and Nut



### MAX LOPPERS



### MAXFORGED BYPASS LOPPERS

Classic CUT

AL15149 | 36-IN. | ALUMINUM HANDLES AL15148 | 32-IN. | ALUMINUM HANDLES AL15147 | 26-IN. | ALUMINUM HANDLES

- Resharpenable forged RadialARC bypass blade
- Fully heat-treated steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning bolt
- Lightweight, high-strength elliptical aluminum handles
- Shock Stop® bumper
- Lifetime warranty

#### REPLACEMENT PARTS AVAILABLE

15149-1 - Blade

15149-2 - Hook

15149-4 - Handle With Grip - AL15149

**15148-4** - Handle With Grip - AL15148

15147-4 - Handle With Grip - AL15147

15149-42 - Ferrule

15149-41 - Handle Bolt & Nut

**15149-37** - Grip

6400-40 - Shock Stop® Piston Bumper



- bypass blade
- Fully heat-treated forged steel alloy
- Forged slant-ground hook with self-cleaning sap groove

1/4 in

- Precision-made, self-aligning pivot bolt
- Lightweight, high-strength, elliptical aluminum handles
- Overall length 20-in
- · Shock Stop® bumper
- Lifetime warranty

### • REPLACEMENT PARTS AVAILABLE

8350-1 - Blade

8350-2 - Hook

8350-4 - Handle

6300-3 - Pivot Bolt and Nut

6400-40 - Bumper - Shock Stop® Piston

8310-41 - Handle Hardware

**8481-37 -** Grip

8310-42 - Ferrule

### **MAXFORGED BYPASS LOPPER** Super**DUTY**



- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Comfortable grips
- Lifetime warranty



### **MAXFORGED HIGH-PERFORMANCE VINE LOPPER**

**DualARC** 

## **1**1/4 in.

### AL 8321 | 19-IN. | ALUMINUM HANDLES

- Resharpenable forged steel blades
- DualARC blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Lifetime warranty

#### • REPLACEMENT PARTS AVAILABLE

8311-1 - Blade

8311-2 - Hook

6300-3 - Pivot Bolt and Nut

**8310-39** - Bumper Cup

8310-40 - Bumper

8461-40C - Bumper - Carded (2)

8310-41 - Handle Hardware

8320-4 - Handle

8481-37 - Grip 8310-42 - Ferrule

### MAXFORGED HIGH-PERFORMANCE **ORCHARD LOPPERS**

### **DualARC**

AL 8442 | 26-IN. | ALUMINUM HANDLES AL 8462 | 32-IN. | ALUMINUM HANDLES AL 8482 | 36-IN. | ALUMINUM HANDLES

### • Resharpenable forged steel blades

- DualARC blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- · Lightweight, high-strength elliptical aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Lifetime warranty

### • REPLACEMENT PARTS AVAILABLE

8462-1 - Blade

8462-2 - Hook

8462-3 - Pivot Bolt and Nut

**8310-39** - Bumper Cup

8310-40 - Bumper

**8461-40C** - Bumper - Carded (2)

8310-41 - Handle Hardware

8441-4 - Handle - AL 8442)

8460-4 - Handle - AL 8462)

8480-4 - Handle - AL 8482)

8481-37 - Grip

8460-42 - Ferrule



### **MAX LOPPERS**



### MAXFORGED BYPASS LOPPER \*\*XSeries\*\*

### AL16249 | 31-IN. | ALUMINUM HANDLES

- Lightweight aluminum chassis
- DualARC blade provides sharp, fast cuts for all-day pro use
- Easy-to-resharpen, replaceable high-carbon steel blade
- Non-slip grip for greater control
- Lifetime warranty

#### REPLACEMENT PARTS AVAILABLE

**16249-1** - Blade and Hardware **16249-2** - Hook and Hardware

16249-3 - Pivot Bolt and Nut

**16249-40** - Bumper and Screw

16249-4 - Handle, Grip, Ferrule and Hardware



### MAXFORGED BYPASS LOPPER Classic CUT.

### WL 6310 | 20-IN. | HICKORY HANDLES

 Resharpenable, replaceable RadialARC bypass blades of fully heat-treated forged steel alloy

11/4 in

1½in.

- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Lifetime warranty

#### REPLACEMENT PARTS AVAILABLE

**6310-1** - Blade

6310-2 - Hook

6300-3 - Pivot Bolt and Nut

6400-40 - Bumper - Shock Stop® Piston

6300-41 - Handle - Bolt and Nut



### MAXFORGED HIGH-TORQUE BYPASS LOPPER RadialARC

### AL 6512 | 26-IN. | ALUMINUM HANDLES

- Resharpenable forged steel RadialARC blade
- Forged steel hook with self-cleaning sap groove
- Prune frozen branches and dead wood with high-torque cutting action
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual bumpers
- Extensive replacement parts
- Lifetime warranty

#### • REPLACEMENT PARTS AVAILABLE

6512-4 - Handle, Grip, Ferrule and Hardware

6400-3 - Pivot Nut and Bolt

8310-41 - Handle Hardware (Nuts and Bolts)

6512-1 - Blade

6512-2 - Hook

8460-42 - Ferrule

6300-40 - Bumper

**8481-37** - Grip



### MAXFORGED BYPASS LOPPERS Classic CUT

### WL 6320 | 21-IN. | HICKORY HANDLES WL 6350 | 26-IN. | HICKORY HANDLES



- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Lifetime warranty

### REPLACEMENT PARTS AVAILABLE

**6300-1** Blade

6300-2 Hook

8462-3 Pivot Bolt and Nut

6400-40 Bumper - Shock Stop® Piston

6300-41 Handle Hardware

6320-4N Handle - WL 6320)

6360-4 Handle - WL 6350)

6400-41 Handle Bolt and Nut - WL 6350)



### **MAXFORGED BYPASS LOPPERS**

### Classic CUT.

WL 6420 | 26-IN. | HICKORY HANDLES WL 6450 | 32-IN. | HICKORY HANDLES WL 6470 | 36-IN. | HICKORY HANDLES

 Resharpenable, replaceable RadialARC bypass blades of fully heat-treated forged steel alloy

**2**1/4 in

- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- · Lifetime warranty

#### REPLACEMENT PARTS AVAILABLE

6400-1 - Blade

**6400-2** - Hook

6400-3 - Pivot Bolt and Nut

6400-40 - Bumper - Shock Stop® Piston

6430-4 - Handle - WL 6420

6460-4 - Handle - WL 6450

6480-4 - Handle - WL 6470

6400-41 - Handle Bolt and Nut



### MAXFORGED BYPASS LOPPER Super**DUTY**

### WL 6490 | 37-IN. | HICKORY HANDLES

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Tapered Hickory wood handles
- Eyelet for shoulder harness attachment
- Lifetime warranty

#### • REPLACEMENT PARTS AVAILABLE

**6490-1** - Blade

**6490-2** - Hook

6490-3 - Pivot Bolt and Nut

6490-10 - Bumper

**6490-4** - Handle

### **LOPPERS**



13/4 in.





### **METAL PRO LOPPER DualLINK** with **ComfortGEL**® SL14254 | 31-IN. | STEEL HANDLES



- DualLINK compound lever design provides added power for easier through-cuts
- Proven bypass blade and hook design to cut up to 1 <sup>3</sup>/<sub>4</sub>-in. diameter branches
- Less fatigue with ShockGUARD® bumper system
- Specially coated non-stick blade provides maximum performance
- Lifetime warrantv

U.S. Patents D802.383



### **BYPASS LOPPER** MultiLINK

### SL24255 | 31-IN. | STEEL HANDLES

- Power boosting metal lever less effort required to cut
- Comfortable ergonomic grips
- Non-stick blades
- Lightweight steel core handles
- Lifetime warranty

U.S. Patents D726,523



### BYPASS LOPPER **DualLINK**



### with ComfortGEL® SL 4264 | 31-IN. | STEEL HANDLES

- Minimize cutting effort with DualLINK linkage open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Strong and lightweight metal handles
- Extreme comfort arips
- Lifetime warranty

U.S. Patents D726.523



### EXTENDABLE BYPASS LOPPER **DualLINK**



### SL 4364 | 29 ½ - 37 ½-IN. | STEEL HANDLES

- Extendable handles with innovative locking mechanism
- Aluminum outer handle, steel inner handle ComfortGEL® Bypass Lopper
- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft. ergonomically-shaped grips
- Lifetime warrantv

U.S. Patents D726,523 & D712,230



### **BYPASS LOPPER** Comfort**GEL**®



### SL 3264 | 30-IN. | STEEL HANDLES

- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically-shaped grips
- Lifetime warranty



### BYPASS LOPPER Comfort**GEL**®



### SL 3364 | 29 - 37 1/2-IN. | STEEL HANDLES

- Extendable handles with innovative locking mechanism. Extend from 29 to 37 1/2-in
- Lightweight steel handles with ComfortGEL® grips
- Specially coated non-stick blades provide maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Lifetime warranty



### **BYPASS LOPPER** Easy**CUT**

## 1/<sub>2in</sub>

### AL 4110 | 28-IN. | ALUMINUM HANDLES

- Resharpenable, non-stick coated steel blade
- Lightweight, aluminum handles
- Ergonomic, non-slip grips
- Lifetime warranty

### **LOPPERS**



### **ANVIL LOPPER** Easy**CUT**

### FL 3420 | 31-IN. | FIBERGLASS HANDLES

- Resharpenable, non-stick coated steel blade for cutting dead wood
- Replaceable blade and anvil
- 24-in. fiberglass handles
- 6-in. extra-long foam grips for comfort
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**3420-1** - Blade

3460-3 - Pivot Bolt and Nut

**3420-2** - Anvil



11/2 in.

11/2 in,

### **BYPASS LOPPER** Resharpenable

### SL 4150 | 29-IN. | ALUMINUM HANDLES

- Resharpenable steel blade
- Lightweight aluminum handles with non-slip grips
- Shock Stop® bumper
- Lifetime warranty



### BYPASS LOPPER Easy**CUT**

### FL 3460 | 32-IN. | FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in. fiberglass handles
- 8-in. extra-long foam grips for comfort
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

3460-1 - Blade **6900-40** - Bumper

3460-3 - Pivot Bolt and Nut



### **BYPASS LOPPER** Resharpenable

### WL 3351 | 26-IN. | HARDWOOD HANDLE

- Resharpenable steel blade
- Hardwood handles
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

3351-3 - Pivot Bolt and Nut

3351-4 - Handle

6300-41 - Handle - Bolt and Nut



### EXTENDABLE BYPASS LOPPER Easy**CUT**

FL 3470 | 25 1/2 - 28 1/2-IN

### FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in. fiberglass handles
- 6-in. extra-long foam grips for comfort
- · Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**3460-1** - Blade


6900-40 - Bumper

3460-3 - Pivot Bolt and Nut



### **BYPASS LOPPER**

### Yard**Essentials** SL 3310CC | 25 1/2 STEEL HANDLES



- small branches
- High carbon steel blades for lasting sharpness and precise cutting
- Contoured cushioned grip, tubular steel handles and bumper system minimize vibration and reduce fatigue
- Replaceable parts available
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

3310-1 - Blade

6900-40 - Bumper





11/2 in

11/2 in.

### **MAX MACHETES**



### **MAX MACHETE**

### **ErgoHANDLE**

### MA 60062 | 22-IN.

- For quick and powerful cleaning of tangled, dense brush
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Lifetime warranty

U.S. Patent D798,988



### MAX BRUSH CLEARING TOOL **ErgoHANDLE**

### MA 61060 | 14-IN.

- Quickly cuts brush, cane and thick stalks
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Ergonomically balanced handle with built-in hand stop
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Lifetime warranty

U.S. Patent D798,988



- Easy to resharpen
- Ergonomically balanced with blade length
- Lanyard attachment hole
- Built-in hand stop
- Lifetime warranty

U.S. Patent D798,988



### **MACHETES**



### MACHETE WITH NYLON SHEATH MA13161 | 18-IN.



- Makes quick work of unwanted dense vegetation
- Durable, tempered steel blade stays sharp
- Ergonomically balanced handle with integral rubber grip
- Easy release blade lock
- Includes a nylon sheath with belt loop
- Lifetime warranty



#### **MACHETE**

### MA 60041 | 18-IN.

- Tempered-steel blade for greater strength and long service life
- Heat treated to achieve maximum blade flexibility
- Resharpenable, carbon steel blade
- Lifetime warranty

### **MAX PRUNING SAWS**

### Razor**TOOTH** Saw

Discover unparalleled cutting efficiency with Corona's RazorTOOTH Saw™, crafted through four manufacturing processes for maximum durability, hardness and friction reduction. The triple-ground impulse-hardened teeth remove 2X more material per stroke, while the higher-carbon SK5 steel blade stays sharper longer. The chrome-plated blade minimizes friction and improves overall efficiency.





- Cuts small to medium branches up to 3-in. diameter
- Rubberized non-slip grip provides comfort over extended use
- Easy-to-lock folding blade conceals teeth and prevents injury when not in use
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**16120-1** - Blade

7240-41 - Nut and Screw



- Cuts medium branches up to 8-in. diameter
- Rubberized non-slip grip provides comfort over extended use
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

16120-1 - Blade

**7240-41** - Nut and Screw



- Cuts medium to large branches up to 7-in. diameter
- Cushioned, pistol-grip handle with finger hook
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

7100-1 - Blade

**7240-41** - Nut and Screw

7120-4 - Handle



# MAX FOLDING SAW Razor **Tooth** Saw., RS16150 | 10-In. Blade

- Cuts small to medium branches up to 6-in. diameter
- Rubberized non-slip grip provides comfort over extended use
- Easy-to-lock folding blade conceals teeth and prevents injury when not in use
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**AC 7265** - Blade

7240-41 - Nut and Screw

U.S. Patent D513,956

## MAX FOLDING SAW Razor**Tooth** Saw.

RS 7245 | 7-IN. BLADE RS 7255 | 8-IN. BLADE RS 7265D | 10-IN. BLADE

- Cuts small to medium branches up to 4-in. diameter
- Ergonomic comfortable grip
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

**7254-1** - Blade

**7255-1** - Blade

**AC 7265** - Blade

U.S. Patent D513,956

# MAX PRUNING SAW Razor Tooth Saw, RS 7395 | 14-IN. BLADE AC 7395 | REPLACEMENT BLADE

- For large branches
- Replaceable blade
- Ergonomic non-slip handle
- Lifetime warranty

U.S. Patents D508,193

## MAX PRUNING SAWS





### RazorTOOTH Saw.

### RS 7041 | 7-IN. BLADE

- Cuts small to medium branches up to 3-in. diameter
- Cushioned, pistol-grip handle with finger hook
- Positive open/close blade lock
- Convenient hanging hole
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

AC 7041 - Blade



### Razor**TOOTH** Saw.

### RS16290 | 21-IN. BLADE

- Cuts medium to large branches up to 13-in. diameter
- Self-cleaning raker tooth pattern
- Large gullets expel more material, prevent cloaaina
- Non-slip ergonomic D-shaped handle for comfortable grip over extended use
- Lifetime warrantv
- REPLACEMENT PARTS AVAILABLE

**7160-4** - Blade



## MAX PRUNING SAW

### RazorTOOTH Saw

### **RS 7510D | 18-IN. BLADE**

- Cuts large branches up to 10-in. diameter.
- Ergonomic, non-slip D-handle designed for gloved or 2-handed operation
- Lifetime warrantv

U.S. Patents D823.661

## **PRUNING SAWS**



- For medium to large roots and small branches
- Cuts on both the push and pull stroke
- Aggressive tooth design for fast cuts
- Hard, chrome-plated blade
- Ergonomic poly handle
- Lifetime warranty

### **VALUE PRUNING SAWS**

### **FOLDING SAWS** PS 4050 | 10 1/2-IN. BLADES

- For small to medium branches
- Conventional curved-steel blades
- Wood handles
- 1-year warranty

## MAX BOW SAW



### MAX BOW SAW

### **ErgoHANDLE**

### **BS15060** | 24-IN. BLADE

- Open frame design allows for increased cut capacity and fewer strokes per cut
- Proven, co-molded comfort grip with integrated protective knuckle guard
- Adjustable tensioning knob reduces blade twisting and binding when making deep cuts
- Magnetic blade cover for safety and blade protection
- Heavy duty steel frame with multi-position grips provide force in various locations as needed
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE AC15060 - Blade



## **TREE PRUNERS**

### Flex**REACH System**™

Cut, prune and saw with the all-new FlexREACH System<sup>™</sup> from Corona<sup>®</sup> Tools. This innovative modular system combines our tree pruner and RazorTOOTH Saw<sup>™</sup> blade into one easy-to-use, extendable pole saw. Simply lock your pruner or saw head into place and extend the pole to make quick work of cutting or pruning hard-to-reach branches. For lower branches, simply detach the saw blade to use it as a hand saw. Easily store and transport your FlexREACH System by collapsing the pole to  $5\frac{1}{2}$ -ft. Components sold separately.





### **DETACHABLE SAW HEAD** Flex**REACH System**

### TP13001

- Can be used as a hand saw or attached to the pole to cut branches that are out of reach
- Razor tooth sharpness and 3-sided teeth cut 2X faster
- Durable hardened steel
- Lifetime warranty







### Flex**REACH System**'

### TP13005

- For cutting branches and limbs up to 11/4-in.
- Dual-pulley power requires less effort
- Heavy-duty smooth action chain drive system
- Ergonomic angled head
- Lifetime warranty



- Extends to 15-ft.; collapses to 5 ½-ft.
- Fiberglass safety outer pole
- Aluminum lightweight inner poles
- Use with TP13001 Saw Head and TP13005 Pruner Head
- Telescoping pole collapses for easy transportation and storage
- Lifetime warranty



## **MAX TREE PRUNERS**



### Razor**TOOTH** Saw

### **Tree Pruners**

Featuring triple-ground, impulse-hardened teeth for 2X more material removed per stroke, Corona's RazorT00TH Saw™ Tree Pruners provide a cutting-edge solution for all your tree pruning needs. The chrome-plated blade minimizes friction and improves overall efficiency. Backed by a lifetime warranty and readily available replacement parts.



# MAX PROFESSIONAL TREE PRUNER Razor**TOOTH** Saw

### TP 6780 | 13-IN. BLADE | REACHES UP TO 16-FT.

- RazorTOOTH Saw<sup>™</sup> blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty chain drive
- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1½-in.
- Exclusive PowerGLIDE rope pull system for smooth action
- Overall length extends up to 14-ft. with twist-lock adjustment
- Comfortable 28-in. foam grip
- · Lifetime warranty

#### REPLACEMENT PARTS AVAILABLE

6870-8 - Head - Compound-Action Tree Pruner

**6801-1** - Blade

6801-5 - Spring

**6801-36** - Screw

**6801-4** - Rope

6830-11 - 12-ft. Replacement Pole

6800-12 - Adapter

**6801-13** - Steel Roller

**6800-43** - Chain and rings

6801-15 - Pulley Assembly

**6870-11** - 14-ft. Replacement Pole

6801-7 - Head - Compound-Action Tree Pruner

AC 7241D - RazorTOOTH Saw™ Tree Blade - 13-in.



## MAX DUAL COMPOUND ACTION TREE PRUNER RAZORTOOTH Saw.

### TP 6870 | 13-IN. BLADE | REACHES UP TO 14-FT.

- RazorTOOTH Saw<sup>™</sup> blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty chain drive
- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1½-in
- Exclusive PowerGLIDE rope pull system for smooth action
- Overall length extends up to 14-ft. with twist-lock adjustment
- Comfortable 28-in. foam grip
- Lifetime warranty

### • REPLACEMENT PARTS AVAILABLE

6870-8 - Head Assembly with Chain Drive

**6801-7** - Head Casting

**6801-1** - Cutting Blade

6801-3 - Pivot Bolt Assembly

6801-15 - Pulley Assembly

6801-5 - Spring

6801-13 - Steel Roller

AC 7241D - RazorTOOTH Saw™ Blade

6800-12 - Adapter

**6870-11** - 14-ft. Replacement Pole

6801-4 - Rope Pull Handle (Does not include rope)

6800-43 - Chain and Rings

## **MAX TREE PRUNERS**



## MAX DUAL COMPOUND ACTION TREE PRUNER RAZORTOOTH Saw.

### TP 6830 | 13-IN. BLADE | REACHES UP TO 12-FT.

- RazorTOOTH Saw™ blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty rope drive
- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 11/4-in.
- Exclusive PowerGLIDE rope pull system for smooth action
- Overall length extends up to 12-ft. with twist-lock adjustment
- Comfortable 28-in. foam grip
- Lifetime warranty

### • REPLACEMENT PARTS AVAILABLE

6830-8 - Head Assembly

6801-7 - Head Casting

6801-1 - Cutting Blade

**6801-5** - Spring

6801-3 - Pivot Bolt Assembly

6801-15 - Pulley Assembly

6801-13 - Steel Roller

AC 7241D - RazorTOOTH Saw™ Blade

6800-12 - Adapter

6830-11 - 12-ft. Replacement Pole

6801-4 - Rope Pull

**6800-43** - Chain and Rings



# MAX DUAL COMPOUND ACTION ARBORIST TREE-PRUNING SYSTEM RAZOR TOOTH SAW

### TP 6881 | 16-IN. BLADE | REACHES UP TO 12-FT.

- 16-in. RazorTOOTH Saw<sup>™</sup> blade and quick-connect ferrule
- Heavy-duty forged steel hook and RadialARC blade with 1½-in. diameter cutting capacity
- Compound action, dual pulley system triples your cutting power
- Two 6-ft. high-strength fiberglass pole sections can be combined or used separately with saw and pruning head
- System includes two poles, saw blade and pruning head as shown
- · Lifetime warranty

### REPLACEMENT PARTS AVAILABLE

6880-8 - Tree Pruner Head

**6880-2** - Hook

6880-1 - Cutting Blade

**6880-3** - Pivot Bolt

**6880-15** - Top Pulley

**6880-14** - Bottom Pulley **6880-16** - Mounting Ferrule - Head

(000 F. Carian

**6880-5** - Spring

**6880-17** - Spring Retaining Pin

6880-18 - Retaining Clip

6880-19 - Lever Pivot Bolt and Nut

6880-20 - Connecting Bar Nut and Bolt

**6880-35** - Connecting Bar

AC 7610 - RazorTOOTH Saw™ Blade

**6881-44** - Mounting Ferrule - Saw Blade

**AC 7672** - RazorTOOTH Saw™ Blade & Mounting Ferrule

**6881-11** - 6-ft. Fiberglass Pole

**6880-21** - Rope

**6881-45** - Button and Spring

6880-12 - Wood Plug

## **FRUIT PICKER**



## EXTENDABLE FRUIT PICKER FP 2312 | REACHES UP TO 12-FT.

- Hook the fruit between the prongs and gently pull to pick
- Foam cushion in basket reduces fruit bruising
- Catch the fruit in a 5 ½-in. deep basket
- Powder-coated basket resists rust and corrosion
- Twist pole to extend upper pole to desired length
- · Aluminum pole extends to 12-ft.
- Lifetime warranty



## TREE PRUNERS





### TREE SAW AND COMPOUND ACTION PRUNER WITH ROPE DRIVE

#### **DualLINK**

TP 4210 | 12-IN. BLADE | REACHES UP TO 10-FT. TP 4212 | 12-IN. BLADE | REACHES UP TO 12-FT. TP 4214 | 12-IN. BLADE | REACHES UP TO 14-FT. TP 4216 | 12-IN. BLADE | REACHES UP TO 16-FT.

- Pruning head with DualLINK and non-stick blade for cuts up to 1-in.
- Tempered steel triple-ground saw blade
- Overall length extends with twist-lock adjustment
- Rope drive activation
- Tree pruner with 12-in, conventional saw blade
- Lifetime warranty

#### • REPLACEMENT PARTS AVAILABLE

AC 7243D - RazorTOOTH Saw™ Blade

4200-1 - Cutting Blade

4200-36 - Locknut and Washer for Saw Blade

4200-5 - Spring



### **DUAL COMPOUND ACTION TREE PRUNER** WITH ROPE DRIVE

### TP 3841 | 15-IN. BLADE | REACHES UP TO 12-FT.

- Tempered steel conventional saw blade
- Pruning head with 3X cutting power features a compound action pulley system and rope drive
- Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 1-in.
- Overall length extends up to 12-ft. with twistlock adjustment
- Lifetime warranty

### • REPLACEMENT PARTS AVAILABLE

3800-1\* - Cutting Blade with Pivot Bolt and Nut

6800-12 - Adapter

6800-13† - Steel Roller

**3800-5** - Spring

3800-6 - Conventional Saw Blade

**AC 7240** - RazorTOOTH Saw™ Tree Pruner Blade

6821-11 - Pole Without Foam Grip - 14-ft.

† Last Chance - Quantities Available

<sup>\*</sup> Formerly 6800-1



- Lightweight, reinforced-fiberglass pole
- Detachable hand saw for use at ground level
- Saw blade cuts up to 8-in.
- Heat-treated blade for durability
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

AC 7243D - Blade





### COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE TP 3714 | 15-IN. BLADE | REACHES UP TO 14-FT.

- Die-cast zinc alloy pruning head with non-stick blade and rope drive cuts up to 1-in.
- Compound-action pulley system triples your cutting power
- Tempered steel conventional saw blade
- Overall length extends up to 14-ft. with twist-lock adjustment
- Lifetime warranty

### • REPLACEMENT PARTS AVAILABLE

3800-1\* - Cutting Blade with Pivot Bolt and Nut

6800-12 - Adapter

6800-13† - Steel Roller

**3800-5** - Spring

3800-6 - Conventional Saw Blade

AC 7240 - RazorTOOTH Saw™ Tree Pruner Blade

6821-11 - Pole Without Foam Grip - 14-ft.

† Last Chance - Limited Quantities Available

<sup>\*</sup> Formerly 6800-1



### LONG REACH PRUNER Swivel**CUT**

#### with PowerGLIDE

### TP 3206 | REACHES UP TO 62-IN.

- · Head rotates 360°, tilts and swivels for unlimited cutting positions
- Overall length of 62-in. is ideal for pruning high or low, without bending or straining
- Lightweight: weighs only 2 ½-lb. so you can prune trees, shrubs and roses all day
- PowerGLIDE comfort grip eliminates tangled ropes
- Lifetime warranty



## **MAX TREE PRUNER COMPONENTS**



### **MAX BYPASS PRUNER**

### AC 9000

- 3X cutting power with compound action pulley system
- Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 11/4-in.
- Exclusive PowerGLIDE rope-pull system for smooth action
- Convertible-action pulley system converts from compound to direct pull, giving workers a choice between faster cutting or less required force
- Includes pivot bolt for mounting AC 7241 RazorTOOTH Saw™ tree pruner blade (sold separately)
- Built-in ferrule can be attached to 1 ¼-in. diameter poles by drilling holes in pole and adding fasteners (not included)
- · Lifetime warranty



## MAXFORGED PROFESSIONAL TREE PRUNER HEAD 6880-8

- Compound action, dual rope-pull system triples your cutting power
- Heavy-duty forged steel hook and RadialARC blade with 1½-in. diameter cutting capacity
- Thickest, most weather-resistant polypropylene pull rope and wood grip
- Built-in ferrule fits TP 6881 poles snap-button
- Can also be attached to other 1 ¼-in. diameter poles by drilling holes in pole and adding fasteners (not included)
- Lifetime warranty

## **MAX TREE PRUNER SAW BLADES**

### Razor**TOOTH** Saw

### **Replacement Blades**

Upgrade your cutting performance with these replacement saw blades, featuring RazorTOOTH Saw™ technology for a 2X faster cut. The 3-sided impulse-hardened teeth stay sharp longer, and the chrome-plated blades reduce friction for improved efficiency. Crafted with durable SK5 steel and backed by a lifetime warranty.



### **MAX TREE PRUNER BLADE**

### AC 7242 | 12-IN. BLADE

- Fits Corona® TP 3714 and other tree pruners
- Lifetime warranty



### MAX TREE PRUNER BLADE

### AC 7243D | 13-IN. BLADE

- Fits Corona® TP 6870, TP 6830, TP3001
- Lifetime warranty



### MAX TREE PRUNER BLADE

### AC 7240 | 13-IN. BLADE

- Fits Corona® TP 3714 and standard tree pruner saw heads for arborists
- Lifetime warranty



### MAX TREE PRUNER BLADE

### AC 7041 | 7-IN. BLADE

- Fits Corona® RS 7041
- Lifetime warranty



## **MAX TREE PRUNER SAW BLADES**



### **MAX TREE PRUNER BLADE**

### AC 7241D | 13-IN. BLADE

- Fits Corona® TP 6870, TP 6830, TP 6780
- Lifetime warranty



### MAX TREE PRUNER BLADE AC 7395 | 14-IN. BLADE

- Fits Corona® RS 7395
- Lifetime warranty



### **MAX TREE PRUNER BLADE**

### AC 7610 | 16-IN. BLADE

- Tang design fits Corona® TP 6881 and TP 6880
- Lifetime warranty



### MAX BLADE AND MOUNTING FERRULE

### AC 7672 | 16-IN. BLADE

- Built-in ferrule fits TP 6881 poles snap-button system
- Can also be attached to other 1 ¼-in. diameter poles by drilling holes in pole and adding fasteners (not included)
- Lifetime warranty



### MAX TREE PRUNER BLADE

- **AC 7265 | 10-IN. BLADE** Fits Corona® RS 7265
- Lifetime warranty



### MAX RAKER SAW BLADE

### AC16290 | 21-IN. BLADE

- Fits Corona® RS16290
- Lifetime warranty



### **MAX TREE PRUNER BLADE**

### AC 15284 | 12-IN. BLADE

- Tang design fits Corona® TP15284
- Lifetime warranty







## **MAX SHEARS & SNIPS**



Since the late 1920s, when other manufacturers were settling for stamped or cast tools, Corona® has been using high-quality forged steel to deliver superior performance and reliability. Generations later, these classically designed agricultural shears and snips are shearing California grape vines, pruning lemon, orange and avocado trees in the Southwest, apple trees in the Northwest, Midwest and East, while clipping, plucking and shaping landscapes around the world.

### MAXFORGED CITRUS SHEARS | BYPASS

#### **AG 5020**

Designed for rapid, high-volume lemon and citrus harvesting

- Drop-forged steel alloy construction with resharpenable blades
- Rounded tips help prevent damaged fruit
- 2 blade design for less interference during harvesting
- · Non-slip grips
- Includes synthetic strap
- Lifetime warranty



### MAXFORGED ORANGE SHEARS | BYPASS

#### **AG 5060**

 Designed for rapid, high-volume orange, grapefruit and apple harvesting

• Specially designed to sever fruit cleanly from fruiting spur

• Drop-forged steel alloy construction with resharpenable blades

 Custom-ground cutting edges and balanced spring design for fast, precise action

- Includes synthetic strap
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

4300-3 - Pivot Bolt and Nut

**5050-5** - Spring

5060-42 - Synthetic Strap



### CORONA.

### SYNTHETIC STRAP

### 5060-42

• Use with AG 5060, AG 5050, AG 5040 or AG 5010

### MAXFORGED ORANGE SHEARS | ANVIL

#### **AG 5050**

- Designed for rapid, high-volume orange, grapefruit and apple harvesting
- Specially designed to sever fruit cleanly from fruiting spur
- Drop-forged steel alloy construction with resharpenable blades
- Custom-ground cutting edges and balanced spring design for fast, precise action
- Includes leather strap
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

4300-3 - Pivot Bolt and Nut

**5050-5** - Spring

5060-42 - Synthetic Strap



### **MAXFORGED AVOCADO SHEARS**

#### **AG 5040**

- Designed for rapid, high-volume harvesting of avocados, mangoes, persimmons, tomatoes and other delicate fruits
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Non-slip grips
- Includes leather strap
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

4300-3 - Pivot Bolt and Nut

**5050-5** - Spring

5060-42 - Synthetic Strap



### **MAXFORGED LEMON SHEARS**

### **AG 5010**

- Designed for rapid, high-volume lemon and lime harvesting
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Rounded tips help prevent damaged fruit
- Close-tolerance pivot bolt
- Includes leather strap
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

4300-3 - Pivot Bolt and Nut

**5010-5** - Spring

5060-42 - Synthetic Strap



## **MAX SHEARS & SNIPS**

## CORONA SEASON AFTER SEASON

## MAX STAINLESS STEEL SHORT STRAIGHT SNIPS AG 4910SS | 1-IN. BLADES

- Short, straight, blunt-nosed blade for a wide range of applications
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Lifetime warranty





## MAX STAINLESS STEEL LONG CURVED SNIPS AG 4940SS | 1 3/4-IN. BLADES

- Designed for picking and field-dressing grape bunches
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Lifetime warranty





# MAX STAINLESS STEEL LONG STRAIGHT SNIPS AG 4930SS | 13/4-IN. BLADES

- Long, straight, pointed blade for a wide range of applications
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Lifetime warranty





# MAX STAINLESS STEEL SHORT CURVED SNIPS AG 4920SS | 1-IN. BLADES

- For use in harvesting apples, pitted fruits and berries
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Lifetime warranty





## **SHEARS & SNIPS**

### **LONG STRAIGHT SNIPS**

### **AG 4930** | 1 <sup>3</sup>/<sub>4</sub>-IN. BLADES

- Long, straight, pointed blade for a wide range of applications
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 4900-5 Spring



### **LONG CURVED SNIPS**

### AG 4940 | 1 3/4-IN. BLADES

- Designed for picking and field-dressing grape bunches
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE 4900-5 - Spring



## **HYDROPONIC TOOLS**

### HYDROPONIC FINGER MICRO SNIPS

### FS 4110 | 1 1/4-IN. BLADES

- Sharp stainless steel blades and tip allows for precision cutting
- Handle and blade can be sterilized to limit cross contamination
- Spring in the handle helps to open the blades after each cut
- Durable ABS-plastic handle for lightweight comfort and performance
- Large finger hole in the handle for comfort with push-button thumb lock for safety
- Lifetime warranty



### **HYDROPONIC MICRO SNIPS**

### FS 4120 | 2 5/16-IN. BLADES

- Compact, sharp stainless steel blades with doublebeveled tapered tips for precision cuts
- Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Durable handle with soft-touch feel for lightweight comfort and performance
- Double-sided lock for left- or right-hand use
- Adjustable pivot bolt for personal comfort
- Lifetime warranty



### HYDROPONIC SCISSORS

### FS 4130 | 2-IN. BLADES

- Stainless steel blades with double beveled tapered tips for precision cuts
- Durable handle offers lightweight comfort and performance
- Handle and blades can be sterilized to limit cross contamination
- Lifetime warranty



## **MAX FLORAL SHEARS**

### **MAXFORGED THINNING SHEARS**

### FS 4350 | 1 <sup>3</sup>/<sub>4</sub>-IN. BLADES

- Resharpenable, straight, narrow blades for tight spaces
- Forged steel alloy construction
- Scissor-cutting action
- Suitable for left- and right-hand use
- · Non-slip grips
- Lifetime warranty
- REPLACEMENT PARTS AVAILABLE

4300-3 - Pivot Bolt and Nut

4300-5 - Spring

6000-43 - Clip and Eyelet





## **FLORAL SHEARS**

## CORONA

### **ERGO DEAD HEADER SNIPS** Ergo**CUT**

#### FS14630

- Perfect for repetitive deadhead removal
- Ergonomic design reduces hand strain
- Finger loop provides improved control
- Precision-ground, high carbon steel blades for lasting sharpness
- Easy release secure blade lock
- Lifetime warranty



### PRECISION SCISSORS

### **HardenedSTEEL**

### **FS14530** | 1 <sup>3</sup>/<sub>4</sub>-IN. BLADES

- Comfortable, open handle grips are perfect size to give precise control
- Fine, pointed blades are able to reach and isolate specific stems for pruning
- High carbon steel blades to retain their razor-sharp edge
- Special shape makes tool ideal for hard to reach pruning
- Lifetime warrantv



### FLORAL SNIPS

### Comfort**GEL**®

### FS 3204 | 1 3/4-IN. BLADES

- Fully heat-treated blades maintain sharpness
- Volute spring resists dirt build-up and clogging
- Thorn stripper for stems up to 3/8-in. diameter
- Maximize comfort and control with soft, ergonomically shaped grip
- Lifetime warrantv



#### MICRO SNIPS

### Comfort**GEL**®

### FS 3214D | 13/4-IN. BLADES

- Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts
- · Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Full stainless steel core
- Maximize comfort and control with soft, ergonomically shaped grips
- Built-in lock
- Lifetime warranty



### **FLORAL SCISSORS**

### Comfort GEL.

### **FS 3394 | 3-IN. BLADES**

- ComfortGEL® ergonomic grips for superior comfort
- Wavy, serrated 3-in. edges hold stems while cutting
- Resharpenable stainless steel blades won't rust
- Blades separate for ease of cleaning
- Lifetime warranty





- Provides precision control
- Rust-resistant stainless steel blade
- All metal handle with a soft-feel grip
- · Easy release secure blade lock
- Red only
- Lifetime warranty



### MINI FLORAL SNIPS VARIETY PACK Yard**Essentials**

### FS43624

- Pack of 12: 3 red, 3 green, 3 yellow, 3 black
- Easy-to-spot colors
- Lifetime warrantv









## MAX ACCESSORIES





### **MAX LEATHER SCABBARD**

### AC 7220 | 5-IN.

- Universal design fits most hand pruners and folding saws up to 8-in.
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5-in.
- Lifetime warranty



## **ACCESSORIES**



### **UNIVERSAL TOOL POUCH**

### AC 4510 | 5-IN.

- Universal design fits hand pruners and folding saws up to 8-in.
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- · Pouch depth: 5-in.
- Lifetime warranty

Sharpener not included



### PLASTIC SCABBARD

### **AC 7400**

- Fits curved pruning saws with blades up to 14-in. such as Corona® RS 7395, RS 7120 and other brands
- Lightweight and high-strength reinforced poly construction
- Protects saw blade when not in use
- Waistband clip and belt loop option
- Easy carrying with hinged belt loop and reinforced carabiner hole
- Lifetime warranty

U.S. Patent D518,952



### **SHARPENING TOOL**

### AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- · Easy to use instructions are on back of the packaging
- 5-in. super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Lifetime warranty





## KNEELER PAD

### **KN 1000**

- Shock absorbing EVA foam
- Ultra cushioning memory foam
- Water-resistant neoprene
- Easy grip with carrying handle
- 1-year warranty



LASTING PERFORMANCE SINCE 1928

## **CORRUGATED DISPLAYS**

From mini displays ideal for POS on counters, to a floor-standing display, we've developed mix & match merchandising solutions for a breadth of Corona® products. Where space is limited, these displays help drive incremental sales and maximize awareness in even the smallest areas.





### SP 20099

### 54-Pc. Bonus Pack Pruner Sidekick Display

- SP 9914 (18 ea)
- SP 6250 (18 ea)
- SP 9934 (18 ea)



### SP 20093

### 18-in. 18-Pc. Spring Pruning Counter Display

- BP 3160 (6 ea)
- BP 3180D (6 ea)
- BP15280 (6 ea)



### SP 20088

## 18-in. 24-Pc. Yard Essentials Counter Display

- BP13623 (6ea)
- BP13630 (12 ea)
- FS14630 (6ea)



### SP 20092

### 18-in. 18-Pc. Counter Display

- RS16120 (6 ea)
- RS 7245 (6 ea)
- RS 7255 (6 ea)



### SP 20096

### 18-in. 30-Pc. Counter Display

- FS 3214D (12 ea)
- FS14530 (6 ea)
- AG 4920SS (6 ea)
- AG 4930SS (6 ea)

## **DISPLAY RACKS**



Drive sell-through of Corona's most highly demanded tools with well-organized merchandisers and the right mix of inventory plan-o-grams.



### **SP 1502**

Corona Gardening and Planting Display with CT 30x0i Hand Tool Series

- CT 3010i (6 ea)
- CT 3020i (6 ea)
- CT 3030i (6 ea)
- CT 3050i (6 ea)
- GT 3234 (4 ea)
- GT 3244 (4 ea)
- GT 3254 (4 ea)
- LG 3624 (4 ea)
- LU 3024 (4 ca)
- LG 3634 (4 ea)
- LG 3654 (4 ea)
- LG 3684 (4 ea)
- LG 3694 (4 ea)
- MR 9256C-1 (1 ea)



### **SP 1503**

### Corona Gardening and Planting Display with CT 33x4 Hand Tool Series

- CT 3314 (8)
- CT 3324 (8)
- CT 3334 (8)
- CT 3354 (8)
- GT 3234 (4 ea)
- GT 3244 (4 ea)GT 3254 (4 ea)
- LG 3624 (4 ea)
  - LC 3624 (4 ca)
- LG 3634 (4 ea)
- LG 3654 (4 ea)LG 3684 (4 ea)
- LG 3694 (4 ea)
- MR 9256C-1 (1 ea)



### SP 9939

### **Corona Outdoor Pruning Display**

- AC 7220 (6 ea)
- AC 8300 (12 ea)
- AP 3334 (6 ea)
- BP 3180D (6 ea)
- BP 3214D (6 ea)
- BP 4314D (6 ea)
- FS 3214D (6 ea)
- FS 3394 (6 ea)
- HS 3244 (6 ea)
- RS16120 (6 ea)
- SL 3264 (6 ea)
- MR 9236 (1 ea)

## **PROMO PACKS**

Designed to offer great value and a combination of popular tools, Corona® Promo Packs will help drive sell-through and incremental sales. The range includes packs for the professional landscaper with high-demand accessories, as well as bonus packs for the engaged gardener.



SP10001 **Lopper & Pruner Bonus Pack** 

- SL 3310
- BP13623



SP10004 Shrub, Branch & **Stem 3-pc. Set** • SS 3310

- HS11109
- BP13623



SP10003

Flower, Branch & **Stem 3-pc. Set** • FS 3394

- BP13623
- FS43623



SP 9914 **Bonus Pack** 

- BP 3180D (1 ea)
- AC 7220 (1 ea)



SP 9934 **Bonus Pack** 

- BP 3160 (1 ea)
- AC 7220 (1 ea)



SP 6250

- **Bonus Pack** • BP 6250 (1 ea)
- AC 4510 (1 ea)
- AC 8300 (1 ea)



SP16380

### **Bonus Pack**

- BP16380 (1 ea)
- AC 4510 (1 ea)
- AC 8300 (1 ea)



### SP10002

3-pc. Wood Handle **Garden Tools** 

- CT 4060
- CT 4030
- CT 4020





1006-80 33	2706-4	60100-4 12	6801-4 73, 74	8461-40C 65
1006-84 33	2706-4S 31	60101-8 12	6801-5 73, 74	8462-1 65
1006-87 33	2706-80 31	6100-3 57	6801-7 73, 74	8462-265
1006-91 33	2706-82 31	6100-5 57	68010-4 43	8462-365, 66
1010-4 34	2706-83 31	61000-4 40, 41	6821-11 75	8480-4 65
1010-80 34	2706-84 31	61002-4 29	6830-11 73, 74	8481-37 65, 66
1010-81 34	2706-85 31	61002-60 29	6830-8 74	AC 15284 77
1010-83 34	2706-86 31	61010-4 40	6870-11 73	AC 2500 31, 32, 33
		61018-8 29	6870-8 73	
1010-85 34	2706-87 31			AC 2600 31, 32, 33
1010-89 34	2706-88 31	61020-4 40, 41	6880-174	AC 280630
1010-91 34	2706-89 31	61030-4 40	6880-12 74	AC 2806FF 30
15147-465	2706-91 31	61100-4 44	6880-14 74	AC 4510 61, 85
15148-4 65	2806-100 30	61101-4 44	6880-15 74	AC 7041 71, 76
15149-1 65	2806-101 30	6200-5 57, 61	6880-16 74	AC 7220 61, 85
15149-2 65	2806-102 30	62000-428	6880-17 74	AC 7240 75, 76
15149-37 65	2806-103 30	62000-8 28	6880-18 74	AC 7241D 73, 74, 77
15149-4 65	2806-104 30	62001-8 28	6880-19 74	AC 7242 76
15149-41 65	2806-4 30	62060-4 27, 28	6880-2 74	AC 7243D 75, 76
15149-42 65	2806-80 30	6250-1T 58	6880-2074	AC 7265 70, 77
15150-40 61	2806-8330	6250-3T 58	6880-21 74	AC 7395 70, 77
15150-4064	2806-8730	6250-5T 58	6880-3 74	AC 7400 85
			6880-3574	
15180-157	2806-88 30	6250-91C 58		AC 7610 74, 77
15180-4357	2806-91 30	6300-1 66	6880-5 74	AC 7672 74, 77
15180-5 57	2806-92 30	6300-2 66	6880-8 74, 76	AC 830061, 85
15280-1C 58	2806-93 30, 31, 32	6300-3 65, 66	6881-11 74	AC 9000 76
15280-3 58	3180-1 57	6300-40 66	6881-44 74	AC 9000039
15280-5C 58	3180-3 57	6300-4162, 66, 68	6881-45 74	AC10001 34
16020-1 70	3310-1 68	6310-1 66	6900-3 62, 63	AC1000234
16120-1 70	3351-3 68	6310-1C 58	6900-40 62, 68	AC15060 71
16120-1 70	3351-4 68	6310-2 66	69000-050 52	AC16290 77
16249-1 66	3420-1 68	6310-3C 58	69000-100 52	AC5001234
16249-2 66	3420-268	6310-5C 58	69000-118 52	AC50045 34
16249-3 66	3460-1 68	6310-91C58	69000-200 52	AC60007 34
16249-4 66	3460-3 68	6320-4N66	69000-835 52	AC60014 34
16249-40 66	3670-1C 57	6360-4 66	6920-4 62	AG 4910SS 81
			6940-4062	
16380-1 57	3670-91C 57	6400-166		AG 4920SS 81
16380-43 57	3800-175	6400-2 66	70000-440	AG 4930 81
16380-5 57	3800-5 75	6400-3 66	7100-1 70	AG 4930SS 81
2006-4 33	3800-6 75	6400-40 65, 66	7100-3 56	AG 4940 81
2006-4 33	3911-4 63	6400-41 66	7100-5 56	AG 4940SS 81
2006-80 33	40000-4 49	64000-4 26	71000-4 12	AG 5010 80
2006-81 33	40000-8 49	64002-426	71000-8 12	AG 502080
2006-81	41000-4 49	64100-4 41, 42	71001-4 14	AG 5040 80
2006-8333	41000-8 49	6430-4 66	71002-413, 14	AG 5050 80
2006-8333	4180-1 60	6460-4 66	71002-8 12	AG 5060 80
2006-84 33	4180-2 60	6480-4 66	7120-4 70	AH 4220 63
2006-8533	4180-3 60	6490-1 66	7160-4 71	AH 6940 62
2006-86 33, 34	4180-41 60	6490-10 66	7180-3 61, 62, 64	AH 6950 62
2006-87 33, 34	4180-5 60	6490-2 66	7180-40 62, 64	AH 697062
	4180-960	6490-3 66	7200-1 56	
2006-88 33				AL 4110 67
2006-8933	4200-175	6490-4 66	7240-41 70	AL 6512 66
2006-91 33	4200-36 75	65000-4 12	7254-1 70	AL 8321 65
24003-4 28	4200-5 75	65001-8 12	7255-1 70	AL 8350 65
24003-8 27, 28	42000-8 49	65050-1C 52	7280-1 64	AL 844265
25030-429	4300-3 80, 82	65050-3C 52	77000-4 40	AL 846265
2506-4 32	4300-5 57, 82	6512-1 66	8310-39 65	AL 8482 65
2506-8032	45030-428	6512-2 66	8310-40 65	AL15147 65
2506-81 32	4840-158	6512-4 66	8310-41 65, 66	AL15148 65
2506-83 32	4900-5 81	6750-3 61	8310-42 65	AL15149 65
2506-8432	5010-580	6800-12 73, 74,75	8311-1 65	AL16249 66
2506-85 32	5050-5 80	6800-13 75	8311-2 65	AP 3234 59
2506-8632	5050-5 80	6800-43 73, 74	8320-4 65	AP 3334 59
2506-87 32	5050-5 80	68000-4 43	8350-1 65	AS 90010 39
2506-8832, 34	5060-4280	6801-1 73, 74	8350-265	AS 90040 39
2506-8932	6000-43 57, 61, 82	6801-13 73, 74	8350-4 65	AS 90100 39
2506-9 32	60001-4	6801-15 73, 74	8441-4 65	AS 90110 39
26000-4 43, 44	60050-4 53	6801-3 73, 74	8460-4 65	AS 90220 39
2606-4 32	60061-8 12	6801-36 73	8460-42 65, 66	AS 90240 39

## **INDEX**

AS 90300 39	FK 42000 14	LR 3460 60	SL 4264 67	SS 65020 41
AS 90310 39	FK 42010 14	MA 60041 69	SL 4364 67	SS 65500 41
AS 90320 39	FK 44010 14	MA 60061 69	SL 6500 65	SS 66000 41
AS 90400 39	FK 70000 13	MA 6006269	SL 7180 64	SS 66020 41
AX 70020 48	FK 70004 13	MA 61060 69	SL 7280 64	SS 68000 43
AX 71020 48	FK 71005 13	MA131618, 69	SL 8180 64	SS 68010 43
BM 41002 29	FK 72004 14	PD 20000 45	SL14254 67	ST 70020 48
BM 61002 29	FK 72005 14	PD 40000 45	SL15167 64	ST 70021 48
BM 62060 29	FK 72065 13	PD 40020 45	SL2425567	ST 70023 48
BP 3130 57	FL 3420 68	PD 6000045	SP 1502 87	ST 70024 48
BP 3160 57	FL 3460 68	PM 40000 49	SP 1503 87	ST 70025 48
BP 3180D 57	FL 3470 68	PM 41000 49	SP 20092 86	ST 73003 48
BP 3214D 59	FP 2312 74	PM 42000 49	SP 20093 86	TP 2212 75
BP 3225D 57	FS 3204 83	PS 405071	SP 20099 86	TP 3206 75
BP 3640 57	FS 3214D 83	RC 4060 71	SP 6250 88	TP 3714 75
BP 3670 57	FS 3394 83	RK 10000 26	SP 9914 88	TP 3841 75
BP 418060	FS 4110 82	RK 20002 26	SP 9934 88	TP 4210 75
BP 4214D 59	FS 4120 82	RK 20022 26	SP 9939 87	TP 4212 75
BP 4250 58	FS 4130 82	RK 24002 28	SP10001 88	TP 4214 75
BP 4314D 59	FS 4350 82	RK 24003 28	SP1000288	TP 4216 75
BP 484058	FS14530 83	RK 24061 27	SP1000388	TP 6780 73
BP 6250 58	FS14630 7, 83	RK 25024 29	SP10004 88	TP 6830 74
BP 6360 58	FS43623 7, 83	RK 25030 29	SP1638088	TP 6870 73
BP 7100D 56	FS436247, 83	RK 42000 27	SS 10000 44	TP 6881 74
	, ,			
BP 7200 56	GS 3750D 61	RK 45026 28	SS 1100044	TP13001 6, 72
BP13623 7, 60	GS 6750D 61	RK 45030 28	SS 25010 44	TP130056, 72
BP13624	GS13760 61	RK 61061 27	SS 26000 43	TP13489 6, 72
BP13630	GT 3040 21	RK 61062 27	SS 26010 43	UT 60050 53
BP1436459	GT 3050 21	RK 61063 27	SS 26020 43	UT 60053 53
BP15180 57	GT 3060 21	RK 61064 27	SS 27000 43	UT 60055 53
BP1528058	GT 3070 21	RK 62000 28	SS 27020 43	UT 60057 53
BP1638057	GT 3080 21	RK 62001 28	SS 28000 44	UT 64050 52
BR 70090 49	GT 3090 21	RK 62060 28	SS 28010 44	UT 65001 52
BR 71090 49	GT 3234 21	RK 62061 28	SS 29000 44	UT 65002 52
BS1506071	GT 3244 21	RK 64002 26	SS 29010 44	UT 65050 52
CR 1000 9, 35	GT 3254 21	RK 64060 26	SS 30020 43	UT 67001 53
CR 1001 9, 35	HS 3244 63	RK 65001 26	SS 42001 44	UT 67002 53
CT 2000 8, 18	HS 3344 63	RK 65002 26	SS 42011 44	UT 69000 52
CT 3010i 17	HS 3911 63	RK 65021 26	SS 47000 44	UT 70000 53
CT 3020i 17	HS 3950 62	RK 65022 26	SS 60000 40	UT 71000 53
CT 3030i 17	HS 4244 63	RK 65061 26	SS 60020 40	WB 1000
				·
CT 3040i 17	HS 4344 63	RP 3230 60	SS 62000 40	WB 100633
CT 3050i 17	HS 6920 62	RP 4224D 60	SS 62010 40	WB 1006FF 33
CT 3214 16	HS 6930 62	RS 7041 71	SS 62020 40	WB 1010 34
CT 3224 16	HS 696062	RS 7120 70	SS 62130 40	WB 2006 33
CT 3234 16	HS 7140 62	RS 7245 70	SS 64103 41	WB 2006FF 33
CT 3244 16	HS11109 63, 7	RS 7255 70	SS 64104 41	WB 2506K32
CT 3254 16	HS15150 61	RS 7265D 70	SS 64105 42	WB 2506KFF 32
CT 3264 16	HS15340CC 7, 61	RS 7395 70	SS 64106 42	WB 2606K32
CT 3314 15	HT 69200 14	RS 7510D 71	SS 64123 41	WB 2606KFF 32
CT 3324 15	KD 1000 9, 23	RS1602070	SS 64124 41	WB 2706 31
CT 3334 15	KD 1000HO 9, 23	RS16120 70	SS 64125 42	WB 2706FF 31
			SS 64126 42	
CT 3344 15	KD 1000RA 9, 23	RS16150 70		WB 2706S 31
CT 3354 15	KD 1000SH 9, 23	RS1629071	SS 64223 41	WB 2706SFF 31
CT 3364 15	KD 1001 9, 23	SF 80000 40	SS 64224 41	WB 2806 30
CT 3374 15	KD 1002 9, 23	SF 80020 40	SS 64225 42	WB 2806FF 30
CT 4020 8, 18	KN 1000 8, 85	SH 20000 12	SS 64303 42	WB13060 34
CT 4030 8, 18	LG 3604 19	SH 60001 12	SS 64304 42	WB13163 34
CT 4050 8, 18	LG 3624 19	SH 60060 12	SS 64305 42	WL 3351 68
CT 40608,18	LG 3634 19	SH 60061 12	SS 64306 42	WL 6310 66
CT 40808,18	LG 3654 19	SH 61000 12	SS 64323 42	WL 6320 66
CT1540817	LG 3664 20	SH 63000 12	SS 64324 42	WL 6350 66
CT1540917	LG 3674 20	SH 65000 12	SS 64325 42	WL 6420 66
CT15411 8, 17	LG 3684 20	SH 65000KD 12	SS 64326 42	WL 6450 66
CV 20004 13	LG 3694 20	SL 3264 67	SS 64333 42	WL 6470 66
CV 60064 13	LG 3710 20	SL 3310 7, 68	SS 64334 42	WL 6490 66
FH 71000 12	LG 3720 20	SL 3364 67	SS 64335 42	
FH 71002 12	LG13744 8, 19	SL 4150 68	SS 65000 41	
11171002 12	L013144 0, 17	02 1100 1 1 1 1 1 1 00		

### The Corona® Promise

The lifespan of a tool is dependent upon frequency of use, as well as the conditions and environment in which it is used.

Tools used by professionals, everyday, on every job, will more likely wear out long before tools used by occasional or infrequent users. Typically, any defects in materials or workmanship will emerge early in the life of the tool.

Corona® tools are designed, engineered and manufactured to perform their intended purpose, season after season.

Customer satisfaction is at the top of our priority list, so in the event our tool fails to perform as intended due to materials and/or workmanship, Corona promises to provide a solution based on our warranty coverage.

### **WHAT'S COVERED**

Corona tools are guaranteed to be free of defects in materials and workmanship. The tools are backed either by a 1-year or lifetime warranty. Visit coronatools.com for product warranty details. If a Corona tool is found to be defective due to the manufacturing process or the materials used, Corona will replace it free of charge once the tool has been returned along with the original proof of purchase.

### WHAT'S NOT COVERED

Corona is dependable and trustworthy and we rely on our customers to be the same. We do not and cannot cover normal wear, lost or stripped parts, altered or modified products or product damage due to negligence, misuse or abuse.

CORONA DEFINITION OF ABUSE- Using a tool in a manner for which it was not designed.

### PRODUCT SUBSTITUTION

Corona will make an effort to replace any defective tool with one that is similar. If, for any reason, this is not possible, Corona may choose to satisfy your claim by substituting a different product.

### **GENUINE REPLACEMENT PARTS**

All Corona tools are built to last, but certain components will wear out after heavy or repeated use. That's why we offer genuine replacement parts for most MAX products. **Visit coronatools.com** to see available replacement parts by item number, or contact the **Corona Customer Experience Team** for more information at the number noted below.

### **CORONA CUSTOMER EXPERIENCE TEAM**

Corona Clipper, Inc Attn: Warranty 22440 Temescal Canyon Rd. Corona, CA 92883 (800) 847-7863 email: sales@coronatools.com

Distribution Center East 6574 Lewis Lane Louisville, KY 40272

### MAKING WARRANTY CLAIMS OUTSIDE THE U.S.

The warranties outlined here apply specifically to products purchased in the United States. If you purchased your product outside of the U.S., your local Corona distributor's standard product warranty will apply. Outside the U.S., warranty claims can be made by returning the tool to where you bought it within the relevant time frame, along with its packaging and original proof of purchase.

Corona reserves the right to ask Dealers and Distributors to send in product photo and contact information for a warranty claim. In some cases, a Return Merchandise Authorization (RMA) number may be required for product returns.



### Corona® Tools

### Headquarters & Distribution Center West

22440 Temescal Canyon Road, Corona, CA 92883

### **Distribution Center East**

6574 Lewis Lane, Louisville, KY 40272

951-737-6515 | 800-847-7863 | sales@coronatools.com

coronatools.com



© 2024 Corona, Inc.



CC 9331 - 07/24