

 PROUDLY DESIGNED &
MADE IN THE **USA**



FIRE PITS & TABLES
PRODUCT CATALOG

2024



THE OUTDOOR PLUS

USA MANUFACTURER OF FIRE & WATER PRODUCTS

VISIT US:
WWW.THEOUTDOORPLUS.COM

EMAIL US:
SALES@THEOUTDOORPLUS.COM

CALL US:
909.460.5579



WELCOME.

IGNITE YOUR IMAGINATION, FUEL YOUR OUTDOOR DREAMS

Welcome to The Outdoor Plus, we are a US-based manufacturer that specializes exclusively in the design and production of superior-quality fire pits and fire tables. Founded in 2011 on the principles of innovation, craftsmanship, and uncompromising quality, we have gained the trust of pool builders, architects, designers, and discerning homeowners across the nation.

One of the pillars of our brand's strength is our commitment to local manufacturing. Every product that bears the name "The Outdoor Plus" is designed, engineered, and manufactured right here in the United States. We take immense pride in contributing to the American economy and upholding the high standard that make U.S. manufacturing the benchmark for quality worldwide.

Why We're the #1 Trusted Manufacturer
Our legacy is built on.

Customization:

From standard options to bespoke solutions, we cater to your exact specifications.

Innovation:

We continuously evolve our design and technology to offer cutting-edge ignition system and features.

Safety:

All our products undergo rigorous testing to ensure they not only meet, but exceed all industry safety standards.

Lifetime Guarantee:

Quality isn't just a buzzword for us; it's a promise that's backed by a lifetime warranty on our burners.





701

TABLE OF CONTENTS

SERVICES AND MORE INFORMATION

PHOTOGRAPHY CONTEST INFORMATION	06
THE OUTDOOR PLUS CUSTOM SERVICES	08
WHAT ARE GFRC AND POWDER-COATED FINISH?	10

STANDARD FIRE PITS

DEL MAR FIRE PIT	12
REGAL FIRE PIT	16
UNITY FIRE PIT	26
FLORENCE FIRE PIT	36
CORONADO FIRE PIT	42

CABO FIRE PITS FULL COLLECTION

CABO SQUARE FIRE PIT	56
CABO LINEAR FIRE PIT	60
CATALINA FIRE PIT	64
CARMEN FIRE PIT	68
NEWPORT FIRE TABLE	74
LA PINTA FIRE TABLE	80
MESA FIRE TABLE	84
BEVERLEY FIRE TABLE	92
ALAMEDA FIRE TABLE	98
EAVES FIRE TABLE	106
QUAD FIRE TABLE	110

ALL FIRE PITS FULL SUITE COLLECTION

ECLIPSE FIRE PIT	116
KAMONA FIRE PIT	118
CLASSIC BUS FIRE PIT	120
ISLA FIRE PIT	122
CESTO FIRE PIT	124
OUTBACK FIRE TABLE	126
PALO FIRE TABLE	128
COASTLINE FIRE TABLE	130
SHORELINE FIRE TABLE	131
ATLANTIC FIRE PIT	132
REDAN FIRE PIT	140
SEDONA FIRE PIT	144
TACOMA FIRE PIT	146
SEQUOIA FIRE PIT	152
FORMA FIRE PIT	154
FREEMONT FIRE PIT	158
PLYMOUTH FIRE PIT	166
SQUARE PLYMOUTH FIRE PIT	168
CARSON FIRE PIT	170
IMPERIAL FIRE PIT	172
LA JOLLA FIRE PIT	176
BISPO FIRE PIT	180
SAN JUAN FIRE PIT	184
MABEL FIRE PIT	188
SALINAS FIRE PIT	190
DIXIE FIRE PIT	192
GALLAWAY FIRE PIT	196

AMINA FIRE PIT	198	SONOMA FIRE PIT	218
BAYSIDE FIRE PIT	198	SIENNA FIRE PIT	
48" TEMPE FIRE PIT	199	AVALON FIRE PIT	
TIDAL FIRE PIT	200	CAZO FIRE PIT - WIDE HAMMERED COPPER	221
VISTA FIRE PIT	201	CAZO FIRE PIT - NARROW HAMMERED COPPER	
DANA FIRE PIT	202	CAZO FIRE PIT - NARROW STAINLESS STEEL	
MERONA FIRE PIT	203	CAZO FIRE PIT - WIDE GFRC CONCRETE	222
MARTILLO FIRE PIT	204	CAZO FIRE PIT - WIDE POWDER COAT	
MOONSTONE FIRE PIT	205	CAZO FIRE PIT - NARROW GFRC CONCRETE	223
BAJA FIRE PIT	206	CAZO FIRE PIT - NARROW POWDER COAT	
HOLLISTER FIRE PIT	207		
CALABASAS FIRE PIT	208		
LAGUNA FIRE TABLE	212		
GROVE FIRE TABLE		HEIKO FIRE PIT	224
HARBOR FIRE PIT COLLECTION	213	BALBOA FIRE TABLE	
		RAMONA FIRE TABLE	
		ALBERTA FIRE PIT	
MODERNO FIRE PIT	214		
MONTEREY FIRE TABLE	215	RAMONA LINEAR FIRE PIT	225
BIG SUR FIRE PIT	216	ANGELUS FIRE TABLE	
BILLOW FIRE PIT	217	VERNON FIRE PIT	




TAKE ADVANTAGE OF OUR

PHOTOGRAPHY CONTEST

CONTEST INFORMATION IMAGE REQUIREMENTS

The Outdoor Plus allows for customers to submit high quality images that best represent our products and product installations for the chance to be selected and receive up to **\$1,000 in credit** for any future purchase.

- If your images are approved, you may receive up to \$1,000 in credit for any future purchases from The Outdoor Plus
- Images that are submitted for contest eligibility must have a minimum resolution of 2000 x 2000 pixels (high resolution) and a minimum of 200 dpi.
- Please include the name, company name, phone number and order number of the products featured. You can send this information with your images to our team at sales@theoutdoorplus.com



CUSTOM SERVICES

WHAT DO WE NEED TO GET STARTED?

At The Outdoor Plus, crafting unique and customized outdoor fire and water features all starts with your vision. When you provide us with three essential pieces of information: materials & dimensions, your pan & burner selection, and choice of finish - our skilled designers and fabricators begin making your idea come to life.

WHAT DO YOU RECEIVE?

Enjoy the custom fire or water feature of your dreams. A product made by you, for you, to enjoy with friends and family. Outdoor fire features tailored to fit your needs.

CONTACT US

PHONE (909) 460-5579

EMAIL sales@theoutdoorplus.com

4 REASONS TO ORDER

Some of the reasons to order from the TOP team in fire & water products.

- 1** USA made products
- 2** Produced in-house
- 3** All-in-one manufacturing
- 4** Tested and proven quality





MATERIALS AND FINISHES

WHAT ARE GFRC CONCRETE AND POWDER-COATED FINISHES?

GFRC CONCRETE

GFRC is a glass fiber reinforced concrete material providing a pleasing aesthetic and structural integrity that lasts a lifetime. The Outdoor Plus provides options for this material during the manufacturing process. Another benefit of GFRC over traditional concrete material is that it offers more flexibility and a higher impact strength tolerance while maintaining the integrity previously mentioned. In addition to these traits, it is highly resistant to any weather or temperature fluctuations making it perfect for outdoor and fire pit use. GFRC, along with other material offered by The Outdoor Plus can be ordered with some of the color options seen below.

GFRC FINISHES



BENEFITS OF GFRC

- Longevity
- Design Versatility
- Lightweight Construction
- Minimal Upkeep Required
- High Impact and Weather Resistance

PRODUCTS OFFERED IN: GFRC CONCRETE

- Del Mar Fire Pit
- Florence Fire Pit
- Coronado Fire Pit
- and more...

POWDER COAT FINISH

Powder - Coating is a sleek and durable material and finish process option that pairs perfectly with outdoor fire pits and tables. Powder - coated materials go through a type of surface finishing technique that involves applying a dry powder to a substrate, typically metal, and then curing it with heat. That makes the material resistant to many factors and allow it hold up over time. It is resistant to chipping or cracking - ensuring that your product stays looking just like the day it was installed and set up.

POWDER COAT FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV




Silver Vein
-SLV



Java
-JAV




Military Green
-MGR



Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

PRODUCTS OFFERED IN: POWDER COAT FINISH

- Unity Fire Pit
- Regal Fire Pit
- Coronado Fire Pit
- and more...

BENEFITS OF POWDER COAT

- Longevity
- Durability
- Quick Cleaning
- Uniform Coverage
- Corrosion Resistance

NEED HELP CHOOSING THE RIGHT MATE

KEY TERMS TO HELP YOU UNDERSTAND WHAT WE OFFER

GFRC CONCRETE

Glass Fiber Reinforced Concrete provides a pleasing aesthetic and structural integrity for a lifetime. The Outdoor Plus provides options for this material during the manufacturing process.


BENEFITS OF GFRC

- Longevity
- Design Versatility
- Lightweight Construction
- Minimal Upkeep Required
- High Impact and Weather Resistance

PRODUCTS OFFERED IN GFRC CONCRETE:

- Del Mar Fire Pit
- Florence Fire Pit
- Coronado Fire Pit
- and more...

GFRC COLOR OPTIONS



POWDER - COAT

Powder - Coating is a sleek and durable material and finish process option that pairs perfectly with outdoor fire pits and tables. The material goes through a type of surface finishing technique that involves applying a dry powder to a substrate, typically metal, and then curing it with heat ensuring that your product stays looking just like the day it was installed.

BENEFITS OF GFRC

- Longevity
- Durability
- Quick Cleaning
- Uniform Coverage
- Corrosion Resistance

PRODUCTS OFFERED IN POWDER - COAT FINISH:

- Unity Fire Pit
- Regal Fire Pit
- Coronado Fire Pit
- and more...

POWDER - COAT OPTIONS



MATERIAL OR FINISH OPTION?

CORTEN STEEL

Corten Steel is a durable steel material whose properties have allowed it to experience a rise in popularity within architecture and design allowing for continuous changes in its appearance. This change in value is due to the natural oxidation process that the material goes through when it is exponentially exposed to harsher elements and conditions.

BENEFITS OF CORTEN STEEL

- Durability
- Eco - Friendly
- Strong Material
- Ever-changing Appearance
- Minimal Maintenance Required

PRODUCTS OFFERED IN CORTEN STEEL:

- Unity Fire Pit
- Coronado Fire Pit
- Mesa Fire Table
- and more...

CORTEN STEEL APPEARANCE

AMOUNT OF TIME



HAMMERED COPPER

Hammered Copper provide a unique and lavish touch to your new fire pit or table. It has a rough and sleek texture and appearance and its reddish - brown color, adding a lavish look and feel to your outdoor space.


BENEFITS OF HAMMERED COPPER

- Longevity
- Unique artisanal look
- Excellent Heat Conductivity
- Durable Material with texture
- Minimal maintenance required

PRODUCTS OFFERED IN HAMMERED COPPER:

- Unity Fire Pit
- Regal Fire Pit
- Coronado Fire Pit
- and more...

HAMMERED COPPER APPEARANCE



DEL MAR

FIRE PIT

Elegance Meets Simplicity in Every Flame

An exquisite embodiment of understated luxury and timeless design, the Del Mar Fire Pit is a statement piece that amplifies the beauty and atmosphere of any outdoor space it graces. The Del Mar finds its home in a variety of settings—from the rooftops of the most chic bars to the terraces of luxury hotels and exclusive restaurants. Featuring a low-profile design that sits intimately close to the ground, its elegance lies in its simplicity, allowing it to complement rather than overpower your outdoor decor.

Finish: GFRC Concrete

Sizes: 48" / 60" / 72" / 84" / 96"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
DEL MAR FIRE PIT



60" DEL MAR IN GFRC BLACK

DEL MAR FIRE PIT

in GFRG Concrete



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY




Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN



Rustic Moss Stone
-RMS



Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL




Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV

SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE



SIZES

48" Del Mar

Dimensions:	(L) 48" x (H) 15" x (W)28"
Burning Area:	(L) 32" x (W) 12"
Weight:	375lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORGFRC48
Flame Sense:	OPT-CORGFRC48FSML
Plug & Play:	OPT-CORGFRC48EKIT
Low Voltage:	OPT-CORGFRC48E12V
Fire Glow:	OPT-CORGFRC48FG
Spark Glow:	OPT-CORGFRC48SG

60" Del Mar

Dimensions:	(L) 60" x (H) 15" x (W)28"
Burning Area:	(L) 44" x (W) 12"
Weight:	435lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DEL6028
Flame Sense:	OPT-DEL6028FSML
Plug & Play:	OPT-DEL6028EKIT
Low Voltage:	OPT-DEL6028E12V
Fire Glow:	OPT-DEL6028FG
Spark Glow:	OPT-DEL6028SG

72" Del Mar

Dimensions:	(L) 72" x (H) 15" x (W)28"
Burning Area:	(L) 56" x (W) 12"
Weight:	510lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-DEL7228
Flame Sense:	OPT-DEL7228FSML
Plug & Play:	OPT-DEL7228EKIT
Low Voltage:	OPT-DEL7228E12V
Fire Glow:	OPT-DEL7228FG
Spark Glow:	OPT-DEL7228SG

84" Del Mar

Dimensions:	(L) 84" x (H) 15" x (W)28"
Burning Area:	(L) 68" x (W) 12"
Weight:	650lbs
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-DEL8428
Flame Sense:	OPT-DEL8428FSML
Plug & Play:	OPT-DEL8428EKIT
Low Voltage:	OPT-DEL8428E12V
Fire Glow:	OPT-DEL8428FG
Spark Glow:	OPT-DEL8428SG

96" Del Mar

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 80" x (W) 12"
Weight:	760lbs
BTU:	240,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-DEL9628
Flame Sense:	OPT-DEL9628FSML
Plug & Play:	OPT-DEL9628EKIT
Low Voltage:	OPT-DEL9628E12V
Fire Glow:	OPT-DEL9628FG
Spark Glow:	OPT-DEL9628SG

UPGRADES

ACCESSORIES

48" DEL MAR

60" DEL MAR

72" DEL MAR

84" DEL MAR

96" DEL MAR

BULLET BURNER	OPT-B24SST	OPT-B40SST	OPT-B48SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H
STAINLESS LID	OPT-RC1434	OPT-RC1446	OPT-RC1458	OPT-RC1470	OPT-RC1482
GLASS WIND GUARD	OPT-WG-3616	OPT-WG-4816	OPT-WG-6016	OPT-WG-7216	OPT-WG-8416

REGAL

FIRE PIT

Modern Luxury with Every Ignition

The Regal Fire Pit is a symphony of luxurious materials and minimalist design. This fine fire pit isn't just a product; it's an experience, meticulously crafted to add a regal touch to modern homes. Designed with a clean, no-overhang silhouette, the Regal Fire Pit sits low yet commands attention. It captures the essence of modern design; its simplicity being its most grand feature. Like all our fire features, the Regal Fire Pit is proudly designed, engineered, and manufactured in the United States, ensuring unparalleled quality and craftsmanship.

Finish: GFRC Concrete / Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Sizes: 48" / 54" / 60"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
REGAL FIRE PIT



60" REGAL IN POWDER COAT BLACK

REGAL FIRE PIT

in GFRC Concrete



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY



Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN



Rustic Moss Stone
-RMS



Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL




Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV

SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE



SIZES

48" Regal

Dimensions:	(L) 48" x (H) 13" x (W)24"
Burning Area:	(L) 34" x (W) 10"
Weight:	195lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGL48
Flame Sense:	OPT-RGL48FSML
Plug & Play:	OPT-RGL48EKIT
Low Voltage:	OPT-RGL48E12V
Fire Glow:	OPT-RGL48FG
Spark Glow:	OPT-RGL48SG

54" Regal

Dimensions:	(L) 54" x (H) 13" x (W)24"
Burning Area:	(L) 40" x (W) 10"
Weight:	215lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGL54
Flame Sense:	OPT-RGL54FSML
Plug & Play:	OPT-RGL54EKIT
Low Voltage:	OPT-RGL54E12V
Fire Glow:	OPT-RGL54FG
Spark Glow:	OPT-RGL54SG

60" Regal

Dimensions:	(L) 60" x (H) 13" x (W)24"
Burning Area:	(L) 50" x (W) 10"
Weight:	400lbs
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGL60
Flame Sense:	OPT-RGL60FSML
Plug & Play:	OPT-RGL60EKIT
Low Voltage:	OPT-RGL60E12V
Fire Glow:	OPT-RGL60FG
Spark Glow:	OPT-RGL60SG

ACCESSORIES

48" REGAL

54" REGAL

60" REGAL

BULLET BURNER	OPT-B30SST	OPT-B30SST	OPT-B30SST
CANVAS COVER	OPT-CVR-4824-13H	OPT-CVR-5424-13H	OPT-CVR6024-13H
STAINLESS LID	OPT-RC1236	OPT-RC1242	OPT-RC1252
GLASS WIND GUARD	OPT-WG-3814	OPT-WG-4414	OPT-WG-5414

REGAL FIRE PIT

in Powder Coat



POWDER COAT FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV




Silver Vein
-SLV




Java
-JAV



Military Green
-MGR




Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

SIZES

48" Regal

Dimensions:	(L) 48" x (H) 13" x (W)24"
Burning Area:	(L) 34" x (W) 10"
Weight:	195lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLPC48
Flame Sense:	OPT-RGLPC48FSML
Plug & Play:	OPT-RGLPC48EKIT
Low Voltage:	OPT-RGLPC48E12V
Fire Glow:	OPT-RGLPC48FG
Spark Glow:	OPT-RGLPC48SG

54" Regal

Dimensions:	(L) 54" x (H) 13" x (W)24"
Burning Area:	(L) 40" x (W) 10"
Weight:	215lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLPC54
Flame Sense:	OPT-RGLPC54FSML
Plug & Play:	OPT-RGLPC54EKIT
Low Voltage:	OPT-RGLPC54E12V
Fire Glow:	OPT-RGLPC54FG
Spark Glow:	OPT-RGLPC54SG

60" Regal

Dimensions:	(L) 60" x (H) 13" x (W)24"
Burning Area:	(L) 48" x (W) 10"
Weight:	400lbs
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLPC60
Flame Sense:	OPT-RGLPC60FSML
Plug & Play:	OPT-RGLPC60EKIT
Low Voltage:	OPT-RGLPC60E12V
Fire Glow:	OPT-RGLPC60FG
Spark Glow:	OPT-RGLPC60SG

UPGRADES

ACCESSORIES

48" REGAL

54" REGAL

60" REGAL

BULLET BURNER

OPT-B30SST

OPT-B30SST

OPT-B30SST

CANVAS COVER

OPT-CVR-4824-13H

OPT-CVR-5424-13H

OPT-CVR6024-13H

STAINLESS LID

OPT-RC1236

OPT-RC1242

OPT-RC1252

GLASS WIND GUARD

OPT-WG-3814

OPT-WG-4414

OPT-WG-5214

REGAL FIRE PIT

in Corten Steel



SIZES

48" Regal

Dimensions:	(L) 48" x (H) 13" x (W)24"
Burning Area:	(L) 34" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLCS48
Flame Sense:	OPT-RGLCS48FSML
Plug & Play:	OPT-RGLCS48EKIT
Low Voltage:	OPT-RGLCS48E12V
Fire Glow:	OPT-RGLCS48FG
Spark Glow:	OPT-RGLCS48SG

54" Regal

Dimensions:	(L) 54" x (H) 13" x (W)24"
Burning Area:	(L) 40" x (W) 10"
Weight:	--
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLCS54
Flame Sense:	OPT-RGLCS54FSML
Plug & Play:	OPT-RGLCS54EKIT
Low Voltage:	OPT-RGLCS54E12V
Fire Glow:	OPT-RGLCS54FG
Spark Glow:	OPT-RGLCS54SG

60" Regal

Dimensions:	(L) 60" x (H) 13" x (W)24"
Burning Area:	(L) 45" x (W) 10"
Weight:	--
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLCS60
Flame Sense:	OPT-RGLCS60FSML
Plug & Play:	OPT-RGLCS60EKIT
Low Voltage:	OPT-RGLCS60E12V
Fire Glow:	OPT-RGLCS60FG
Spark Glow:	OPT-RGLCS60SG

UPGRADES

ACCESSORIES

48" REGAL

54" REGAL

60" REGAL

BULLET BURNER	OPT-B30SST	OPT-B30SST	OPT-B30SST
CANVAS COVER	OPT-CVR-4824-13H	OPT-CVR-5424-13H	OPT-CVR6024-13H
STAINLESS LID	OPT-RC1236	OPT-RC1242	OPT-RC1247
GLASS WIND GUARD	OPT-WG-3814	OPT-WG-4414	OPT-WG-4914

REGAL FIRE PIT

in Stainless Steel



SIZES

48" Regal

Dimensions:	(L) 48" x (H) 13" x (W)24"
Burning Area:	(L) 34" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLSS48
Flame Sense:	OPT-RGLSS48FSML
Plug & Play:	OPT-RGLSS48EKIT
Low Voltage:	OPT-RGLSS48E12V
Fire Glow:	OPT-RGLSS48FG
Spark Glow:	OPT-RGLSS48SG

54" Regal

Dimensions:	(L) 54" x (H) 13" x (W)24"
Burning Area:	(L) 40" x (W) 10"
Weight:	--
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLSS54
Flame Sense:	OPT-RGLSS54FSML
Plug & Play:	OPT-RGLSS54EKIT
Low Voltage:	OPT-RGLSS54E12V
Fire Glow:	OPT-RGLSS54FG
Spark Glow:	OPT-RGLSS54SG

60" Regal

Dimensions:	(L) 60" x (H) 13" x (W)24"
Burning Area:	(L) 45" x (W) 10"
Weight:	--
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLSS60
Flame Sense:	OPT-RGLSS60FSML
Plug & Play:	OPT-RGLSS60EKIT
Low Voltage:	OPT-RGLSS60E12V
Fire Glow:	OPT-RGLSS60FG
Spark Glow:	OPT-RGLSS60SG

UPGRADES

ACCESSORIES

48" REGAL


54" REGAL

60" REGAL

BULLET BURNER	OPT-B30SST	OPT-B30SST	OPT-B30SST
CANVAS COVER	OPT-CVR-4824-13H	OPT-CVR-5424-13H	OPT-CVR6024-13H
STAINLESS LID	OPT-RC1236	OPT-RC1242	OPT-RC1247
GLASS WIND GUARD	OPT-WG-3814	OPT-WG-4414	OPT-WG-4914

REGAL FIRE PIT

in Hammered Copper



SIZES

48" Regal

Dimensions:	(L) 48" x (H) 13" x (W)24"
Burning Area:	(L) 34" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLCPR48
Flame Sense:	OPT-RGLCPR48FSML
Plug & Play:	OPT-RGLCPR48EKIT
Low Voltage:	OPT-RGLCPR48E12V
Fire Glow:	OPT-RGLCPR48FG
Spark Glow:	OPT-RGLCPR48SG

54" Regal

Dimensions:	(L) 54" x (H) 13" x (W)24"
Burning Area:	(L) 40" x (W) 10"
Weight:	--
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLCPR54
Flame Sense:	OPT-RGLCPR54FSML
Plug & Play:	OPT-RGLCPR54EKIT
Low Voltage:	OPT-RGLCPR54E12V
Fire Glow:	OPT-RGLCPR54FG
Spark Glow:	OPT-RGLCPR54SG

60" Regal

Dimensions:	(L) 60" x (H) 13" x (W)24"
Burning Area:	(L) 45" x (W) 10"
Weight:	--
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RGLCPR60
Flame Sense:	OPT-RGLCPR60FSML
Plug & Play:	OPT-RGLCPR60EKIT
Low Voltage:	OPT-RGLCPR60E12V
Fire Glow:	OPT-RGLCPR60FG
Spark Glow:	OPT-RGLCPR60SG

UPGRADES

ACCESSORIES

48" REGAL

54" REGAL

60" REGAL

BULLET BURNER	OPT-B30SST	OPT-B30SST	OPT-B30SST
CANVAS COVER	OPT-CVR-4824-13H	OPT-CVR-5424-13H	OPT-CVR6024-13H
STAINLESS LID	OPT-RC1236	OPT-RC1342	OPT-RC1247
GLASS WIND GUARD	OPT-WG-3814	OPT-WG-4414	OPT-WG-4914



UNITY

FIRE PIT

The Essence of Elegance

Discover the Unity Fire Pit—a luxuriously crafted, low-profile metal marvel designed to gather people together in an ambiance of warmth and sophistication. Offering more than just a flame, it's a symbol of harmony that elevates every shared moment into a luxurious experience.

Finish: Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Sizes: 48" / 60" / 72"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
UNITY FIRE PIT



72" UNITY - 18" TALL IN PC BLACK

UNITY FIRE PIT

in Powder Coat



POWDER COAT FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV




Silver Vein
-SLV




Java
-JAV



Military Green
-MGR




Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

SIZES

UNITY - 18" TALL

48" Unity - 18" Tall

Dimensions: (D) 48" x (H) 18"
 Burning Area: (D) 25"
 Weight: 155lbs
 BTU: 65,000
 Fire Glass Sugg: 50lbs

Match Lit: OPT-UNYPC4818
 Flame Sense: OPT-UNYPC4818FSML
 Plug & Play: OPT-UNYPC4818EKIT
 Low Voltage: OPT-UNYPC4818E12V
 Fire Glow: OPT-UNYPC4818FG
 Spark Glow: OPT-UNYPC4818SG

60" Unity - 18" Tall

Dimensions: (D) 60" x (H) 18"
 Burning Area: (D) 37"
 Weight: 210lbs
 BTU: 160,000
 Fire Glass Sugg: 100lbs

Match Lit: OPT-UNYPC6018
 Flame Sense: OPT-UNYPC6018FSML
 Plug & Play: OPT-UNYPC6018EKIT
 Low Voltage: OPT-UNYPC6018E12V
 Fire Glow: OPT-UNYPC6018FG
 Spark Glow: OPT-UNYPC6018SG

72" Unity - 18" Tall

Dimensions: (D) 72" x (H) 18"
 Burning Area: (D) 43"
 Weight: 190lbs
 BTU: 190,000
 Fire Glass Sugg: 200lbs

Match Lit: OPT-UNYPC7218
 Flame Sense: OPT-UNYPC7218FSML
 Plug & Play: OPT-UNYPC7218EKIT
 Low Voltage: OPT-UNYPC7218E12V
 Fire Glow: OPT-UNYPC7218FG
 Spark Glow: OPT-UNYPC7218SG

UNITY - 24" TALL

48" Unity - 24" Tall

Dimensions: (D) 48" x (H) 24"
 Burning Area: (D) 25"
 Weight: 185lbs
 BTU: 65,000
 Fire Glass Sugg: 50lbs

Match Lit: OPT-UNYPC48
 Flame Sense: OPT-UNYPC48FSML
 Plug & Play: OPT-UNYPC48EKIT
 Low Voltage: OPT-UNYPC48E12V
 Fire Glow: OPT-UNYPC48FG
 Spark Glow: OPT-UNYPC48SG

60" Unity - 24" Tall

Dimensions: (D) 60" x (H) 24"
 Burning Area: (D) 37"
 Weight: 250lbs
 BTU: 160,000
 Fire Glass Sugg: 100lbs

Match Lit: OPT-UNYPC60
 Flame Sense: OPT-UNYPC60FSML
 Plug & Play: OPT-UNYPC60EKIT
 Low Voltage: OPT-UNYPC60E12V
 Fire Glow: OPT-UNYPC60FG
 Spark Glow: OPT-UNYPC60SG

72" Unity - 24" Tall

Dimensions: (D) 72" x (H) 24"
 Burning Area: (D) 43"
 Weight: 320lbs
 BTU: 190,000
 Fire Glass Sugg: 200lbs

Match Lit: OPT-UNYPC72
 Flame Sense: OPT-UNYPC72FSML
 Plug & Play: OPT-UNYPC72EKIT
 Low Voltage: OPT-UNYPC72E12V
 Fire Glow: OPT-UNYPC72FG
 Spark Glow: OPT-UNYPC72SG

UPGRADES

ACCESSORIES

BULLET BURNER

CANVAS COVER 18"

CANVAS COVER 24"

STAINLESS LID

48" UNITY

OPT-BRDSS12

OPT-CVR-48R-18H

OPT-CVR-48R-24H

OPT-29RC

60" UNITY

OPT-BRDSS24

OPT-CVR-60R-18H

OPT-CVR-60R-24H

OPT-41RC

72" UNITY

OPT-BRDSS36

OPT-CVR-72R-18H

OPT-CVR-72R-24H

OPT-47RC

UNITY FIRE PIT

in Stainless Steel



SIZES

UNITY - 18" TALL

48" Unity - 18" Tall

Dimensions: (D) 48" x (H) 18"
 Burning Area: (D) 25"
 Weight: 155lbs
 BTU: 65,000
 Fire Glass Sugg: 50lbs

Match Lit: OPT-UNYSS4818
 Flame Sense: OPT-UNYSS4818FSML
 Plug & Play: OPT-UNYSS4818EKIT
 Low Voltage: OPT-UNYSS4818E12V
 Fire Glow: OPT-UNYSS4818FG
 Spark Glow: OPT-UNYSS4818SG

60" Unity - 18" Tall

Dimensions: (D) 60" x (H) 18"
 Burning Area: (D) 37"
 Weight: 210lbs
 BTU: 160,000
 Fire Glass Sugg: 100lbs

Match Lit: OPT-UNYSS6018
 Flame Sense: OPT-UNYSS6018FSML
 Plug & Play: OPT-UNYSS6018EKIT
 Low Voltage: OPT-UNYSS6018E12V
 Fire Glow: OPT-UNYSS6018FG
 Spark Glow: OPT-UNYSS6018SG

72" Unity - 18" Tall

Dimensions: (D) 72" x (H) 18"
 Burning Area: (D) 43"
 Weight: 190lbs
 BTU: 190,000
 Fire Glass Sugg: 200lbs

Match Lit: OPT-UNYSS7218
 Flame Sense: OPT-UNYSS7218FSML
 Plug & Play: OPT-UNYSS7218EKIT
 Low Voltage: OPT-UNYSS7218E12V
 Fire Glow: OPT-UNYSS7218FG
 Spark Glow: OPT-UNYSS7218SG

UNITY - 24" TALL

48" Unity - 24" Tall

Dimensions: (D) 48" x (H) 24"
 Burning Area: (D) 25"
 Weight: 185lbs
 BTU: 65,000
 Fire Glass Sugg: 50lbs

Match Lit: OPT-UNYSS48
 Flame Sense: OPT-UNYSS48FSML
 Plug & Play: OPT-UNYSS48EKIT
 Low Voltage: OPT-UNYSS48E12V
 Fire Glow: OPT-UNYSS48FG
 Spark Glow: OPT-UNYSS48SG

60" Unity - 24" Tall

Dimensions: (D) 60" x (H) 24"
 Burning Area: (D) 37"
 Weight: 250lbs
 BTU: 160,000
 Fire Glass Sugg: 100lbs

Match Lit: OPT-UNYSS60
 Flame Sense: OPT-UNYSS60FSML
 Plug & Play: OPT-UNYSS60EKIT
 Low Voltage: OPT-UNYSS60E12V
 Fire Glow: OPT-UNYSS60FG
 Spark Glow: OPT-UNYSS60SG

72" Unity - 24" Tall

Dimensions: (D) 72" x (H) 24"
 Burning Area: (D) 43"
 Weight: 320lbs
 BTU: 190,000
 Fire Glass Sugg: 200lbs

Match Lit: OPT-UNYSS72
 Flame Sense: OPT-UNYSS72FSML
 Plug & Play: OPT-UNYSS72EKIT
 Low Voltage: OPT-UNYSS72E12V
 Fire Glow: OPT-UNYSS72FG
 Spark Glow: OPT-UNYSS72SG

UPGRADES

ACCESSORIES

BULLET BURNER

CANVAS COVER 18"

CANVAS COVER 24"

STAINLESS LID

48" UNITY

OPT-BRDSS12

OPT-CVR-48R-18H

OPT-CVR-48R-24H

OPT-29RC

60" UNITY

OPT-BRDSS24

OPT-CVR-60R-18H

OPT-CVR-60R-24H

OPT-41RC

72" UNITY

OPT-BRDSS36

OPT-CVR-72R-18H

OPT-CVR-72R-24H

OPT-47RC

UNITY FIRE PIT

in Corten Steel



SIZES

UNITY - 18" TALL

48" Unity - 18" Tall

Dimensions: (D) 48" x (H) 18"
 Burning Area: (D) 25"
 Weight: 155lbs
 BTU: 65,000
 Fire Glass Sugg: 50lbs

Match Lit: OPT-RCRTN4818
 Flame Sense: OPT-RCRTN4818FSML
 Plug & Play: OPT-RCRTN4818EKIT
 Low Voltage: OPT-RCRTN4818E12V
 Fire Glow: OPT-RCRTN4818FG
 Spark Glow: OPT-RCRTN4818SG

60" Unity - 18" Tall

Dimensions: (D) 60" x (H) 18"
 Burning Area: (D) 37"
 Weight: 210lbs
 BTU: 160,000
 Fire Glass Sugg: 100lbs

Match Lit: OPT-RCRTN6018
 Flame Sense: OPT-RCRTN6018FSML
 Plug & Play: OPT-RCRTN6018EKIT
 Low Voltage: OPT-RCRTN6018E12V
 Fire Glow: OPT-RCRTN6018FG
 Spark Glow: OPT-RCRTN6018SG

72" Unity - 18" Tall

Dimensions: (D) 72" x (H) 18"
 Burning Area: (D) 43"
 Weight: 190lbs
 BTU: 190,000
 Fire Glass Sugg: 200lbs

Match Lit: OPT-RCRTN7218
 Flame Sense: OPT-RCRTN7218FSML
 Plug & Play: OPT-RCRTN7218EKIT
 Low Voltage: OPT-RCRTN7218E12V
 Fire Glow: OPT-RCRTN7218FG
 Spark Glow: OPT-RCRTN7218SG

UNITY - 24" TALL

48" Unity - 24" Tall

Dimensions: (D) 48" x (H) 24"
 Burning Area: (D) 25"
 Weight: 185lbs
 BTU: 65,000
 Fire Glass Sugg: 50lbs

Match Lit: OPT-RCRTN48
 Flame Sense: OPT-RCRTN48FSML
 Plug & Play: OPT-RCRTN48EKIT
 Low Voltage: OPT-RCRTN48E12V
 Fire Glow: OPT-RCRTN48FG
 Spark Glow: OPT-RCRTN48SG

60" Unity - 24" Tall

Dimensions: (D) 60" x (H) 24"
 Burning Area: (D) 37"
 Weight: 250lbs
 BTU: 160,000
 Fire Glass Sugg: 100lbs

Match Lit: OPT-RCRTN60
 Flame Sense: OPT-RCRTN60FSML
 Plug & Play: OPT-RCRTN60EKIT
 Low Voltage: OPT-RCRTN60E12V
 Fire Glow: OPT-RCRTN60FG
 Spark Glow: OPT-RCRTN60SG

72" Unity - 24" Tall

Dimensions: (D) 72" x (H) 24"
 Burning Area: (D) 43"
 Weight: 320lbs
 BTU: 190,000
 Fire Glass Sugg: 200lbs

Match Lit: OPT-RCRTN72
 Flame Sense: OPT-RCRTN72FSML
 Plug & Play: OPT-RCRTN72EKIT
 Low Voltage: OPT-RCRTN72E12V
 Fire Glow: OPT-RCRTN72FG
 Spark Glow: OPT-RCRTN72SG

UPGRADES

ACCESSORIES

BULLET BURNER

CANVAS COVER 18"

CANVAS COVER 24"

STAINLESS LID

48" UNITY

OPT-BRDSS12

OPT-CVR-48R-18H

OPT-CVR-48R-24H

OPT-29RC

60" UNITY

OPT-BRDSS24

OPT-CVR-60R-18H

OPT-CVR-60R-24H

OPT-41RC

72" UNITY

OPT-BRDSS36

OPT-CVR-72R-18H

OPT-CVR-72R-24H

OPT-47RC

UNITY FIRE PIT

in Hammered Copper



SIZES

UNITY - 18" TALL

48" Unity - 18" Tall

Dimensions: (D) 48" x (H) 18"
 Burning Area: (D) 25"
 Weight: 155lbs
 BTU: 65,000
 Fire Glass Sugg: 50lbs

Match Lit: OPT-UNYCP4818
 Flame Sense: OPT-UNYCP4818FSML
 Plug & Play: OPT-UNYCP4818EKIT
 Low Voltage: OPT-UNYCP4818E12V
 Fire Glow: OPT-UNYCP4818FG
 Spark Glow: OPT-UNYCP4818SG

60" Unity - 18" Tall

Dimensions: (D) 60" x (H) 18"
 Burning Area: (D) 37"
 Weight: 210lbs
 BTU: 160,000
 Fire Glass Sugg: 100lbs

Match Lit: OPT-UNYCP6018
 Flame Sense: OPT-UNYCP6018FSML
 Plug & Play: OPT-UNYCP6018EKIT
 Low Voltage: OPT-UNYCP6018E12V
 Fire Glow: OPT-UNYCP6018FG
 Spark Glow: OPT-UNYCP6018SG

72" Unity - 18" Tall

Dimensions: (D) 72" x (H) 18"
 Burning Area: (D) 43"
 Weight: 190lbs
 BTU: 190,000
 Fire Glass Sugg: 200lbs

Match Lit: OPT-UNYCP7218
 Flame Sense: OPT-UNYCP7218FSML
 Plug & Play: OPT-UNYCP7218EKIT
 Low Voltage: OPT-UNYCP7218E12V
 Fire Glow: OPT-UNYCP7218FG
 Spark Glow: OPT-UNYCP7218SG

UNITY - 24" TALL

48" Unity - 24" Tall

Dimensions: (D) 48" x (H) 24"
 Burning Area: (D) 25"
 Weight: 185lbs
 BTU: 65,000
 Fire Glass Sugg: 50lbs

Match Lit: OPT-UNYCP48
 Flame Sense: OPT-UNYCP48FSML
 Plug & Play: OPT-UNYCP48EKIT
 Low Voltage: OPT-UNYCP48E12V
 Fire Glow: OPT-UNYCP48FG
 Spark Glow: OPT-UNYCP48SG

60" Unity - 24" Tall

Dimensions: (D) 60" x (H) 24"
 Burning Area: (D) 37"
 Weight: 250lbs
 BTU: 160,000
 Fire Glass Sugg: 100lbs

Match Lit: OPT-UNYCP60
 Flame Sense: OPT-UNYCP60FSML
 Plug & Play: OPT-UNYCP60EKIT
 Low Voltage: OPT-UNYCP60E12V
 Fire Glow: OPT-UNYCP60FG
 Spark Glow: OPT-UNYCP60SG

72" Unity - 24" Tall

Dimensions: (D) 72" x (H) 24"
 Burning Area: (D) 43"
 Weight: 320lbs
 BTU: 190,000
 Fire Glass Sugg: 200lbs

Match Lit: OPT-UNYCP72
 Flame Sense: OPT-UNYCP72FSML
 Plug & Play: OPT-UNYCP72EKIT
 Low Voltage: OPT-UNYCP72E12V
 Fire Glow: OPT-UNYCP72FG
 Spark Glow: OPT-UNYCP72SG

UPGRADES

ACCESSORIES

BULLET BURNER

CANVAS COVER 18"

CANVAS COVER 24"

STAINLESS LID

48" UNITY

OPT-BRDSS12

OPT-CVR-48R-18H

OPT-CVR-48R-24H

OPT-29RC

60" UNITY

OPT-BRDSS24

OPT-CVR-60R-18H

OPT-CVR-60R-24H

OPT-41RC

72" UNITY

OPT-BRDSS36

OPT-CVR-72R-18H

OPT-CVR-72R-24H

OPT-47RC

FLORENCE

FIRE PIT

Where Timeless Beauty Meets Modern Craftsmanship

Introducing the Florence Fire Pit—an American-made masterpiece crafted from the finest GFRC Concrete. Transcend the ordinary with this captivating centerpiece. Perfect for anyone seeking elegance, the Florence Fire Pit elevates every gathering into an epic, unforgettable experience.

Finish: GFRC Concrete

Sizes: 32" / 46" / 54" / 72"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
FLORENCE FIRE PIT



72" FLORENCE IN GFRC RUSTIC COFFEE

FLORENCE FIRE PIT - 20" TALL

in GFRC Concrete



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY




Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN



Rustic Moss Stone
-RMS



Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL




Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV

SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE



SIZES

46" Florence - 20" Tall

Dimensions: (D) 46" x (H) 20"

Burning Area: (D) 21"

Weight: 360lbs

BTU: 65,000

Fire Glass Sugg: 40lbs

Match Lit: OPT-FL4620

Flame Sense: OPT-FL4620FSML

Plug & Play: OPT-FL4620EKIT

Low Voltage: OPT-FL4620E12V

Fire Glow: OPT-FL4620FG

Spark Glow: OPT-FL4620SG

54" Florence - 20" Tall

Dimensions: (D) 54" x (H) 20"

Burning Area: (D) 30"

Weight: 490lbs

BTU: 65,000

Fire Glass Sugg: 100lbs

Match Lit: OPT-FL54

Flame Sense: OPT-FL54FSML

Plug & Play: OPT-FL54EKIT

Low Voltage: OPT-FL54E12V

Fire Glow: OPT-FL54FG

Spark Glow: OPT-FL54SG

72" Florence - 20" Tall

Dimensions: (D) 72" x (H) 20"

Burning Area: (D) 48"

Weight: 675lbs

BTU: 160,000

Fire Glass Sugg: 100lbs

Match Lit: OPT-FL72

Flame Sense: OPT-FL72FSML

Plug & Play: OPT-FL72EKIT

Low Voltage: OPT-FL72E12V

Fire Glow: OPT-FL72FG

Spark Glow: OPT-FL72SG

UPGRADES

ACCESSORIES

46" FLORENCE

54" FLORENCE

72" FLORENCE

BULLET BURNER

OPT-BRDSS12

OPT-BRDSS12

OPT-BRDSS18

CANVAS COVER

OPT-CVR48R-20H

OPT-CVR54R-20H

OPT-CVR72R-20H

STAINLESS LID

OPT-23RC

OPT-32RC

OPT-50RC

FLORENCE FIRE PIT

in GFR Concrete



SIZES

Florence - 12" Tall

Dimensions:	(D) 42" x (H) 12"
Burning Area:	(D) 25"
Weight:	315lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-FL42
Flame Sense:	OPT-FL42FSML
Plug & Play:	OPT-FL42EKIT
Low Voltage:	OPT-FL42E12V
Fire Glow:	OPT-FL42FG
Spark Glow:	OPT-FL42SG

Florence - 18" Tall

Dimensions:	(D) 32" x (H) 18"
Burning Area:	(D) 24"
Weight:	280lbs
BTU:	65,000
Fire Glass Sugg:	40lbs

Match Lit:	OPT-FL3218
Flame Sense:	OPT-FL3218FSML
Plug & Play:	OPT-FL3218EKIT
Low Voltage:	OPT-FL3218E12V
Fire Glow:	OPT-FL3218FG
Spark Glow:	OPT-FL3218SG

Florence - 24" Tall

Dimensions:	(D) 42" x (H) 24"
Burning Area:	(D) 24"
Weight:	425lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-FL4224
Flame Sense:	OPT-FL4224FSML
Plug & Play:	OPT-FL4224EKIT
Low Voltage:	OPT-FL4224E12V
Fire Glow:	OPT-FL4224FG
Spark Glow:	OPT-FL4224SG

ACCESSORIES

FLORENCE - 12" TALL

54" FLORENCE

72" FLORENCE

BULLET BURNER

OPT-BRDSS12

OPT-BRDSS12

OPT-BRDSS12

CANVAS COVER

OPT-CVR42R-12H

OPT-CVR32R-18H


OPT-CVR72R-24H

STAINLESS LID

OPT-27RC

OPT-26RC

OPT-26RC



CORONADO

FIRE PIT

A Masterpiece from Every Angle

Experience the Coronado Fire Pit—an American-made spectacle of design and craftsmanship that owns the room and commands the space. With its modern simplicity and stunning appearance, this fire pit transforms any outdoor area into a luxurious haven, captivating the eye from every angle.

Finish: GFRC Concrete Wood Grain / Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Sizes: 48" / 60" / 72" / 84" / 96" / 108" / 120"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
CORONADO FIRE PIT



46" CORONADO IN POWDER COAT PEWTER

CORONADO FIRE PIT

in Powder Coat



POWDER COAT FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV




Silver Vein
-SLV




Java
-JAV




Military Green
-MGR



Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

SIZES

CORONADO

48" Coronado

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	175lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORPC48
Flame Sense:	OPT-CORPC48FSML
Plug & Play:	OPT-CORPC48EKIT
Low Voltage:	OPT-CORPC48E12V
Fire Glow:	OPT-CORPC48FG
Spark Glow:	OPT-CORPC48SG

60" Coronado

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	195lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORPC60
Flame Sense:	OPT-CORPC60FSML
Plug & Play:	OPT-CORPC60EKIT
Low Voltage:	OPT-CORPC60E12V
Fire Glow:	OPT-CORPC60FG
Spark Glow:	OPT-CORPC60SG

72" Coronado

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	220lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CORPC72
Flame Sense:	OPT-CORPC72FSML
Plug & Play:	OPT-CORPC72EKIT
Low Voltage:	OPT-CORPC72E12V
Fire Glow:	OPT-CORPC72FG
Spark Glow:	OPT-CORPC72SG

84" Coronado

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	245lbs
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORPC84
Flame Sense:	OPT-CORPC84FSML
Plug & Play:	OPT-CORPC84EKIT
Low Voltage:	OPT-CORPC84E12V
Fire Glow:	OPT-CORPC84FG
Spark Glow:	OPT-CORPC84SG

96" Coronado

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	270lbs
BTU:	100,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORPC96
Flame Sense:	OPT-CORPC96FSML
Plug & Play:	OPT-CORPC96EKIT
Low Voltage:	OPT-CORPC96E12V
Fire Glow:	OPT-CORPC96FG
Spark Glow:	OPT-CORPC96SG

108" Coronado

Dimensions:	(L) 108" x (H) 15" x (W) 28"
Burning Area:	(L) 90" x (W) 10"
Weight:	320lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORPC108
Flame Sense:	OPT-CORPC108FSML
Plug & Play:	OPT-CORPC108EKIT
Low Voltage:	OPT-CORPC108E12V
Fire Glow:	OPT-CORPC108FG
Spark Glow:	OPT-CORPC108SG

UPGRADES

ACCESSORIES


	48" Coronado	60" Coronado	72" Coronado	84" Coronado	96" Coronado	108" Coronado
BULLET BURNER	OPT-B24SST	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H	OPT-CVR-10828-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280	OPT-RC1292
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214	OPT-WG-9414

CORONADO FIRE PIT

in GFRC Wood Grain



Oak
-OAK



Ivory
-IVY



Ebony
-EBN



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE

SIZES

CORONADO

48" Coronado

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	235lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-COR48
Flame Sense:	OPT-COR48FSML
Plug & Play:	OPT-COR48EKIT
Low Voltage:	OPT-COR48E12V
Fire Glow:	OPT-COR48FG
Spark Glow:	OPT-COR48SG

96" Coronado

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	690lbs
BTU:	100,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-COR96
Flame Sense:	OPT-COR96FSML
Plug & Play:	OPT-COR96EKIT
Low Voltage:	OPT-COR96E12V
Fire Glow:	OPT-COR96FG
Spark Glow:	OPT-COR96SG

60" Coronado

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	375lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-COR60
Flame Sense:	OPT-COR60FSML
Plug & Play:	OPT-COR60EKIT
Low Voltage:	OPT-COR60E12V
Fire Glow:	OPT-COR60FG
Spark Glow:	OPT-COR60SG

108" Coronado

Dimensions:	(L) 108" x (H) 15" x (W) 28"
Burning Area:	(L) 90" x (W) 10"
Weight:	765lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-COR108
Flame Sense:	OPT-COR108FSML
Plug & Play:	OPT-COR108EKIT
Low Voltage:	OPT-COR108E12V
Fire Glow:	OPT-COR108FG
Spark Glow:	OPT-COR108SG

72" Coronado

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	455lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-COR72
Flame Sense:	OPT-COR72FSML
Plug & Play:	OPT-COR72EKIT
Low Voltage:	OPT-COR72E12V
Fire Glow:	OPT-COR72FG
Spark Glow:	OPT-COR72SG

120" Coronado

Dimensions:	(L) 120" x (H) 15" x (W) 28"
Burning Area:	(L) 102" x (W) 10"
Weight:	835lbs
BTU:	125,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-COR120
Flame Sense:	OPT-COR120FSML
Plug & Play:	OPT-COR120EKIT
Low Voltage:	OPT-COR120E12V
Fire Glow:	OPT-COR120FG
Spark Glow:	OPT-COR120SG

84" Coronado

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	610lbs
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-COR84
Flame Sense:	OPT-COR84FSML
Plug & Play:	OPT-COR84EKIT
Low Voltage:	OPT-COR84E12V
Fire Glow:	OPT-COR84FG
Spark Glow:	OPT-COR84SG

UPGRADES

ACCESSORIES

	48" Coronado	60" Coronado	72" Coronado	84" Coronado	96" Coronado	108" Coronado	120" Coronado
BULLET BURNER	OPT-B24SST	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B60SST	OPT-B72SST	OPT-B84SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H	OPT-CVR-10828-15H	OPT-CVR-12028-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280	OPT-RC1292	OPT-RC12104
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214	OPT-WG-9414	OPT-WG-10614

CORONADO FIRE PIT

in Stainless Steel



SIZES

CORONADO

48" Coronado

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	175lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORSS48
Flame Sense:	OPT-CORSS48FSML
Plug & Play:	OPT-CORSS48EKIT
Low Voltage:	OPT-CORSS48E12V
Fire Glow:	OPT-CORSS48FG
Spark Glow:	OPT-CORSS48SG

96" Coronado

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	270lbs
BTU:	100,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORSS96
Flame Sense:	OPT-CORSS96FSML
Plug & Play:	OPT-CORSS96EKIT
Low Voltage:	OPT-CORSS96E12V
Fire Glow:	OPT-CORSS96FG
Spark Glow:	OPT-CORSS96SG

60" Coronado

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	195lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORSS60
Flame Sense:	OPT-CORSS60FSML
Plug & Play:	OPT-CORSS60EKIT
Low Voltage:	OPT-CORSS60E12V
Fire Glow:	OPT-CORSS60FG
Spark Glow:	OPT-CORSS60SG

108" Coronado

Dimensions:	(L) 108" x (H) 15" x (W) 28"
Burning Area:	(L) 90" x (W) 10"
Weight:	320lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORSS108
Flame Sense:	OPT-CORSS108FSML
Plug & Play:	OPT-CORSS108EKIT
Low Voltage:	OPT-CORSS108E12V
Fire Glow:	OPT-CORSS108FG
Spark Glow:	OPT-CORSS108SG

72" Coronado

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	220lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CORSS72
Flame Sense:	OPT-CORSS72FSML
Plug & Play:	OPT-CORSS72EKIT
Low Voltage:	OPT-CORSS72E12V
Fire Glow:	OPT-CORSS72FG
Spark Glow:	OPT-CORSS72SG

84" Coronado

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	245lbs
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORSS84
Flame Sense:	OPT-CORSS84FSML
Plug & Play:	OPT-CORSS84EKIT
Low Voltage:	OPT-CORSS84E12V
Fire Glow:	OPT-CORSS84FG
Spark Glow:	OPT-CORSS84SG

UPGRADES

ACCESSORIES

	48" Coronado	60" Coronado	72" Coronado	84" Coronado	96" Coronado	108" Coronado
BULLET BURNER	OPT-B24SST	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H	OPT-CVR-10828-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280	OPT-RC1292
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214	OPT-WG-9414

CORONADO FIRE PIT

in Corten Steel



SIZES

CORONADO

48" Coronado

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	175lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORCS48
Flame Sense:	OPT-CORCS48FSML
Plug & Play:	OPT-CORCS48EKIT
Low Voltage:	OPT-CORCS48E12V
Fire Glow:	OPT-CORCS48FG
Spark Glow:	OPT-CORCS48SG

96" Coronado

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	270lbs
BTU:	100,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORCS96
Flame Sense:	OPT-CORCS96FSML
Plug & Play:	OPT-CORCS96EKIT
Low Voltage:	OPT-CORCS96E12V
Fire Glow:	OPT-CORCS96FG
Spark Glow:	OPT-CORCS96SG

60" Coronado

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	195lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORCS60
Flame Sense:	OPT-CORCS60FSML
Plug & Play:	OPT-CORCS60EKIT
Low Voltage:	OPT-CORCS60E12V
Fire Glow:	OPT-CORCS60FG
Spark Glow:	OPT-CORCS60SG

108" Coronado

Dimensions:	(L) 108" x (H) 15" x (W) 28"
Burning Area:	(L) 90" x (W) 10"
Weight:	320lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORCS108
Flame Sense:	OPT-CORCS108FSML
Plug & Play:	OPT-CORCS108EKIT
Low Voltage:	OPT-CORCS108E12V
Fire Glow:	OPT-CORCS108FG
Spark Glow:	OPT-CORCS108SG

72" Coronado

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	220lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CORCS72
Flame Sense:	OPT-CORCS72FSML
Plug & Play:	OPT-CORCS72EKIT
Low Voltage:	OPT-CORCS72E12V
Fire Glow:	OPT-CORCS72FG
Spark Glow:	OPT-CORCS72SG

84" Coronado

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	245lbs
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORCS84
Flame Sense:	OPT-CORCS84FSML
Plug & Play:	OPT-CORCS84EKIT
Low Voltage:	OPT-CORCS84E12V
Fire Glow:	OPT-CORCS84FG
Spark Glow:	OPT-CORCS84SG

UPGRADES

ACCESSORIES

	48" Coronado	60" Coronado	72" Coronado	84" Coronado	96" Coronado	108" Coronado
BULLET BURNER	OPT-B24SST	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H	OPT-CVR-10828-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280	OPT-RC1292
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214	OPT-WG-9414

CORONADO FIRE PIT

in Hammered Copper



SIZES

CORONADO

48" Coronado

Dimensions:	(L) 48" x (H) 15" x (W)28"
Burning Area:	(L) 30" x (W) 10"
Weight:	175lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORCPR48
Flame Sense:	OPT-CORCPR48FSML
Plug & Play:	OPT-CORCPR48EKIT
Low Voltage:	OPT-CORCPR48E12V
Fire Glow:	OPT-CORCPR48FG
Spark Glow:	OPT-CORCPR48SG

96" Coronado

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	270lbs
BTU:	100,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORCPR96
Flame Sense:	OPT-CORCPR96FSML
Plug & Play:	OPT-CORCPR96EKIT
Low Voltage:	OPT-CORCPR96E12V
Fire Glow:	OPT-CORCPR96FG
Spark Glow:	OPT-CORCPR96SG

60" Coronado

Dimensions:	(L) 60" x (H) 15" x (W)28"
Burning Area:	(L) 42" x (W) 10"
Weight:	195lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CORCPR60
Flame Sense:	OPT-CORCPR60FSML
Plug & Play:	OPT-CORCPR60EKIT
Low Voltage:	OPT-CORCPR60E12V
Fire Glow:	OPT-CORCPR60FG
Spark Glow:	OPT-CORCPR60SG

108" Coronado

Dimensions:	(L) 108" x (H) 15" x (W) 28"
Burning Area:	(L) 90" x (W) 10"
Weight:	320lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORCPR108
Flame Sense:	OPT-CORCPR108FSML
Plug & Play:	OPT-CORCPR108EKIT
Low Voltage:	OPT-CORCPR108E12V
Fire Glow:	OPT-CORCPR108FG
Spark Glow:	OPT-CORCPR108SG

72" Coronado

Dimensions:	(L) 72" x (H) 15" x (W)28"
Burning Area:	(L) 54" x (W) 10"
Weight:	220lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CORCPR72
Flame Sense:	OPT-CORCPR72FSML
Plug & Play:	OPT-CORCPR72EKIT
Low Voltage:	OPT-CORCPR72E12V
Fire Glow:	OPT-CORCPR72FG
Spark Glow:	OPT-CORCPR72SG

84" Coronado

Dimensions:	(L) 84" x (H) 15" x (W)28"
Burning Area:	(L) 66" x (W) 10"
Weight:	245lbs
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CORCPR84
Flame Sense:	OPT-CORCPR84FSML
Plug & Play:	OPT-CORCPR84EKIT
Low Voltage:	OPT-CORCPR84E12V
Fire Glow:	OPT-CORCPR84FG
Spark Glow:	OPT-CORCPR84SG

UPGRADES

ACCESSORIES

	48" Coronado	60" Coronado	72" Coronado	84" Coronado	96" Coronado	108" Coronado
BULLET BURNER	OPT-B24SST	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H	OPT-CVR-10828-15H
STAINLESS LID	OPT-1232SC	OPT-1244SC	OPT-1252SC	OPT-1268SC	OPT-1280SC	OPT-1292SC
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214	OPT-WG-9414

CABO FIRE PITS

FULL COLLECTION

The Cabo Collection: Capturing the Spotlight, One Flame At a Time

The Cabo Fire Pit Collection—an American-Made marvel in modern outdoor luxury. With both square and linear designs, featured on “The Agency,” a Netflix Series, this low-profile centerpiece is the choice of high-end real estate connoisseurs. Experience sophisticated outdoor living with the Cabo Fire Pit, where form meets function in stunning fashion.

Finish: GFRC Concrete / Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Square Fire Pit Sizes: 36” / 48” / 60”

Linear Fire Pit Sizes: 54” / 66” / 90”



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
CABO FIRE PIT COLLECTION



60" SQUARE CABO IN CORTEN STEEL

CABO SQUARE FIRE PIT

in GFRC Concrete



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY




Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN



Rustic Moss Stone
-RMS



Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL




Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV

SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE



SIZES

36" Cabo Square

Dimensions:	(L) 36" x (H) 16" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	245lbs
BTU:	45,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CBSQ36
Flame Sense:	OPT-CBSQ36FSML
Plug & Play:	OPT-CBSQ36EKIT
Low Voltage:	OPT-CBSQ36E12V
Fire Glow:	OPT-CBSQ36FG
Spark Glow:	OPT-CBSQ36SG

48" Cabo Square

Dimensions:	(L) 48" x (H) 16" x (W) 48"
Burning Area:	(L) 28" x (W) 28"
Weight:	355lbs
BTU:	65,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ48
Flame Sense:	OPT-CBSQ48FSML
Plug & Play:	OPT-CBSQ48EKIT
Low Voltage:	OPT-CBSQ48E12V
Fire Glow:	OPT-CBSQ48FG
Spark Glow:	OPT-CBSQ48SG

UPGRADES

ACCESSORIES

36" CABO

48" CABO

BULLET BURNER

OPT-B8SST

OPT-B12SST

CANVAS COVER

OPT-CVR-3636-15H

OPT-CVR-4848-15H

STAINLESS LID

OPT-22SC

OPT-30SC

GLASS WIND GUARD

OPT-WG-2424

OPT-WG-3232

CABO SQUARE FIRE PIT

in Powder Coat



SIZES

36" Cabo Square

Dimensions:	(L) 36" x (H) 16" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CBSQ36PC
Flame Sense:	OPT-CBSQ36PCFSML
Plug & Play:	OPT-CBSQ36PCEKIT
Low Voltage:	OPT-CBSQ36PCE12V
Fire Glow:	OPT-CBSQ36PCFG
Spark Glow:	OPT-CBSQ36PCSG

48" Cabo Square

Dimensions:	(L) 48" x (H) 16" x (W) 48"
Burning Area:	(L) 28" x (W) 28"
Weight:	125lbs
BTU:	160,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ48PC
Flame Sense:	OPT-CBSQ48PCFSML
Plug & Play:	OPT-CBSQ48PCEKIT
Low Voltage:	OPT-CBSQ48PCE12V
Fire Glow:	OPT-CBSQ48PCFG
Spark Glow:	OPT-CBSQ48PCSG

60" Cabo Square

Dimensions:	(L) 60" x (H) 16" x (W) 60"
Burning Area:	(L) 40" x (W) 40"
Weight:	180lbs
BTU:	190,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ60PC
Flame Sense:	OPT-CBSQ60PCFSML
Plug & Play:	OPT-CBSQ60PCEKIT
Low Voltage:	OPT-CBSQ60PCE12V
Fire Glow:	OPT-CBSQ60PCFG
Spark Glow:	OPT-CBSQ60PCSG

CABO SQUARE FIRE PIT

in Stainless Steel



SIZES

36" Cabo Square

Dimensions:	(L) 36" x (H) 16" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CBSQ36SS
Flame Sense:	OPT-CBSQ36SSFSML
Plug & Play:	OPT-CBSQ36SSEKIT
Low Voltage:	OPT-CBSQ36SSE12V
Fire Glow:	OPT-CBSQ36SSFG
Spark Glow:	OPT-CBSQ36SSSG

48" Cabo Square

Dimensions:	(L) 48" x (H) 16" x (W) 48"
Burning Area:	(L) 28" x (W) 28"
Weight:	125lbs
BTU:	160,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ48SS
Flame Sense:	OPT-CBSQ48SSFSML
Plug & Play:	OPT-CBSQ48SSEKIT
Low Voltage:	OPT-CBSQ48SSE12V
Fire Glow:	OPT-CBSQ48SSFG
Spark Glow:	OPT-CBSQ48SSSG

60" Cabo Square

Dimensions:	(L) 60" x (H) 16" x (W) 60"
Burning Area:	(L) 40" x (W) 40"
Weight:	180lbs
BTU:	190,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ60SS
Flame Sense:	OPT-CBSQ60SSFSML
Plug & Play:	OPT-CBSQ60SSEKIT
Low Voltage:	OPT-CBSQ60SSE12V
Fire Glow:	OPT-CBSQ60SSFG
Spark Glow:	OPT-CBSQ60SSSG

UPGRADES

ACCESSORIES

36" CABO

48" CABO

60" CABO

BULLET BURNER

OPT-B12SST

OPT-B18SST

OPT-BRDSS24

CANVAS COVER

OPT-CVR-3636-16H

OPT-CVR-4848-16H

OPT-CVR-6060-16H

STAINLESS LID

OPT-22SC

OPT-30SC

OPT-42SC

GLASS WIND GUARD

OPT-WG-2424

OPT-WG-3232

OPT-WG-4444

CABO SQAURE FIRE PIT

in Corten Steel



SIZES

36" Cabo Square

Dimensions:	(L) 36" x (H) 16" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CBSQ36CS
Flame Sense:	OPT-CBSQ36CSFSML
Plug & Play:	OPT-CBSQ36CSEKIT
Low Voltage:	OPT-CBSQ36CSE12V
Fire Glow:	OPT-CBSQ36CSFG
Spark Glow:	OPT-CBSQ36CSSG

48" Cabo Square

Dimensions:	(L) 48" x (H) 16" x (W) 48"
Burning Area:	(L) 28" x (W) 28"
Weight:	125lbs
BTU:	160,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ48CS
Flame Sense:	OPT-CBSQ48CSFSML
Plug & Play:	OPT-CBSQ48CSEKIT
Low Voltage:	OPT-CBSQ48CSE12V
Fire Glow:	OPT-CBSQ48CSFG
Spark Glow:	OPT-CBSQ48CSSG

60" Cabo Square

Dimensions:	(L) 60" x (H) 16" x (W) 60"
Burning Area:	(L) 40" x (W) 40"
Weight:	180lbs
BTU:	190,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ60CS
Flame Sense:	OPT-CBSQ60CSFSML
Plug & Play:	OPT-CBSQ60CSEKIT
Low Voltage:	OPT-CBSQ60CSE12V
Fire Glow:	OPT-CBSQ60CSFG
Spark Glow:	OPT-CBSQ60CSSG

CABO SQUARE FIRE PIT

in Hammered Copper



SIZES

36" Cabo Square

Dimensions:	(L) 36" x (H) 16" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CBSQ36CPR
Flame Sense:	OPT-CBSQ36CPRFSML
Plug & Play:	OPT-CBSQ36CPREKIT
Low Voltage:	OPT-CBSQ36CPRE12V
Fire Glow:	OPT-CBSQ36CPRFG
Spark Glow:	OPT-CBSQ36CPRSG

48" Cabo Square

Dimensions:	(L) 48" x (H) 16" x (W) 48"
Burning Area:	(L) 28" x (W) 28"
Weight:	125lbs
BTU:	160,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ48CPR
Flame Sense:	OPT-CBSQ48CPRFSML
Plug & Play:	OPT-CBSQ48CPREKIT
Low Voltage:	OPT-CBSQ48CPRE12V
Fire Glow:	OPT-CBSQ48CPRFG
Spark Glow:	OPT-CBSQ48CPRSG

60" Cabo Square

Dimensions:	(L) 60" x (H) 16" x (W) 60"
Burning Area:	(L) 40" x (W) 40"
Weight:	180lbs
BTU:	190,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBSQ60CPR
Flame Sense:	OPT-CBSQ60CPRFSML
Plug & Play:	OPT-CBSQ60CPREKIT
Low Voltage:	OPT-CBSQ60CPRE12V
Fire Glow:	OPT-CBSQ60CPRFG
Spark Glow:	OPT-CBSQ60CPRSG

UPGRADES

ACCESSORIES

36" CABO


48" CABO

60" CABO

BULLET BURNER	OPT-B12SST	OPT-B18SST	OPT-BRDSS24
CANVAS COVER	OPT-CVR-3636-16H	OPT-CVR-4848-16H	OPT-CVR-6060-16H
STAINLESS LID	OPT-20SC	OPT-30SC	OPT-50SC
GLASS WIND GUARD	OPT-WG-2424	OPT-WG-3232	OPT-WG-4444

CABO LINER FIRE PIT

in GFRG Concrete



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY




Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN



Rustic Moss Stone
-RMS



Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL




Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV

SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE



SIZES

56" Cabo Linear

Dimensions:	(L) 56" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN56
Flame Sense:	OPT-CBLN56FSML
Plug & Play:	OPT-CBLN56EKIT
Low Voltage:	OPT-CBLN56E12V
Fire Glow:	OPT-CBLN56FG
Spark Glow:	OPT-CBLN56SG

66" Cabo Linear

Dimensions:	(L) 66" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN56
Flame Sense:	OPT-CBLN56FSML
Plug & Play:	OPT-CBLN56EKIT
Low Voltage:	OPT-CBLN56E12V
Fire Glow:	OPT-CBLN56FG
Spark Glow:	OPT-CBLN56SG

90" Cabo Linear

Dimensions:	(L) 90" x (H) 16" x (W) 38"
Burning Area:	(L) 66" x (W) 16"
Weight:	--
BTU:	100,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-CBLN90
Flame Sense:	OPT-CBLN90FSML
Plug & Play:	OPT-CBLN90EKIT
Low Voltage:	OPT-CBLN90E12V
Fire Glow:	OPT-CBLN90FG
Spark Glow:	OPT-CBLN90SG

UPGRADES

ACCESSORIES 56" Cabo Linear 66" Cabo Linear 90" Cabo Linear

BULLET BURNER	OPT-B24SST	OOPT-B24SST	OPT-B54SST
CANVAS COVER	OPT-CVR-5638-16H	OPT-CVR-6638-16H	OPT-CVR-9038-16H
STAINLESS LID	OPT-RC1838	OPT-RC1838	OPT-RC1868
GLASS WIND GUARD	OPT-WG-4020	OPT-WG-4020	OPT-WG-7020

CABO LINER FIRE PIT

in Powder Coat



56" Cabo Linear

Dimensions:	(L) 56" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	-
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN56PC
Flame Sense:	OPT-CBLN56PCFSML
Plug & Play:	OPT-CBLN56PCEKIT
Low Voltage:	OPT-CBLN56PCE12V
Fire Glow:	OPT-CBLN56PCFG
Spark Glow:	OPT-CBLN56PCSG

66" Cabo Linear

Dimensions:	(L) 66" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	-
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN66PC
Flame Sense:	OPT-CBLN66PCFSML
Plug & Play:	OPT-CBLN66PCEKIT
Low Voltage:	OPT-CBLN66PCE12V
Fire Glow:	OPT-CBLN66PCFG
Spark Glow:	OPT-CBLN66PCSG

90" Cabo Linear

Dimensions:	(L) 90" x (H) 16" x (W) 38"
Burning Area:	(L) 66" x (W) 16"
Weight:	-
BTU:	100,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-CBLN90PC
Flame Sense:	OPT-CBLN90PCFSML
Plug & Play:	OPT-CBLN90PCEKIT
Low Voltage:	OPT-CBLN90PCE12V
Fire Glow:	OPT-CBLN90PCFG
Spark Glow:	OPT-CBLN90PCSG

CABO LINER FIRE PIT

in Stainless Steel



56" Cabo Linear

Dimensions:	(L) 56" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	-
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN56SS
Flame Sense:	OPT-CBLN56SSFSML
Plug & Play:	OPT-CBLN56SSEKIT
Low Voltage:	OPT-CBLN56SSE12V
Fire Glow:	OPT-CBLN56SSFG
Spark Glow:	OPT-CBLN56SSSG

66" Cabo Linear

Dimensions:	(L) 66" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	-
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN66SS
Flame Sense:	OPT-CBLN66SSFSML
Plug & Play:	OPT-CBLN66SSEKIT
Low Voltage:	OPT-CBLN66SSE12V
Fire Glow:	OPT-CBLN66SSFG
Spark Glow:	OPT-CBLN66SSSG

90" Cabo Linear

Dimensions:	(L) 90" x (H) 16" x (W) 38"
Burning Area:	(L) 66" x (W) 16"
Weight:	-
BTU:	100,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-CBLN90SS
Flame Sense:	OPT-CBLN90SSFSML
Plug & Play:	OPT-CBLN90SSEKIT
Low Voltage:	OPT-CBLN90SSE12V
Fire Glow:	OPT-CBLN90SSFG
Spark Glow:	OPT-CBLN90SSSG

UPGRADES

ACCESSORIES

56" Cabo Linear

66" Cabo Linear

90" Cabo Linear

BULLET BURNER

OPT-B24SST

OPT-B36SST

OPT-B54SST

CANVAS COVER

OPT-CVR-5638-16H

OPT-CVR-6638-16H

OPT-CVR-9038-16H

STAINLESS LID

OPT-RC1838

OPT-RC1850

OPT-RC1868

GLASS WIND GUARD

OPT-WG-4020

OPT-WG-4020

OPT-WG-7020

CABO LINER FIRE PIT

in Corten Steel



SIZES

56" Cabo Linear

Dimensions:	(L) 56" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN56CS
Flame Sense:	OPT-CBLN56CSFSML
Plug & Play:	OPT-CBLN56CSEKIT
Low Voltage:	OPT-CBLN56CSE12V
Fire Glow:	OPT-CBLN56CSFG
Spark Glow:	OPT-CBLN56CSSG

66" Cabo Linear

Dimensions:	(L) 66" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN66CS
Flame Sense:	OPT-CBLN66CSFSML
Plug & Play:	OPT-CBLN66CSEKIT
Low Voltage:	OPT-CBLN66CSE12V
Fire Glow:	OPT-CBLN66CSFG
Spark Glow:	OPT-CBLN66CSSG

90" Cabo Linear

Dimensions:	(L) 90" x (H) 16" x (W) 38"
Burning Area:	(L) 66" x (W) 16"
Weight:	--
BTU:	100,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-CBLN90CS
Flame Sense:	OPT-CBLN90CSFSML
Plug & Play:	OPT-CBLN90CSEKIT
Low Voltage:	OPT-CBLN90CSE12V
Fire Glow:	OPT-CBLN90CSFG
Spark Glow:	OPT-CBLN90CSSG

CABO LINER FIRE PIT

in Hammered Copper



SIZES

56" Cabo Linear

Dimensions:	(L) 56" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN56CPR
Flame Sense:	OPT-CBLN56CPRFSML
Plug & Play:	OPT-CBLN56CPREKIT
Low Voltage:	OPT-CBLN56CPRE12V
Fire Glow:	OPT-CBLN56CPRFG
Spark Glow:	OPT-CBLN56CPRSG

66" Cabo Linear

Dimensions:	(L) 66" x (H) 16" x (W) 38"
Burning Area:	(L) 36" x (W) 16"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CBLN66CPR
Flame Sense:	OPT-CBLN66CPRFSML
Plug & Play:	OPT-CBLN66CPREKIT
Low Voltage:	OPT-CBLN66CPRE12V
Fire Glow:	OPT-CBLN66CPRFG
Spark Glow:	OPT-CBLN66CPRSG

90" Cabo Linear

Dimensions:	(L) 90" x (H) 16" x (W) 38"
Burning Area:	(L) 66" x (W) 16"
Weight:	--
BTU:	100,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-CBLN90CPR
Flame Sense:	OPT-CBLN90CPRFSML
Plug & Play:	OPT-CBLN90CPREKIT
Low Voltage:	OPT-CBLN90CPRE12V
Fire Glow:	OPT-CBLN90CPRFG
Spark Glow:	OPT-CBLN90CPRSG

UPGRADES

ACCESSORIES

56" Cabo Linear

66" Cabo Linear

90" Cabo Linear

BULLET BURNER OPT-B24SST

OPT-B24SST

OPT-B54SST

CANVAS COVER OPT-CVR-5638-16H

OPT-CVR-6638-16H

OPT-CVR-9038-16H

STAINLESS LID OPT-RC1838

OPT-RC1850

OPT-RC1868

GLASS WIND GUARD OPT-WG-4020

OPT-WG-4020

OPT-WG-7020

CATALINA

FIRE PIT

The Ultimate Dining Experience Awaits

Elevate your restaurant's outdoor dining experience with the Catalina Fire Pit. Thoughtfully designed with generous length and width, this fire pit offers a two-in-one solution: unparalleled warmth for your guests and a spacious ledge to accommodate drinks or even seating. Create an inviting, luxurious atmosphere that keeps your guests coming back for more, all in one exquisite, American-made centerpiece.

Finish: GFRC Concrete Wood Grain

Sizes: 48" / 60" / 72" / 84" / 96" / 108" / 120"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
CATALINA FIRE PIT




120" CATALINA IN GFRC WG IVORY

CATALINA FIRE PIT

in GFRG Wood Grain



Oak
-OAK



Ivory
-IVY



Ebony
-EBN



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE

SIZES

48" Catalina

Dimensions:	(L) 48" x (H) 24" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	235lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CTL48
Flame Sense:	OPT-CTL48FSML
Plug & Play:	OPT-CTL48EKIT
Low Voltage:	OPT-CTL48E12V
Fire Glow:	OPT-CTL48FG
Spark Glow:	OPT-CTL48SG

96" Catalina

Dimensions:	(L) 96" x (H) 24" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	690lbs
BTU:	100,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CTL96
Flame Sense:	OPT-CTL96FSML
Plug & Play:	OPT-CTL96EKIT
Low Voltage:	OPT-CTL96E12V
Fire Glow:	OPT-CTL96FG
Spark Glow:	OPT-CTL96SG

60" Catalina

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	375lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CTL60
Flame Sense:	OPT-CTL60FSML
Plug & Play:	OPT-CTL60EKIT
Low Voltage:	OPT-CTL60E12V
Fire Glow:	OPT-CTL60FG
Spark Glow:	OPT-CTL60SG

108" Catalina

Dimensions:	(L) 108" x (H) 24" x (W) 28"
Burning Area:	(L) 90" x (W) 10"
Weight:	765lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CTL108
Flame Sense:	OPT-CTL108FSML
Plug & Play:	OPT-CTL108EKIT
Low Voltage:	OPT-CTL108E12V
Fire Glow:	OPT-CTL108FG
Spark Glow:	OPT-CTL108SG

72" Catalina

Dimensions:	(L) 72" x (H) 24" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	455lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CTL72
Flame Sense:	OPT-CTL72FSML
Plug & Play:	OPT-CTL72EKIT
Low Voltage:	OPT-CTL72E12V
Fire Glow:	OPT-CTL72FG
Spark Glow:	OPT-CTL72SG

120" Catalina

Dimensions:	(L) 120" x (H) 24" x (W) 28"
Burning Area:	(L) 102" x (W) 10"
Weight:	835lbs
BTU:	125,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-CTL120
Flame Sense:	OPT-CTL120FSML
Plug & Play:	OPT-CTL120EKIT
Low Voltage:	OPT-CTL120E12V
Fire Glow:	OPT-CTL120FG
Spark Glow:	OPT-CTL120SG

84" Catalina

Dimensions:	(L) 84" x (H) 24" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	610lbs
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CTL84
Flame Sense:	OPT-CTL84FSML
Plug & Play:	OPT-CTL84EKIT
Low Voltage:	OPT-CTL84E12V
Fire Glow:	OPT-CTL84FG
Spark Glow:	OPT-CTL84SG

UPGRADES

ACCESSORIES

48" Coronado

60" Coronado

72" Coronado

84" Coronado

96" Coronado

108" Coronado

120" Coronado

BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B66SST	OPT-B78SST	OPT-B90SST	OPT-B102SST
CANVAS COVER	OPT-CVR-4828-24H	OPT-CVR-6028-24H	OPT-CVR-7228-24H	OPT-CVR-8428-24H	OPT-CVR-9628-24H	OPT-CVR-10828-24H	OPT-CVR-12028-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280	OPT-RC1292	OPT-RC12104
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214	OPT-WG-9414	OPT-WG-10614

CARMEN

FIRE PIT

The Heart of Every Season.

The Carmen Fire Pit, your four-season companion for both intimate family evenings and lively gatherings with friends. Its unique tall and thin design features a spacious ledge, perfect for drinks and snacks, offering a blend of aesthetics and utility. Don't just adapt to the seasons—celebrate them with the Carmen Fire Pit, the ultimate American-made centerpiece for your outdoor living space.

Finish: GFRC Concrete / Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Sizes: 72" [16" Tall] / 72" [24" Tall]



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
CATALINA FIRE PIT



72" CARMEN - 24" TALL IN STAINLESS STEEL

CARMEN FIRE PIT

in GFRC Concrete



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY




Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN



Rustic Moss Stone
-RMS



Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL




Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV

SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE



SIZES

72" Carmen - 16" Tall

Dimensions:	(L) 72" x (H) 16" x (W)16"
Burning Area:	(L) 52" x (W) 9"
Weight:	465lbs
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRM7216
Flame Sense:	OPT-CRM7216FSML
Plug & Play:	OPT-CRM7216EKIT
Low Voltage:	OPT-CRM7216E12V
Fire Glow:	OPT-CRM7216FG
Spark Glow:	OPT-CRM7216SG

72" Carmen - 24" Tall

Dimensions:	(L) 72" x (H) 24" x (W)16"
Burning Area:	(L) 52" x (W) 9"
Weight:	465lbs
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRM7224
Flame Sense:	OPT-CRM7224FSML
Plug & Play:	OPT-CRM7224EKIT
Low Voltage:	OPT-CRM7224E12V
Fire Glow:	OPT-CRM7224FG
Spark Glow:	OPT-CRM7224SG

UPGRADES

ACCESSORIES 72" Carmen - 16" Tall 72" Carmen - 24" Tall

BULLET BURNER	OPT-B24SST	OPT-B24SST
CANVAS COVER	OPT-CVR-7216-16H	OPT-CVR-7224-16H
STAINLESS LID	OPT-RC1156	OPT-RC1156
GLASS WIND GUARD	OPT-WG-4812	OPT-WG-4812

CARMEN FIRE PIT

in Powder Coat



SIZES

Carmen - 16" Tall

Dimensions:	(L) 72" x (H) 16" x (W) 16"
Burning Area:	(L) 52" x (W) 9"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRMPC7216
Flame Sense:	OPT-CRMPC7216FSML
Plug & Play:	OPT-CRMPC7216EKIT
Low Voltage:	OPT-CRMPC7216E12V
Fire Glow:	OPT-CRMPC7216FG
Spark Glow:	OPT-CRMPC7216SG

Carmen - 24" Tall

Dimensions:	(L) 72" x (H) 24" x (W) 16"
Burning Area:	(L) 52" x (W) 9"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRMPC7224
Flame Sense:	OPT-CRMPC7224FSML
Plug & Play:	OPT-CRMPC7224EKIT
Low Voltage:	OPT-CRMPC7224E12V
Fire Glow:	OPT-CRMPC7224FG
Spark Glow:	OPT-CRMPC7224SG

CARMEN FIRE PIT

in Stainless Steel



SIZES

Carmen - 16" Tall

Dimensions:	(L) 72" x (H) 16" x (W) 16"
Burning Area:	(L) 52" x (W) 9"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRMSS7216
Flame Sense:	OPT-CRMSS7216FSML
Plug & Play:	OPT-CRMSS7216EKIT
Low Voltage:	OPT-CRMSS7216E12V
Fire Glow:	OPT-CRMSS7216FG
Spark Glow:	OPT-CRMSS7216SG

Carmen - 24" Tall

Dimensions:	(L) 72" x (H) 24" x (W) 16"
Burning Area:	(L) 52" x (W) 9"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRMSS7224
Flame Sense:	OPT-CRMSS7224FSML
Plug & Play:	OPT-CRMSS7224EKIT
Low Voltage:	OPT-CRMSS7224E12V
Fire Glow:	OPT-CRMSS7224FG
Spark Glow:	OPT-CRMSS7224SG

UPGRADES

ACCESSORIES 72" Carmen - 16" Tall 72" Carmen - 24" Tall

BULLET BURNER	OPT-B24SST	OPT-B24SST
CANVAS COVER	OPT-CVR-7216-16H	OPT-CVR-7224-16H
STAINLESS LID	OPT-RC1156	OPT-RC1156
GLASS WIND GUARD	OPT-WG-4812	OPT-WG-4812

CARMEN FIRE PIT

in Corten Steel



SIZES

Carmen - 16" Tall

Dimensions:	(L) 72" x (H) 16" x (W) 16"
Burning Area:	(L) 52" x (W) 9"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRMCS7216
Flame Sense:	OPT-CRMCS7216FSML
Plug & Play:	OPT-CRMCS7216EKIT
Low Voltage:	OPT-CRMCS7216E12V
Fire Glow:	OPT-CRMCS7216FG
Spark Glow:	OPT-CRMCS7216SG

Carmen - 24" Tall

Dimensions:	(L) 72" x (H) 24" x (W) 16"
Burning Area:	(L) 52" x (W) 9"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRMCS7224
Flame Sense:	OPT-CRMCS7224FSML
Plug & Play:	OPT-CRMCS7224EKIT
Low Voltage:	OPT-CRMCS7224E12V
Fire Glow:	OPT-CRMCS7224FG
Spark Glow:	OPT-CRMCS7224SG

CARMEN FIRE PIT

in Hammered Copper



SIZES

Carmen - 16" Tall

Dimensions:	(L) 72" x (H) 16" x (W) 16"
Burning Area:	(L) 52" x (W) 9"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRMCPR7216
Flame Sense:	OPT-CRMCPR7216FSML
Plug & Play:	OPT-CRMCPR7216EKIT
Low Voltage:	OPT-CRMCPR7216E12V
Fire Glow:	OPT-CRMCPR7216FG
Spark Glow:	OPT-CRMCPR7216SG

Carmen - 24" Tall

Dimensions:	(L) 72" x (H) 24" x (W) 16"
Burning Area:	(L) 52" x (W) 9"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CRMCPR7224
Flame Sense:	OPT-CRMCPR7224FSML
Plug & Play:	OPT-CRMCPR7224EKIT
Low Voltage:	OPT-CRMCPR7224E12V
Fire Glow:	OPT-CRMCPR7224FG
Spark Glow:	OPT-CRMCPR7224SG

UPGRADES

ACCESSORIES 72" Carmen - 16" Tall 72" Carmen - 24" Tall

BULLET BURNER	OPT-B24SST	OPT-B24SST
CANVAS COVER	OPT-CVR-7216-16H	OPT-CVR-7224-16H
STAINLESS LID	OPT-RC1156	OPT-RC1156
GLASS WIND GUARD	OPT-WG-4812	OPT-WG-4812

NEWPORT

FIRE TABLE

Command Your Space with the Newport Fire Table

Turn your restaurant's outdoor area into a masterpiece of elegance and brand recognition with the Newport Fire Table. Made from top-tier GFRC Concrete and fully customizable, this American-made fire table effortlessly accommodates larger groups, setting the stage for memorable dining experiences. Add your restaurant's logo for a tailored, established presence that commands and owns the space. The Newport Fire Table isn't just a piece of furniture; it's a powerful statement of luxury and exclusivity.

Finish: GFRC Concrete / Powder Coat

Sizes: 72" / 120" / 144"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
NEWPORT FIRE TABLE



CUSTOM NEWPORT IN GFRC CONCRETE

NEWPORT FIRE TABLE

in GFRC Concrete



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY




Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN



Rustic Moss Stone
-RMS



Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL




Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV

SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE



SIZES

72" Newport

Dimensions:	(L) 72" x (H) 20" x (W) 36"
Burning Area:	(L) 48" x (W) 12"
Weight:	1100lbs
BTU:	70,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-NPTT72
Flame Sense:	OPT-NPTT72FSML
Plug & Play:	OPT-NPTT72EKIT
Low Voltage:	OPT-NPTT72E12V
Fire Glow:	OPT-NPTT72FG
Spark Glow:	OPT-NPTT72SG

120" Newport

Dimensions:	(L) 120" x (H) 20" x (W) 48"
Burning Area:	(L) 78" x (W) 12"
Weight:	1465lbs
BTU:	120,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-NPTT120
Flame Sense:	OPT-NPTT120FSML
Plug & Play:	OPT-NPTT120EKIT
Low Voltage:	OPT-NPTT120E12V
Fire Glow:	OPT-NPTT120FG
Spark Glow:	OPT-NPTT120SG

144" Newport

Dimensions:	(L) 144" x (H) 20" x (W) 48"
Burning Area:	(L) 102" x (W) 12"
Weight:	1750lbs
BTU:	240,000
Fire Glass Sugg:	175lbs

Match Lit:	OPT-NPTT144
Flame Sense:	OPT-NPTT144FSML
Plug & Play:	OPT-NPTT144EKIT
Low Voltage:	OPT-NPTT144E12V
Fire Glow:	OPT-NPTT144FG
Spark Glow:	OPT-NPTT144SG

UPGRADES

ACCESSORIES 72" Newport 120" Newport 144" Newport

BULLET BURNER	OPT-B42SST	OPT-B72SST	OPT-B96SST
CANVAS COVER	OPT-CVR-7236-30H	OPT-CVR-7248-30H	OPT-CVR-7248-30H
STAINLESS LID	OPT-RC1450	OPT-RC1480	OPT-RC14104
GLASS WIND GUARD	OPT-WG-5216	OPT-WG-8216	OPT-WG-10616

NEWPORT FIRE TABLE

in Powder Coat



POWDER COAT FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV




Silver Vein
-SLV




Java
-JAV



Military Green
-MGR




Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

SIZES

72" Newport

Dimensions:	(L) 72" x (H) 20" x (W) 36"
Burning Area:	(L) 48" x (W) 12"
Weight:	1100lbs
BTU:	70,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-NPTTPC72
Flame Sense:	OPT-NPTTPC72FSML
Plug & Play:	OPT-NPTTPC72EKIT
Low Voltage:	OPT-NPTTPC72E12V
Fire Glow:	OPT-NPTTPC72FG
Spark Glow:	OPT-NPTTPC72SG

120" Newport

Dimensions:	(L) 120" x (H) 20" x (W) 36"
Burning Area:	(L) 78" x (W) 12"
Weight:	1465lbs
BTU:	120,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-NPTTPC120
Flame Sense:	OPT-NPTTPC120FSML
Plug & Play:	OPT-NPTTPC120EKIT
Low Voltage:	OPT-NPTTPC120E12V
Fire Glow:	OPT-NPTTPC120FG
Spark Glow:	OPT-NPTTPC120SG

144" Newport

Dimensions:	(L) 144" x (H) 20" x (W) 36"
Burning Area:	(L) 102" x (W) 12"
Weight:	1750lbs
BTU:	240,000
Fire Glass Sugg:	175lbs

Match Lit:	OPT-NPTTPC144
Flame Sense:	OPT-NPTTPC144FSML
Plug & Play:	OPT-NPTTPC144EKIT
Low Voltage:	OPT-NPTTPC144E12V
Fire Glow:	OPT-NPTTPC144FG
Spark Glow:	OPT-NPTTPC144SG

UPGRADES

ACCESSORIES 72" Newport 120" Newport 144" Newport

BULLET BURNER	OPT-B42SST	OPT-B72SST	OPT-B96SST
CANVAS COVER	OPT-CVR-7236-30H	OPT-CVR-12036-30H	OPT-CVR-14436-30H
STAINLESS LID	OPT-RC1450	OPT-RC1480	OPT-RC14102
GLASS WIND GUARD	OPT-WG-5216	OPT-WG-8216	OPT-WG-10416

LA PINTA

FIRE TABLE

La Pinta Fire Table: Sail the Seas in Your Backyard

Explore the extraordinary with the La Pinta Fire Table—a fully customizable, ship-shaped marvel crafted by skilled artisans. Turn your outdoor space into an entertainment hub with optional Surround Sound, perfect for those who don't just follow trends, and would rather be the ones to set them. With the La Pinta Fire Table, you're not just acquiring a fire feature; you're anchoring a one-of-a-kind experience. Be the envy of the neighborhood with this awe-inspiring, American-made centerpiece.

Finish: Powder Coat

Sizes: 72"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
LA PINTA FIRE PIT



LA PINTA IN STAINLESS STEEL & POWDER COAT BLACK

LA PINTA FIRE TABLE

in Powder Coat



SIZES

72" La Pinta

Dimensions: (L) 72" x (H) 57" x (W) 36"

Burning Area: (L) 52" x (W) 14"

Weight: 1100lbs

BTU: 70,000

Fire Glass Sugg: 125lbs

Match Lit: OPT-PNT72

Flame Sense: OPT-PNT72FSML

Plug & Play: OPT-PNT72EKIT

Low Voltage: OPT-PNT72E12V

Fire Glow: OPT-PNT72FG

Spark Glow: OPT-PNT72SG

UPGRADES

ACCESSORIES La Pinta

CANVAS COVER OPT-CVR-7236-30H

SURROUND SOUND --

LED LIGHTS --



MESA

FIRE TABLE

Modern Elegance with Style

Transform your outdoor living area with the Mesa Fire Table—a sublime blend of simplicity and sophistication. Its uniquely active shape provides the right amount of edge to suit modern homes. Don't settle for ordinary when you can accentuate your outdoor space with this stylish, American-made showstopper. The Mesa Fire Table isn't just another piece of furniture; it's an invitation to a lifestyle.

Finish: Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Sizes: 48" / 60" / 72" / 84"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
MESA FIRE TABLE



72" MESA IN CORTEN STEEL

MESA FIRE TABLE

in Powder Coat




POWDER COAT FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV




Silver Vein
-SLV




Java
-JAV




Military Green
-MGR




Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

SIZES

48" Mesa

Dimensions:	(L) 48" x (H) 24" x (W)24"
Burning Area:	(L) 36" x (W) 12"
Weight:	120lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-PCTT4824
Flame Sense:	OPT-PCTT4824FSML
Plug & Play:	OPT-PCTT4824EKIT
Low Voltage:	OPT-PCTT4824E12V
Fire Glow:	OPT-PCTT4824FG
Spark Glow:	OPT-PCTT4824SG

60" Mesa

Dimensions:	(L) 60" x (H) 24" x (W)24"
Burning Area:	(L) 48" x (W) 12"
Weight:	180lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-PCTT6024
Flame Sense:	OPT-PCTT6024FSML
Plug & Play:	OPT-PCTT6024EKIT
Low Voltage:	OPT-PCTT6024E12V
Fire Glow:	OPT-PCTT6024FG
Spark Glow:	OPT-PCTT6024SG

72" Mesa

Dimensions:	(L) 72" x (H) 24" x (W)24"
Burning Area:	(L) 60" x (W) 12"
Weight:	240lbs
BTU:	90,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-PCTT7224
Flame Sense:	OPT-PCTT7224FSML
Plug & Play:	OPT-PCTT7224EKIT
Low Voltage:	OPT-PCTT7224E12V
Fire Glow:	OPT-PCTT7224FG
Spark Glow:	OPT-PCTT7224SG

84" Mesa

Dimensions:	(L) 84" x (H) 24" x (W)24"
Burning Area:	(L) 72" x (W) 12"
Weight:	315lbs
BTU:	110,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-PCTT8424
Flame Sense:	OPT-PCTT8424FSML
Plug & Play:	OPT-PCTT8424EKIT
Low Voltage:	OPT-PCTT8424E12V
Fire Glow:	OPT-PCTT8424FG
Spark Glow:	OPT-PCTT8424SG

UPGRADES

ACCESSORIES

	48" Mesa	60" Mesa	72" Mesa	84" Mesa
BULLET BURNER	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B66SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H	OPT-CVR-7224-24H	OPT-CVR-8424-24H
STAINLESS LID	OPT-RC1438	OPT-RC1450	OPT-RC1462	OPT-RC1474
GLASS WIND GUARD	OPT-WG-4016	OPT-WG-5216	OPT-WG-6416	OPT-WG-7616

MESA FIRE TABLE

in Corten Steel



UPGRADES

ACCESSORIES	48" Mesa	60" Mesa	72" Mesa	84" Mesa
BULLET BURNER	OPT-B36SST	OPT-B48SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H	OPT-CVR-7224-24H	OPT-CVR-8424-24H
STAINLESS LID	OPT-RC1438	OPT-RC1450	OPT-RC1462	OPT-RC1474
GLASS WIND GUARD	OPT-WG-4016	OPT-WG-5216	OPT-WG-6416	OPT-WG-7616

SIZES

48" Mesa

Dimensions:	(L) 48" x (H) 24" x (W)24"
Burning Area:	(L) 36" x (W) 12"
Weight:	120lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CSTT4824
Flame Sense:	OPT-CSTT4824FSML
Plug & Play:	OPT-CSTT4824EKIT
Low Voltage:	OPT-CSTT4824E12V
Fire Glow:	OPT-CSTT4824FG
Spark Glow:	OPT-CSTT4824SG

60" Mesa

Dimensions:	(L) 60" x (H) 24" x (W)24"
Burning Area:	(L) 48" x (W) 12"
Weight:	180lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CSTT6024
Flame Sense:	OPT-CSTT6024FSML
Plug & Play:	OPT-CSTT6024EKIT
Low Voltage:	OPT-CSTT6024E12V
Fire Glow:	OPT-CSTT6024FG
Spark Glow:	OPT-CSTT6024SG

72" Mesa

Dimensions:	(L) 72" x (H) 24" x (W)24"
Burning Area:	(L) 60" x (W) 12"
Weight:	240lbs
BTU:	90,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CSTT7224
Flame Sense:	OPT-CSTT7224FSML
Plug & Play:	OPT-CSTT7224EKIT
Low Voltage:	OPT-CSTT7224E12V
Fire Glow:	OPT-CSTT7224FG
Spark Glow:	OPT-CSTT7224SG

84" Mesa

Dimensions:	(L) 84" x (H) 24" x (W)24"
Burning Area:	(L) 72" x (W) 12"
Weight:	315lbs
BTU:	110,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CSTT8424
Flame Sense:	OPT-CSTT8424FSML
Plug & Play:	OPT-CSTT8424EKIT
Low Voltage:	OPT-CSTT8424E12V
Fire Glow:	OPT-CSTT8424FG
Spark Glow:	OPT-CSTT8424SG

MESA FIRE TABLE

in Stainless Steel



UPGRADES

ACCESSORIES	48" Mesa	60" Mesa	72" Mesa	84" Mesa
BULLET BURNER	OPT-B36SST	OPT-B42SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H	OPT-CVR-7224-24H	OPT-CVR-8424-24H
STAINLESS LID	OPT-RC1438	OPT-RC1450	OPT-RC1462	OPT-RC1474
GLASS WIND GUARD	OPT-WG-4016	OPT-WG-5216	OPT-WG-6416	OPT-WG-7616

SIZES

48" Mesa

Dimensions:	(L) 48" x (H) 24" x (W)24"
Burning Area:	(L) 36" x (W) 12"
Weight:	120lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SSTT4824
Flame Sense:	OPT-SSTT4824FSML
Plug & Play:	OPT-SSTT4824EKIT
Low Voltage:	OPT-SSTT4824E12V
Fire Glow:	OPT-SSTT4824FG
Spark Glow:	OPT-SSTT4824SG

60" Mesa

Dimensions:	(L) 60" x (H) 24" x (W)24"
Burning Area:	(L) 48" x (W) 12"
Weight:	180lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-SSTT6024
Flame Sense:	OPT-SSTT6024FSML
Plug & Play:	OPT-SSTT6024EKIT
Low Voltage:	OPT-SSTT6024E12V
Fire Glow:	OPT-SSTT6024FG
Spark Glow:	OPT-SSTT6024SG

72" Mesa

Dimensions:	(L) 72" x (H) 24" x (W)24"
Burning Area:	(L) 60" x (W) 12"
Weight:	240lbs
BTU:	90,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-SSTT7224
Flame Sense:	OPT-SSTT7224FSML
Plug & Play:	OPT-SSTT7224EKIT
Low Voltage:	OPT-SSTT7224E12V
Fire Glow:	OPT-SSTT7224FG
Spark Glow:	OPT-SSTT7224SG

84" Mesa

Dimensions:	(L) 84" x (H) 24" x (W)24"
Burning Area:	(L) 72" x (W) 12"
Weight:	315lbs
BTU:	110,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-SSTT8424
Flame Sense:	OPT-SSTT8424FSML
Plug & Play:	OPT-SSTT8424EKIT
Low Voltage:	OPT-SSTT8424E12V
Fire Glow:	OPT-SSTT8424FG
Spark Glow:	OPT-SSTT8424SG

MESA FIRE TABLE

in Hammered Copper



UPGRADES

ACCESSORIES	48" Mesa	60" Mesa	72" Mesa	84" Mesa
BULLET BURNER	OPT-B36SST	OPT-B48SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H	OPT-CVR-7224-24H	OPT-CVR-8424-24H
STAINLESS LID	OPT-RC1438	OPT-RC1450	OPT-RC1462	OPT-RC1474
GLASS WIND GUARD	OPT-WG-4016	OPT-WG-5216	OPT-WG-6416	OPT-WG-7616

SIZES

48" Mesa

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 12"
Weight:	120lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CPRTT4824
Flame Sense:	OPT-CPRTT4824FSML
Plug & Play:	OPT-CPRTT4824EKIT
Low Voltage:	OPT-CPRTT4824E12V
Fire Glow:	OPT-CPRTT4824FG
Spark Glow:	OPT-CPRTT4824SG

60" Mesa

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 12"
Weight:	180lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CPRTT6024
Flame Sense:	OPT-CPRTT6024FSML
Plug & Play:	OPT-CPRTT6024EKIT
Low Voltage:	OPT-CPRTT6024E12V
Fire Glow:	OPT-CPRTT6024FG
Spark Glow:	OPT-CPRTT6024SG

72" Mesa

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 60" x (W) 12"
Weight:	240lbs
BTU:	90,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CPRTT7224
Flame Sense:	OPT-CPRTT7224FSML
Plug & Play:	OPT-CPRTT7224EKIT
Low Voltage:	OPT-CPRTT7224E12V
Fire Glow:	OPT-CPRTT7224FG
Spark Glow:	OPT-CPRTT7224SG

84" Mesa

Dimensions:	(L) 84" x (H) 24" x (W) 24"
Burning Area:	(L) 72" x (W) 12"
Weight:	315lbs
BTU:	110,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CPRTT8424
Flame Sense:	OPT-CPRTT8424FSML
Plug & Play:	OPT-CPRTT8424EKIT
Low Voltage:	OPT-CPRTT8424E12V
Fire Glow:	OPT-CPRTT8424FG
Spark Glow:	OPT-CPRTT8424SG

BEVERLY

FIRE PIT

Big Luxury, Compact Design

Designed with modernity and luxury in mind, this round American-made fire pit features a sleek ledge, perfect for enjoying mimosas or hors d'oeuvres. Complete with a hidden propane door, the Beverly effortlessly turns any small space into an intimate, chic setting. Just like its namesake, Beverly Hills, the Beverly Fire Pit brings timeless elegance to limited spaces.

Finish: Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Sizes: 30" / 36" / 42"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
BEVERLY FIRE PIT



36" BEVERLY IN POWDER COAT WHITE

BEVERLY FIRE PIT

in Powder Coat



POWDER COAT FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV




Silver Vein
-SLV



Java
-JAV



Military Green
-MGR



Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

SIZES

30" Beverly

Dimensions: (D) 30" x (H) 24"

Burning Area: (D) 13"

Weight: 105lbs

BTU: 65,000

Fire Glass Sugg: 50lbs

Match Lit: OPT-30PCB

Flame Sense: OPT-30PCBFSML

Plug & Play: OPT-30PCBEKIT

Low Voltage: OPT-30PCBE12V

Fire Glow: OPT-30PCBFG

Spark Glow: OPT-30PCBSG

36" Beverly

Dimensions: (D) 36" x (H) 24"

Burning Area: (D) 19"

Weight: 150lbs

BTU: 160,000

Fire Glass Sugg: 50lbs

Match Lit: OPT-36PCB

Flame Sense: OPT-36PCBFSML

Plug & Play: OPT-36PCBEKIT

Low Voltage: OPT-36PCBE12V

Fire Glow: OPT-36PCBFG

Spark Glow: OPT-36PCBSG

42" Beverly

Dimensions: (D) 42" x (H) 24"

Burning Area: (D) 25"

Weight: 185lbs

BTU: 190,000

Fire Glass Sugg: 75lbs

Match Lit: OPT-42PCB

Flame Sense: OPT-42PCBFSML

Plug & Play: OPT-42PCBEKIT

Low Voltage: OPT-42PCBE12V

Fire Glow: OPT-42PCBFG

Spark Glow: OPT-42PCBSG

UPGRADES

ACCESSORIES 30" Beverly 36" Beverly 42" Beverly

BULLET BURNER OPT-BRDSS13 OPT-BRDSS19 OPT-BRDSS25

CANVAS COVER OPT-CVR-30R-24H OPT-CVR-36R-24H OPT-CVR-42R-24H

STAINLESS LID OPT-15RC OPT-21RC OPT-27RC

BEVERLY FIRE PIT

in Stainless Steel



SIZES

30" Beverly

Dimensions:	(D) 30" x (H) 24"
Burning Area:	(D) 13"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-30RRSS
Flame Sense:	OPT-30RRSSFSML
Plug & Play:	OPT-30RRSSEKIT
Low Voltage:	OPT-30RRSSE12V
Fire Glow:	OPT-30RRSSFG
Spark Glow:	OPT-30RRSSSG

36" Beverly

Dimensions:	(D) 36" x (H) 24"
Burning Area:	(D) 19"
Weight:	150lbs
BTU:	160,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-36RRSS
Flame Sense:	OPT-36RRSSFSML
Plug & Play:	OPT-36RRSSEKIT
Low Voltage:	OPT-36RRSSE12V
Fire Glow:	OPT-36RRSSFG
Spark Glow:	OPT-36RRSSSG

42" Beverly

Dimensions:	(D) 42" x (H) 24"
Burning Area:	(D) 25"
Weight:	185lbs
BTU:	190,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-42RRSS
Flame Sense:	OPT-42RRSSFSML
Plug & Play:	OPT-42RRSSEKIT
Low Voltage:	OPT-42RRSSE12V
Fire Glow:	OPT-42RRSSFG
Spark Glow:	OPT-42RRSSSG

BEVERLY FIRE PIT

in Corten Steel



SIZES

30" Beverly

Dimensions:	(D) 30" x (H) 24"
Burning Area:	(D) 13"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-30RRCS
Flame Sense:	OPT-30RRCSFSML
Plug & Play:	OPT-30RRCSEKIT
Low Voltage:	OPT-30RRCSE12V
Fire Glow:	OPT-30RRCSFG
Spark Glow:	OPT-30RRCSSG

36" Beverly

Dimensions:	(D) 36" x (H) 24"
Burning Area:	(D) 19"
Weight:	150lbs
BTU:	160,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-36RRCS
Flame Sense:	OPT-36RRCSFSML
Plug & Play:	OPT-36RRCSEKIT
Low Voltage:	OPT-36RRCSE12V
Fire Glow:	OPT-36RRCSFG
Spark Glow:	OPT-36RRCSSG

42" Beverly

Dimensions:	(D) 42" x (H) 24"
Burning Area:	(D) 25"
Weight:	185lbs
BTU:	190,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-42RRCS
Flame Sense:	OPT-42RRCSFSML
Plug & Play:	OPT-42RRCSEKIT
Low Voltage:	OPT-42RRCSE12V
Fire Glow:	OPT-42RRCSFG
Spark Glow:	OPT-42RRCSSG

BEVERLY FIRE PIT

in Hammered Copper



SIZES

30" Beverly

Dimensions:	(D) 30" x (H) 24"
Burning Area:	(D) 13"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-30RRCPR
Flame Sense:	OPT-30RRCPRFSML
Plug & Play:	OPT-30RRCPREKIT
Low Voltage:	OPT-30RRCPRE12V
Fire Glow:	OPT-30RRCPRFG
Spark Glow:	OPT-30RRCPRSG

36" Beverly

Dimensions:	(D) 36" x (H) 24"
Burning Area:	(D) 19"
Weight:	150lbs
BTU:	160,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-36RRCPR
Flame Sense:	OPT-36RRCPRFSML
Plug & Play:	OPT-36RRCPREKIT
Low Voltage:	OPT-36RRCPRE12V
Fire Glow:	OPT-36RRCPRFG
Spark Glow:	OPT-36RRCPRSG

42" Beverly

Dimensions:	(D) 42" x (H) 24"
Burning Area:	(D) 25"
Weight:	185lbs
BTU:	190,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-42RRCPR
Flame Sense:	OPT-42RRCPRFSML
Plug & Play:	OPT-42RRCPREKIT
Low Voltage:	OPT-42RRCPRE12V
Fire Glow:	OPT-42RRCPRFG
Spark Glow:	OPT-42RRCPRSG

UPGRADES

ACCESSORIES

	30" Beverly	36" Beverly	42" Beverly
BULLET BURNER	OPT-BRDSS13	OPT-BRDSS19	OPT-BRDSS25
CANVAS COVER	OPT-CVR-30R-24H	OPT-CVR-36R-24H	OPT-CVR-42R-24H
STAINLESS LID	OPT-15RC	OPT-21RC	OPT-27RC

ALAMEDA

FIRE TABLE

Family Gathering with Style

Experience the best of both worlds with the Alameda Fire Table. This American-made marvel is large enough to comfortably seat two families, creating the perfect centerpiece for memorable moments. Its sleek, uninterrupted design features a central fire pit, offering a warm embrace for both summer nights and chilly seasons. Elegance, functionality, and a hearty dose of American craftsmanship make the Alameda the quintessential gathering spot for those who refuse to compromise on style

Finish: Composite Wood / GFRC Concrete / GFRC Concrete Wood Grain / Powder Coat

Sizes: 60" / 72" / 84" / 96"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
ALAMEDA FIRE PIT



84" ALAMEDA IN COMPOSITE WOOD AND POWDER COAT GRAY

ALAMEDA FIRE TABLE

in Composite Wood



SIZES

60" Alameda

Dimensions:	(L) 60" x (H) 31" x (W) 44"
Burning Area:	(L) 14.5" x (W) 13.5"
Weight:	-
BTU:	20,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-ALMWP60
Flame Sense:	OPT-ALMWP60FSML
Plug & Play:	OPT-ALMWP60EKIT
Low Voltage:	OPT-ALMWP60E12V
Fire Glow:	OPT-ALMWP60FG
Spark Glow:	OPT-ALMWP60SG

72" Alameda

Dimensions:	(L) 72" x (H) 31" x (W) 44"
Burning Area:	(L) 26.5" x (W) 13.5"
Weight:	-
BTU:	40,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-ALMWP72
Flame Sense:	OPT-ALMWP72FSML
Plug & Play:	OPT-ALMWP72EKIT
Low Voltage:	OPT-ALMWP72E12V
Fire Glow:	OPT-ALMWP72FG
Spark Glow:	OPT-ALMWP72SG

84" Alameda

Dimensions:	(L) 84" x (H) 31" x (W) 44"
Burning Area:	(L) 38.5" x (W) 13.5"
Weight:	-
BTU:	40,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-ALMWP84
Flame Sense:	OPT-ALMWP84FSML
Plug & Play:	OPT-ALMWP84EKIT
Low Voltage:	OPT-ALMWP84E12V
Fire Glow:	OPT-ALMWP84FG
Spark Glow:	OPT-ALMWP84SG

96" Alameda

Dimensions:	(L) 96" x (H) 31" x (W) 44"
Burning Area:	(L) 50.5" x (W) 13.5"
Weight:	-
BTU:	40,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-ALMWP96
Flame Sense:	OPT-ALMWP96FSML
Plug & Play:	OPT-ALMWP96EKIT
Low Voltage:	OPT-ALMWP96E12V
Fire Glow:	OPT-ALMWP96FG
Spark Glow:	OPT-ALMWP96SG

UPGRADES

ACCESSORIES	60" Alameda	72" Alameda	84" Alameda	96" Alameda
BULLET BURNER	OPT-B8SST	OPT-B18SST	OPT-B30SST	OPT-B42SST
CANVAS COVER	OPT-CVR-6044-31H	OPT-CVR-7244-31H	OPT-CVR-8444-31H	OPT-CVR-9644-31H
STAINLESS LID	OPT-RC1716	OPT-RC2916	OPT-RC4116	OPT-RC5316
GLASS WIND GUARD	OPT-WG-1918	OPT-WG-3118	OPT-RC4318	OPT-RC5518

ALAMEDA FIRE TABLE

in Powder Coat



SIZES

60" Alameda

Dimensions:	(L) 60" x (H) 31" x (W) 44"
Burning Area:	(L) 14.5" x (W) 13.5"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-ALMPC60
Flame Sense:	OPT-ALMPC60FSML
Plug & Play:	OPT-ALMPC60EKIT
Low Voltage:	OPT-ALMPC60E12V
Fire Glow:	OPT-ALMPC60FG
Spark Glow:	OPT-ALMPC60SG

72" Alameda

Dimensions:	(L) 72" x (H) 31" x (W) 44"
Burning Area:	(L) 26.5" x (W) 13.5"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	

Match Lit:	OPT-ALMPC72
Flame Sense:	OPT-ALMPC72FSML
Plug & Play:	OPT-ALMPC72EKIT
Low Voltage:	OPT-ALMPC72E12V
Fire Glow:	OPT-ALMPC72FG
Spark Glow:	OPT-ALMPC72SG

84" Alameda

Dimensions:	(L) 84" x (H) 31" x (W) 44"
Burning Area:	(L) 38.5" x (W) 13.5"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	

Match Lit:	OPT-ALMPC84
Flame Sense:	OPT-ALMPC84FSML
Plug & Play:	OPT-ALMPC84EKIT
Low Voltage:	OPT-ALMPC84E12V
Fire Glow:	OPT-ALMPC84FG
Spark Glow:	OPT-ALMPC84SG

96" Alameda

Dimensions:	(L) 96" x (H) 31" x (W) 44"
Burning Area:	(L) 50.5" x (W) 13.5"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	

Match Lit:	OPT-ALMPC96
Flame Sense:	OPT-ALMPC96FSML
Plug & Play:	OPT-ALMPC96EKIT
Low Voltage:	OPT-ALMPC96E12V
Fire Glow:	OPT-ALMPC96FG
Spark Glow:	OPT-ALMPC96SG

UPGRADES

ACCESSORIES	60" Alameda	72" Alameda	84" Alameda	96" Alameda
BULLET BURNER	OPT-B8SST	OPT-B18SST	OPT-B30SST	OPT-B42SST
CANVAS COVER	OPT-CVR-6044-31H	OPT-CVR-7244-31H	OPT-CVR-8444-31H	OPT-CVR-9244-31H
STAINLESS LID	OPT-RC1716	OPT-RC2916	OPT-RC4116	OPT-RC5316
GLASS WIND GUARD	OPT-WG-1918	OPT-WG-3118	OPT-RC4318	OPT-RC5518

ALAMEDA FIRE TABLE

in GFRC Concrete | Black & White Collection



SIZES

60" Alameda

Dimensions:	(L) 60" x (H) 31" x (W) 44"
Burning Area:	(L) 14.5" x (W) 13.5"
Weight:	--
BTU:	20,000
Fire Glass Sugg:	

Match Lit:	OPT-ALMPC60-BWC
Flame Sense:	OPT-ALMPC60-BWCFMML
Plug & Play:	OPT-ALMPC60-BWCEKIT
Low Voltage:	OPT-ALMPC60-BWCE12V
Fire Glow:	OPT-ALMPC60-BWCFG
Spark Glow:	OPT-ALMPC60-BWCSG

72" Alameda

Dimensions:	(L) 72" x (H) 31" x (W) 44"
Burning Area:	(L) 26.5" x (W) 13.5"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	

Match Lit:	OPT-ALMPC72-BWC
Flame Sense:	OPT-ALMPC72-BWCFMML
Plug & Play:	OPT-ALMPC72-BWCEKIT
Low Voltage:	OPT-ALMPC72-BWCE12V
Fire Glow:	OPT-ALMPC72-BWCFG
Spark Glow:	OPT-ALMPC72-BWCSG

84" Alameda

Dimensions:	(L) 84" x (H) 31" x (W) 44"
Burning Area:	(L) 38.5" x (W) 13.5"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	

Match Lit:	OPT-ALMPC84-BWC
Flame Sense:	OPT-ALMPC84-BWCFMML
Plug & Play:	OPT-ALMPC84-BWCEKIT
Low Voltage:	OPT-ALMPC84-BWCE12V
Fire Glow:	OPT-ALMPC84-BWCFG
Spark Glow:	OPT-ALMPC84-BWCSG

96" Alameda

Dimensions:	(L) 96" x (H) 31" x (W) 44"
Burning Area:	(L) 50.5" x (W) 13.5"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	

Match Lit:	OPT-ALMPC96-BWC
Flame Sense:	OPT-ALMPC96-BWCFMML
Plug & Play:	OPT-ALMPC96-BWCEKIT
Low Voltage:	OPT-ALMPC96-BWCE12V
Fire Glow:	OPT-ALMPC96-BWCFG
Spark Glow:	OPT-ALMPC96-BWCSG

UPGRADES

ACCESSORIES

	60" Alameda	72" Alameda	84" Alameda	96" Alameda
BULLET BURNER	OPT-B8SST	OPT-B18SST	OPT-B30SST	OPT-B42SST
CANVAS COVER	OPT-CVR-6044-31H	OPT-CVR-7244-31H	OPT-CVR-8444-31H	OPT-CVR-9644-31H
STAINLESS LID	OPT-RC1716	OPT-RC2916	OPT-RC4116	OPT-RC5316
GLASS WIND GUARD	OPT-WG-1918	OPT-WG-3118	OPT-WG-4318	OPT-WG-5518

ALAMEDA FIRE TABLE

in GFRC Wood Grain



SIZES

60" Alameda

Dimensions:	(L) 60" x (H) 30" x (W) 28"
Burning Area:	(L) 14.5" x (W) 13.5"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-ALMWG60
Flame Sense:	OPT-ALMWG60FSML
Plug & Play:	OPT-ALMWG60EKIT
Low Voltage:	OPT-ALMWG60E12V
Fire Glow:	OPT-ALMWG60FG
Spark Glow:	OPT-ALMWG60SG

72" Alameda

Dimensions:	(L) 78" x (H) 30" x (W) 36"
Burning Area:	(L) 26.5" x (W) 13.5"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-ALMWG72
Flame Sense:	OPT-ALMWG72FSML
Plug & Play:	OPT-ALMWG72EKIT
Low Voltage:	OPT-ALMWG72E12V
Fire Glow:	OPT-ALMWG72FG
Spark Glow:	OPT-ALMWG72SG

84" Alameda

Dimensions:	(L) 84" x (H) 30" x (W) --"
Burning Area:	(L) 38.5" x (W) 13.5"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-ALMWG84
Flame Sense:	OPT-ALMWG84FSML
Plug & Play:	OPT-ALMWG84EKIT
Low Voltage:	OPT-ALMWG84E12V
Fire Glow:	OPT-ALMWG84FG
Spark Glow:	OPT-ALMWG84SG

96" Alameda

Dimensions:	(L) 96" x (H) 30" x (W) --"
Burning Area:	(L) 50.5" x (W) 13.5"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-ALMWG96
Flame Sense:	OPT-ALMWG96FSML
Plug & Play:	OPT-ALMWG96EKIT
Low Voltage:	OPT-ALMWG96E12V
Fire Glow:	OPT-ALMWG96FG
Spark Glow:	OPT-ALMWG96SG

UPGRADES

ACCESSORIES	60" Alameda	72" Alameda	84" Alameda	96" Alameda
BULLET BURNER	OPT-B8SST	OPT-B18SST	OPT-B30SST	OPT-B42SST
CANVAS COVER	OPT-CVR-6044-31H	OPT-CVR-7244-31H	OPT-CVR-8444-31H	OPT-CVR-9644-31H
STAINLESS LID	OPT-RC1716	OPT-RC2916	OPT-RC4116	OPT-RC5316
GLASS WIND GUARD	OPT-WG-1918	OPT-WG-3118	OPT-WG-4318	OPT-WG-5518



EAVES

FIRE PITS

Modern Luxury with Every Ignition

Break away from conventional design with the Eaves Fire Pit—a modern masterpiece in the realm of outdoor luxury. This low-profile, American-made fire pit is designed to integrate seamlessly into walls or ledges, adding a dramatic flair that elevates any space it inhabits. Far more than a simple fire feature, the Eaves transforms your outdoor area into a living work of art. Witness the sublime interplay of fire and architecture, and make every setting epic.

Finish: Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Sizes: 48" / 60" / 72"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
EAVES FIRE PIT



EAVES FIRE PIT

in Powder Coat



48" Eaves

Dimensions:	(L) 48" x (H) 10" x (W) 10"
Burning Area:	(L) 44" x (W) 6"
Weight:	-
BTU:	60,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-LBTPC48
Flame Sense:	OPT-LBTPC48FSML
Plug & Play:	OPT-LBTPC48EKIT
Low Voltage:	OPT-LBTPC48E12V
Fire Glow:	OPT-LBTPC48FG
Spark Glow:	OPT-LBTPC48SG

60" Eaves

Dimensions:	(L) 60" x (H) 10" x (W) 10"
Burning Area:	(L) 56" x (W) 6"
Weight:	-
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LBTPC60
Flame Sense:	OPT-LBTPC60FSML
Plug & Play:	OPT-LBTPC60EKIT
Low Voltage:	OPT-LBTPC60E12V
Fire Glow:	OPT-LBTPC60FG
Spark Glow:	OPT-LBTPC60SG

72" Eaves

Dimensions:	(L) 72" x (H) 10" x (W) 10"
Burning Area:	(L) 68" x (W) 6"
Weight:	-
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LBTPC72
Flame Sense:	OPT-LBTPC72FSML
Plug & Play:	OPT-LBTPC72EKIT
Low Voltage:	OPT-LBTPC72E12V
Fire Glow:	OPT-LBTPC72FG
Spark Glow:	OPT-LBTPC72SG

EAVES FIRE PIT

in Stainless Steel



48" Eaves

Dimensions:	(L) 48" x (H) 10" x (W) 10"
Burning Area:	(L) 44" x (W) 6"
Weight:	-
BTU:	60,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-LBTSS48
Flame Sense:	OPT-LBTSS48FSML
Plug & Play:	OPT-LBTSS48EKIT
Low Voltage:	OPT-LBTSS48E12V
Fire Glow:	OPT-LBTSS48FG
Spark Glow:	OPT-LBTSS48SG

60" Eaves

Dimensions:	(L) 60" x (H) 10" x (W) 10"
Burning Area:	(L) 56" x (W) 6"
Weight:	-
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LBTSS60
Flame Sense:	OPT-LBTSS60FSML
Plug & Play:	OPT-LBTSS60EKIT
Low Voltage:	OPT-LBTSS60E12V
Fire Glow:	OPT-LBTSS60FG
Spark Glow:	OPT-LBTSS60SG

72" Eaves

Dimensions:	(L) 72" x (H) 10" x (W) 10"
Burning Area:	(L) 68" x (W) 6"
Weight:	-
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LBTSS72
Flame Sense:	OPT-LBTSS72FSML
Plug & Play:	OPT-LBTSS72EKIT
Low Voltage:	OPT-LBTSS72E12V
Fire Glow:	OPT-LBTSS72FG
Spark Glow:	OPT-LBTSS72SG

UPGRADES

ACCESSORIES 48" Eaves 60" Eaves 72" Eaves

BULLET BURNER	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-4810-10H	OPT-CVR-6010-10H	OPT-CVR-7210-10H
STAINLESS LID	OPT-RC0846	OPT-RC0858	OPT-RC0870

EAVES FIRE PIT

in Corten Steel



48" Eaves

Dimensions:	(L) 48" x (H) 10" x (W) 10"
Burning Area:	(L) 44" x (W) 6"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-LBTCS48
Flame Sense:	OPT-LBTCS48FSML
Plug & Play:	OPT-LBTCS48EKIT
Low Voltage:	OPT-LBTCS48E12V
Fire Glow:	OPT-LBTCS48FG
Spark Glow:	OPT-LBTCS48SG

60" Eaves

Dimensions:	(L) 60" x (H) 10" x (W) 10"
Burning Area:	(L) 56" x (W) 6"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LBTCS54
Flame Sense:	OPT-LBTCS54FSML
Plug & Play:	OPT-LBTCS54EKIT
Low Voltage:	OPT-LBTCS54E12V
Fire Glow:	OPT-LBTCS54FG
Spark Glow:	OPT-LBTCS54SG

72" Eaves

Dimensions:	(L) 72" x (H) 10" x (W) 10"
Burning Area:	(L) 68" x (W) 6"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LBTCS60
Flame Sense:	OPT-LBTCS60FSML
Plug & Play:	OPT-LBTCS60EKIT
Low Voltage:	OPT-LBTCS60E12V
Fire Glow:	OPT-LBTCS60FG
Spark Glow:	OPT-LBTCS60SG

EAVES FIRE PIT

in Hammered Copper



48" Eaves

Dimensions:	(L) 48" x (H) 10" x (W) 10"
Burning Area:	(L) 44" x (W) 6"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-LBTCPR48
Flame Sense:	OPT-LBTCPR48FSML
Plug & Play:	OPT-LBTCPR48EKIT
Low Voltage:	OPT-LBTCPR48E12V
Fire Glow:	OPT-LBTCPR48FG
Spark Glow:	OPT-LBTCPR48SG

60" Eaves

Dimensions:	(L) 60" x (H) 10" x (W) 10"
Burning Area:	(L) 56" x (W) 6"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LBTCS54
Flame Sense:	OPT-LBTCS54FSML
Plug & Play:	OPT-LBTCS54EKIT
Low Voltage:	OPT-LBTCS54E12V
Fire Glow:	OPT-LBTCS54FG
Spark Glow:	OPT-LBTCS54SG

72" Eaves

Dimensions:	(L) 72" x (H) 10" x (W) 10"
Burning Area:	(L) 68" x (W) 6"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LBTCPR72
Flame Sense:	OPT-LBTCPR72FSML
Plug & Play:	OPT-LBTCPR72EKIT
Low Voltage:	OPT-LBTCPR72E12V
Fire Glow:	OPT-LBTCPR72FG
Spark Glow:	OPT-LBTCPR72SG

UPGRADES

ACCESSORIES 48" Eaves 60" Eaves 72" Eaves

BULLET BURNER	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-4810-10H	OPT-CVR-6010-10H	OPT-CVR-7210-10H
STAINLESS LID	OPT-RC0846	OPT-RC0858	OPT-RC0870

QUAD

FIRE PIT

Born From The Ground, Perfected by Craftsmanship.

Discover the seamless blend of design and natural harmony with the Quad Fire Pit. This low-profile, American-made gem offers a flush look that melds effortlessly with its surroundings, as if it were a native part of your outdoor space. Ideal for those who seek a fire feature that complements rather than commands, the Quad Fire Pit brings understated elegance to any setting. Experience the perfect balance between natural beauty and crafted excellence.

Finish: GFRC Concrete / Powder Coat / Stainless Steel / Corten Steel / Hammered Copper

Sizes: 36" / 42"



SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
QUAD FIRE PIT



QUAD FIRE PIT

in GFRC Concrete



SIZES

36" Quad

Dimensions:	(L) 36" x (H) 12" x (W) 36"
Burning Area:	(L) 32" x (W) 32"
Weight:	180
BTU:	65,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-QD36
Flame Sense:	OPT-QD36FSML
Plug & Play:	OPT-QD36EKIT
Low Voltage:	OPT-QD36E12V
Fire Glow:	OPT-QD36FG
Spark Glow:	OPT-QD36SG

42" Quad

Dimensions:	(L) 42" x (H) 12" x (W) 42"
Burning Area:	(L) 38" x (W) 38"
Weight:	215
BTU:	65,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-QD42
Flame Sense:	OPT-QD42FSML
Plug & Play:	OPT-QD42EKIT
Low Voltage:	OPT-QD42E12V
Fire Glow:	OPT-QD42FG
Spark Glow:	OPT-QD42SG

QUAD FIRE PIT

in Powder Coat



SIZES

36" Quad

Dimensions:	(L) 36" x (H) 12" x (W) 36"
Burning Area:	(L) 32" x (W) 32"
Weight:	90
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-QDPC36
Flame Sense:	OPT-QDPC36FSML
Plug & Play:	OPT-QDPC36EKIT
Low Voltage:	OPT-QDPC36E12V
Fire Glow:	OPT-QDPC36FG
Spark Glow:	OPT-QDPC36SG

42" Quad

Dimensions:	(L) 42" x (H) 12" x (W) 42"
Burning Area:	(L) 38" x (W) 38"
Weight:	105
BTU:	65,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-QDPC42
Flame Sense:	OPT-QDPC42FSML
Plug & Play:	OPT-QDPC42EKIT
Low Voltage:	OPT-QDPC42E12V
Fire Glow:	OPT-QDPC42FG
Spark Glow:	OPT-QDPC42SG

UPGRADES

ACCESSORIES 36" Eaves 42" Eaves

BULLET BURNER	OPT-BRDSS12	OPT-BRDSS12
CANVAS COVER	OPT-CVR-3636-10H	OPT-CVR-4242-10H
STAINLESS LID	OPT-34SC	OPT-44SC
GLASS WIND GUARD	OPT-WG-3636	OPT-WG-4646

QUAD FIRE PIT

in Corten Steel



SIZES

36" Quad

Dimensions:	(L) 36" x (H) 12" x (W) 36"
Burning Area:	(L) 36" x (W) 36"
Weight:	180
BTU:	65,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-QDCS36
Flame Sense:	OPT-QDCS36FSML
Plug & Play:	OPT-QDCS36EKIT
Low Voltage:	OPT-QDCS36E12V
Fire Glow:	OPT-QDCS36FG
Spark Glow:	OPT-QDCS36SG

42" Quad

Dimensions:	(L) 42" x (H) 12" x (W) 42"
Burning Area:	(L) 42" x (W) 42"
Weight:	215
BTU:	65,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-QDCS42
Flame Sense:	OPT-QDCS42FSML
Plug & Play:	OPT-QDCS42EKIT
Low Voltage:	OPT-QDCS42E12V
Fire Glow:	OPT-QDCS42FG
Spark Glow:	OPT-QDCS42SG

QUAD FIRE PIT

in Hammered Copper



SIZES

36" Quad

Dimensions:	(L) 36" x (H) 12" x (W) 36"
Burning Area:	(L) 36" x (W) 36"
Weight:	180
BTU:	65,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-QDCPRSQ36
Flame Sense:	OPT-QDCPRSQ36FSML
Plug & Play:	OPT-QDCPRSQ36EKIT
Low Voltage:	OPT-QDCPRSQ36E12V
Fire Glow:	OPT-QDCPRSQ36FG
Spark Glow:	OPT-QDCPRSQ36SG

42" Quad

Dimensions:	(L) 42" x (H) 12" x (W) 42"
Burning Area:	(L) 42" x (W) 42"
Weight:	215
BTU:	65,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-QDCPRSQ42
Flame Sense:	OPT-QDCPRSQ42FSML
Plug & Play:	OPT-QDCPRSQ42EKIT
Low Voltage:	OPT-QDCPRSQ42E12V
Fire Glow:	OPT-QDCPRSQ42FG
Spark Glow:	OPT-QDCPRSQ42SG

UPGRADES

ACCESSORIES 36" Eaves 42" Eaves

BULLET BURNER	OPT-BRDSS12	OPT-BRDSS12
CANVAS COVER	OPT-CVR-3636-10H	OPT-CVR-4242-10H
STAINLESS LID	OPT-34SC	OPT-44SC
GLASS WIND GUARD	OPT-WG-3636	OPT-WG-4646

ALL FIRE PITS

FULL SUITE COLLECTION

Explore all Fire Pits and Tables

Welcome to the heart of our catalog—where innovation, craftsmanship, and American-made quality converge. From low-profile elegance to grand centerpieces, this section unveils a wide array of fire pits and tables designed to elevate every outdoor setting. Each creation embodies the dedication to quality and style that sets us apart as the #1 trusted manufacturer. Browse, imagine, and find the fire feature that doesn't just complete your space—it defines it.

SCAN THE QR CODE

TO LEARN MORE ABOUT

ALL OUR FIRE PIT COLLECTION







ECLIPSE FIRE PIT

in Powder Coat

SIZES

42" Eclipse

Dimensions: 47"(H) x 42"(W) x 28"(D)

Burning Area: 12" (L) x 24.5" (W)

Weight: 85

BTU: 30,000

Fire Glass Sugg: 25lbs

Match Lit: OPT-ECLPC38

Flame Sense: OPT-ECLPC38FSML

Plug & Play: OPT-ECLPC38EKIT

Low Voltage: OPT-ECLPC38E12V

Fire Glow: OPT-ECLPC38FG

Spark Glow: OPT-ECLPC38SG


FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV



Silver Vein
-SLV



Java
-JAV



Military Green
-MGR



Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

UPGRADES

ACCESSORIES 42" Eclipse

BULLET BURNER OPT-BSS12

CANVAS COVER OPT-CVR-4228-47H

STAINLESS LID OPT-1427RC

GLASS WIND GUARD OPT-WG-1629



KAMOJA FIRE PIT

in Powder Coat

SIZES

36" Kamoja

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 8" x (W) 8"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs


Match Lit:	OPT-KMAPC36
Flame Sense:	OPT-KMAPC36FSML
Plug & Play:	OPT-KMAPC36EKIT
Low Voltage:	OPT-KMAPC36E12V
Fire Glow:	OPT-KMAPC36FG
Spark Glow:	OPT-KMAPC36SG

42" Kamoja

Dimensions:	(L) 42" x (H) 24" x (W) 42"
Burning Area:	(L) 8" x (W) 8"
Weight:	200lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-KMAPC42
Flame Sense:	OPT-KMAPC42FSML
Plug & Play:	OPT-KMAPC42EKIT
Low Voltage:	OPT-KMAPC42E12V
Fire Glow:	OPT-KMAPC42FG
Spark Glow:	OPT-KMAPC42SG

FINISHES



Onyx Black
-ONX

Black
-BLK

Copper Vein
-CPV

Silver Vein
-SLV

Java
-JAV

Military Green
-MGR

Gray
-GRY

Mist
-MST

Pewter
-PEW

Soft White
-STW

White
-WHT

FINISHES

ACCESSORIES

36" Kamoja

42" Kamoja

54" Kamoja

BULLET BURNER

OPT-BRDSS12

OPT-BRDSS18

OPT-BRDSS18

CANVAS COVER

OPT-CVR-3636-24H

OPT-CVR-4242-24H

OPT-CVR-6060-24H

STAINLESS LID

--

--

--

GLASS WIND GUARD

--

--

--



CLASSIC BUS FIRE PIT

in GFRC Concrete

SIZES

48" Classic Bus

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 28" x (W) 8"
Weight:	--
BTU:	30,000
Fire Glass Sugg:	25lbs
Match Lit:	OPT-BUS4824-BWC
Flame Sense:	OPT-BUS4824-BWCFSML
Plug & Play:	OPT-BUS4824-BWCEKIT
Low Voltage:	OPT-BUS4824-BWCE12V
Fire Glow:	OPT-BUS4824-BWCFG
Spark Glow:	OPT-BUS4824-BWCSG

UPGRADES

ACCESSORIES

48" Classic Bus

BULLET BURNER	OPT-B24SST
CANVAS COVER	OPT-CVR-4824-24H
STAINLESS LID	OPT-RC1026
GLASS WIND GUARD	OPT-WG-3212

FINISHES



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY



Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN




Rustic Moss Stone
-RMS




Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL



Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV



TOPFIRES.com

ISLA FIRE PIT

in Powder Coat

SIZES

42" Isla

Dimensions:	(D) 42" x (H) 18"
Burning Area:	(D) 19"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IFP42
Flame Sense:	OPT-IFP42FSML
Plug & Play:	OPT-IFP42EKIT
Low Voltage:	OPT-IFP42E12V
Fire Glow:	OPT-IFP42FG
Spark Glow:	OPT-IFP42SG

60" Isla

Dimensions:	(D) 60" x (H) 18"
Burning Area:	(D) 25"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IFP60
Flame Sense:	OPT-IFP60FSML
Plug & Play:	OPT-IFP60EKIT
Low Voltage:	OPT-IFP60E12V
Fire Glow:	OPT-IFP60FG
Spark Glow:	OPT-IFP60SG

FINISHES



Onyx Black
-ONX



Black
-BLK



Copper Vein
-CPV




Silver Vein
-SLV



Java
-JAV



Military Green
-MGR



Gray
-GRY



Mist
-MST



Pewter
-PEW



Soft White
-STW



White
-WHT

UPGRADES

ACCESSORIES

	42" Isla	60" Isla
BULLET BURNER	OPT-BRDSS12	OPT-BRDSS18
CANVAS COVER	OPT-CVR-42R-18H	OPT-CVR-60R-18H
STAINLESS LID	OPT-21RC	OPT-27RC
GLASS WIND GUARD	--	--



CESTO FIRE PIT

in Powder Coat

SIZES

48" Cesto

Dimensions:	(D) 48" x (H) 24"
Burning Area:	(D) 19"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	50lbs


Match Lit:	OPT-CSTO48-BWC
Flame Sense:	OPT-CSTO48-BWCFSML
Plug & Play:	OPT-CSTO48-BWCEKIT
Low Voltage:	OPT-CSTO48-BWCE12V
Fire Glow:	OPT-CSTO48-BWCFG
Spark Glow:	OPT-CSTO48-BWCSG

60" Cesto

Dimensions:	(D) 60" x (H) 24"
Burning Area:	(D) 25"
Weight:	--
BTU:	160,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CSTO60-BWC
Flame Sense:	OPT-CSTO60-BWCFSML
Plug & Play:	OPT-CSTO60-BWCEKIT
Low Voltage:	OPT-CSTO60-BWCE12V
Fire Glow:	OPT-CSTO60-BWCFG
Spark Glow:	OPT-CSTO60-BWCSG

FINISHES



Onyx Black
-ONX

Black
-BLK

Copper Vein
-CPV

Silver Vein
-SLV

Java
-JAV

Military Green
-MGR

Gray
-GRY

Mist
-MST

Pewter
-PEW

Soft White
-STW

White
-WHT

FINISHES

ACCESSORIES

48" Cesto

60" Cesto

BULLET BURNER

OPT-BRDSS12

OPT-BRDSS18

CANVAS COVER

OPT-CVR-48R-24H

OPT-CVR-60R-24H

STAINLESS LID

OPT-21RC

OPT-27RC

GLASS WIND GUARD

--

--

OUTBACK FIRE TABLE

in GFRC Top / Powder Coat Base



DESIGN:
CATTLE RANCH

ALSO AVAILABLE:
Base is also available in Corten Steel.



DESIGN:
DEER COUNTRY

ALSO AVAILABLE:
Base is also available in Corten Steel.

SIZES

Cattle Ranch

Dimensions:	(D) 46" x (H) 24"
Burning Area:	(D) 21"
Weight:	210lbs
BTU:	65,000
Fire Glass Sugg:	20lbs
Match Lit:	OPT-OBRCR46
Flame Sense:	OPT-OBRCR46FSML
Plug & Play:	OPT-OBRCR46EKIT
Low Voltage:	OPT-OBRCR46E12V
Fire Glow:	OPT-OBRCR46FG
Spark Glow:	OPT-OBRCR46SG

UPGRADE

ACCESSORIES Cattle Ranch

BULLET BURNER	OPT-B12SSH
CANVAS COVER	OPT-CVR-46R-24H
STAINLESS LID	OPT-23RC
GLASS WIND GUARD	

SIZES

Deer County

Dimensions:	(D) 46" x (H) 24"
Burning Area:	(D) 21"
Weight:	210lbs
BTU:	65,000
Fire Glass Sugg:	20lbs
Match Lit:	OPT-OBRDC46
Flame Sense:	OPT-OBRDC46FSML
Plug & Play:	OPT-OBRDC46EKIT
Low Voltage:	OPT-OBRDC46E12V
Fire Glow:	OPT-OBRDC46FG
Spark Glow:	OPT-OBRDC46SG

UPGRADE

ACCESSORIES Deer Country

BULLET BURNER	OPT-B18SSH
CANVAS COVER	OPT-CVR-46R-24H
STAINLESS LID	OPT-23RC
GLASS WIND GUARD	--

OUTBACK FIRE TABLE

in GFRC Top / Powder Coat Base



DESIGN:
CATTLE RANCH
ALSO AVAILABLE:
Base is also available in Corten Steel.



DESIGN:
DEER COUNTRY
ALSO AVAILABLE:
Base is also available in Corten Steel.

SIZES

Cattle Ranch

Dimensions:	(L) 60" x (H) 24" x (W) 36"
Burning Area:	(L) 42" x (W) 22"
Weight:	265"
BTU:	70,000
Fire Glass Sugg:	20lbs
Match Lit:	OPT-OBCR6036PC
Flame Sense:	OPT-OBCR6036PCFSML
Plug & Play:	OPT-OBCR6036PCEKIT
Low Voltage:	OPT-OBCR6036PCE12V
Fire Glow:	OPT-OBCR6036PCFG
Spark Glow:	OPT-OBCR6036PCSG

UPGRADES

ACCESSORIES Cattle Ranch

BULLET BURNER	OPT-B12SSH
CANVAS COVER	OPT-CVR-46R-24H
STAINLESS LID	OPT-RC23
GLASS WIND GUARD	

SIZES

Deer County

Dimensions:	(L) 60" x (H) 24" x (W) 36"
Burning Area:	(L) 42" x (W) 22"
Weight:	265"
BTU:	70,000
Fire Glass Sugg:	20lbs
Match Lit:	OPT-OBDC6036PC
Flame Sense:	OPT-OBDC6036PCFSML
Plug & Play:	OPT-OBDC6036PCEKIT
Low Voltage:	OPT-OBDC6036PCE12V
Fire Glow:	OPT-OBDC6036PCFG
Spark Glow:	OPT-OBDC6036PCSG

UPGRADE

ACCESSORIES Deer Country

BULLET BURNER	OPT-B18SSH
CANVAS COVER	OPT-CVR-46R-24H
STAINLESS LID	OPT-RC23
GLASS WIND GUARD	

PALO FIRE PIT

in GFRC Concrete Wood Grain



SIZES

48" Palo

Dimensions:	(L) 48" x (H) 17" x (W) 29"
Burning Area:	(L) 20" x (W) 8"
Weight:	355lbs
BTU:	20,000
Fire Glass Sugg:	20lbs
Match Lit:	OPT-PAL48
Flame Sense:	OPT-PAL48FSML
Plug & Play:	OPT-PAL48EKIT
Low Voltage:	OPT-PAL48E12V
Fire Glow:	OPT-PAL48FG
Spark Glow:	OPT-PAL48SG

60" Palo

Dimensions:	(L) 60" x (H) 17" x (W) 29"
Burning Area:	(L) 32" x (W) 8"
Weight:	495lbs
BTU:	40,000
Fire Glass Sugg:	30lbs
Match Lit:	OPT-PAL60
Flame Sense:	OPT-PAL60FSML
Plug & Play:	OPT-PAL60EKIT
Low Voltage:	OPT-PAL60E12V
Fire Glow:	OPT-PAL60FG
Spark Glow:	OPT-PAL60SG

UPGRADES

ACCESSORIES

	48" Palo	60" Palo
BULLET BURNER	OPT-B12SST	OPT-B24SST
CANVAS COVER	OPT-CVR-4829-17H	OPT-CVR-6029-17H
STAINLESS LID	OPT-RC1022	OPT-RC1034
GLASS WIND GUARD	OPT-WG-2412	OPT-WG-3612

PALO FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	48" Palo	60" Palo	72" Palo	84" Palo	96" Palo
BULLET BURNER	OPT-B18SST	OPT-B24SST	OPT-B40SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-4828-17H	OPT-CVR-6028-17H	OPT-CVR-7228-17H	OPT-CVR-8428-17H	OPT-CVR-8428-17H
STAINLESS LID	OPT-RC1022	OPT-RC1034	OPT-RC1046	OPT-RC1058	OPT-RC1070
GLASS WIND GUARD	--	--	--	--	--

SIZES

48" Palo

Dimensions:	(L) 48" x (H) 16" x (W) 28"
Burning Area:	(L) 20" x (W) 8.5"
Weight:	170lbs
BTU:	65,000
Fire Glass Sugg:	17lbs

Match Lit:	OPT-PALPC48
Flame Sense:	OPT-PALPC48FSML
Plug & Play:	OPT-PALPC48EKIT
Low Voltage:	OPT-PALPC48E12V
Fire Glow:	OPT-PALPC48FG
Spark Glow:	OPT-PALPC48SG

60" Palo

Dimensions:	(L) 60" x (H) 16" x (W) 28"
Burning Area:	(L) 32" x (W) 8.5"
Weight:	188lbs
BTU:	65,000
Fire Glass Sugg:	27lbs

Match Lit:	OPT-PALPC60
Flame Sense:	OPT-PALPC60FSML
Plug & Play:	OPT-PALPC60EKIT
Low Voltage:	OPT-PALPC60E12V
Fire Glow:	OPT-PALPC60FG
Spark Glow:	OPT-PALPC60SG

72" Palo

Dimensions:	(L) 72" x (H) 16" x (W) 28"
Burning Area:	(L) 44" x (W) 8.5"
Weight:	220lbs
BTU:	65,000
Fire Glass Sugg:	37lbs

Match Lit:	OPT-PALPC72
Flame Sense:	OPT-PALPC72FSML
Plug & Play:	OPT-PALPC72EKIT
Low Voltage:	OPT-PALPC72E12V
Fire Glow:	OPT-PALPC72FG
Spark Glow:	OPT-PALPC72SG

84"

Dimensions:	(L) 84" x (H) 16" x (W) 28"
Burning Area:	(L) 56" x (W) 8.5"
Weight:	230lbs
BTU:	65,000
Fire Glass Sugg:	47lbs

Match Lit:	OPT-PALPC84
Flame Sense:	OPT-PALPC84FSML
Plug & Play:	OPT-PALPC84EKIT
Low Voltage:	OPT-PALPC84E12V
Fire Glow:	OPT-PALPC84FG
Spark Glow:	OPT-PALPC84SG

96" Palo

Dimensions:	(L) 96" x (H) 16" x (W) 28"
Burning Area:	(L) 68" x (W) 8.5"
Weight:	270lbs
BTU:	65,000
Fire Glass Sugg:	57lbs

Match Lit:	OPT-PALPC96
Flame Sense:	OPT-PALPC96FSML
Plug & Play:	OPT-PALPC96EKIT
Low Voltage:	OPT-PALPC96E12V
Fire Glow:	OPT-PALPC96FG
Spark Glow:	OPT-PALPC96SG

COASTLINE FIRE TABLE

in Powder Coat



UPGRADES

ACCESSORIES	48" Coastline	60" Coastline
BULLET BURNER	OPT-BRDSS12	OPT-BRDSS12
CANVAS COVER - 16" TALL	OPT-CVR-48R-16H	OPT-CVR-60R-16H
CANVAS COVER - 24" TALL	OPT-CVR-48R-24H	OPT-CVR-60R-24H
STAINLESS LID	OPT-22RC	OPT-22RC
GLASS WIND GUARD	--	--

SIZES

48" Coastline - 16" Tall

Dimensions:	(D) 48" x (H) 16"
Burning Area:	20"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	48lbs

Match Lit:	OPT-CSTLNPC4816
Flame Sense:	OPT-CSTLNPC4816FSML
Plug & Play:	OPT-CSTLNPC4816EKIT
Low Voltage:	OPT-CSTLNPC4816E12V
Fire Glow:	OPT-CSTLNPC4816FG
Spark Glow:	OPT-CSTLNPC4816SG

60" Coastline - 16" Tall

Dimensions:	(D) 60" x (H) 16"
Burning Area:	32"
Weight:	175lbs
BTU:	65,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CSTLNPC6016
Flame Sense:	OPT-CSTLNPC6016FSML
Plug & Play:	OPT-CSTLNPC6016EKIT
Low Voltage:	OPT-CSTLNPC6016E12V
Fire Glow:	OPT-CSTLNPC6016FG
Spark Glow:	OPT-CSTLNPC6016SG

48" Coastline - 24" Tall

Dimensions:	(D) 48" x (H) 16"
Burning Area:	20"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	48lbs

Match Lit:	OPT-CSTLNPC4824
Flame Sense:	OPT-CSTLNPC4824FSML
Plug & Play:	OPT-CSTLNPC4824EKIT
Low Voltage:	OPT-CSTLNPC4824E12V
Fire Glow:	OPT-CSTLNPC4824FG
Spark Glow:	OPT-CSTLNPC4824SG

60" Coastline - 24" Tall

Dimensions:	(D) 60" x (H) 16"
Burning Area:	32"
Weight:	175lbs
BTU:	65,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CSTLNPC6024
Flame Sense:	OPT-CSTLNPC6024FSML
Plug & Play:	OPT-CSTLNPC6024EKIT
Low Voltage:	OPT-CSTLNPC6024E12V
Fire Glow:	OPT-CSTLNPC6024FG
Spark Glow:	OPT-CSTLNPC6024SG

SEASHORE FIRE TABLE

in Powder Coat



UPGRADES

ACCESSORIES	84" Seashore	96" Seashore	102" Seashore	114" Seashore
BULLET BURNER	OPT-B48SST	OPT-B60SST	OPT-B66SST	OPT-B72SST
CANVAS COVER	OPT-CVR8442	OPT-CVR9642	OPT-CVR10242	OPT-CVR11442
STAINLESS LID	OPT-RC6016	OPT-RC7216	OPT-RC7816	OPT-RC9016
GLASS WIND GUARD	--	--	--	--

SIZES

84" Seashore

Dimensions:	(L) 84" x (H) 42" x (W) 42"
Burning Area:	(L) 58" x (W) 14"
Weight:	310lbs
BTU:	65,000
Fire Glass Sugg:	84lbs

Match Lit:	OPT-SEASPC84
Flame Sense:	OPT-SEASPC84FSML
Plug & Play:	OPT-SEASPC84EKIT
Low Voltage:	OPT-SEASPC84E12V
Fire Glow:	OPT-SEASPC84FG
Spark Glow:	OPT-SEASPC84SG

96" Seashore

Dimensions:	(L) 96" x (H) 42" x (W) 42"
Burning Area:	(L) 70" x (W) 14"
Weight:	330lbs
BTU:	65,000
Fire Glass Sugg:	102lbs

Match Lit:	OPT-SEASPC96
Flame Sense:	OPT-SEASPC96FSML
Plug & Play:	OPT-SEASPC96EKIT
Low Voltage:	OPT-SEASPC96E12V
Fire Glow:	OPT-SEASPC96FG
Spark Glow:	OPT-SEASPC96SG

102" Seashore

Dimensions:	(L) 102" x (H) 42" x (W) 42"
Burning Area:	(L) 76" x (W) 14"
Weight:	340lbs
BTU:	65,000
Fire Glass Sugg:	111lbs

Match Lit:	OPT-SEASPC102
Flame Sense:	OPT-SEASPC102FSML
Plug & Play:	OPT-SEASPC102EKIT
Low Voltage:	OPT-SEASPC102E12V
Fire Glow:	OPT-SEASPC102FG
Spark Glow:	OPT-SEASPC102SG

114" Seashore

Dimensions:	(L) 114" x (H) 42" x (W) 42"
Burning Area:	(L) 88" x (W) 14"
Weight:	360lbs
BTU:	65,000
Fire Glass Sugg:	128lbs

Match Lit:	OPT-SEASPC114
Flame Sense:	OPT-SEASPC114FSML
Plug & Play:	OPT-SEASPC114EKIT
Low Voltage:	OPT-SEASPC114E12V
Fire Glow:	OPT-SEASPC114FG
Spark Glow:	OPT-SEASPC114SG

ATLANTIC FIRE PIT

in Powder Coat



SIZES

48" Atlantic - 18" Tall

Dimensions:	(L) 48" x (H) 18" x (W) 30"
Burning Area:	(L) 28" x (W) 10"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLPC1848
Flame Sense:	OPT-ATLPC1848FSML
Plug & Play:	OPT-ATLPC1848EKIT
Low Voltage:	OPT-ATLPC1848E12V
Fire Glow:	OPT-ATLPC1848FG
Spark Glow:	OPT-ATLPC1848SG

60" Atlantic - 18" Tall

Dimensions:	(L) 60" x (H) 18" x (W) 32"
Burning Area:	(L) 40" x (W) 12"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLPC1860
Flame Sense:	OPT-ATLPC1860FSML
Plug & Play:	OPT-ATLPC1860EKIT
Low Voltage:	OPT-ATLPC1860E12V
Fire Glow:	OPT-ATLPC1860FG
Spark Glow:	OPT-ATLPC1860SG

72" Atlantic - 18" Tall

Dimensions:	(L) 72" x (H) 18" x (W) 36"
Burning Area:	(L) 52" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLPC1872
Flame Sense:	OPT-ATLPC1872FSML
Plug & Play:	OPT-ATLPC1872EKIT
Low Voltage:	OPT-ATLPC1872E12V
Fire Glow:	OPT-ATLPC1872FG
Spark Glow:	OPT-ATLPC1872SG

84" Atlantic - 18" Tall

Dimensions:	(L) 84" x (H) 18" x (W) 36"
Burning Area:	(L) 64" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLPC1884
Flame Sense:	OPT-ATLPC1884FSML
Plug & Play:	OPT-ATLPC1884EKIT
Low Voltage:	OPT-ATLPC1884E12V
Fire Glow:	OPT-ATLPC1884FG
Spark Glow:	OPT-ATLPC1884SG

96" Atlantic - 18" Tall

Dimensions:	(L) 96" x (H) 18" x (W) 36"
Burning Area:	(L) 76" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLPC1896
Flame Sense:	OPT-ATLPC1896FSML
Plug & Play:	OPT-ATLPC1896EKIT
Low Voltage:	OPT-ATLPC1896E12V
Fire Glow:	OPT-ATLPC1896FG
Spark Glow:	OPT-ATLPC1896SG

48" Atlantic - 24" Tall

Dimensions:	(L) 48" x (H) 24" x (W) 30"
Burning Area:	(L) 28" x (W) 10"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLPC2448
Flame Sense:	OPT-ATLPC2448FSML
Plug & Play:	OPT-ATLPC2448EKIT
Low Voltage:	OPT-ATLPC2448E12V
Fire Glow:	OPT-ATLPC2448FG
Spark Glow:	OPT-ATLPC2448SG

60" Atlantic - 24" Tall

Dimensions:	(L) 60" x (H) 24" x (W) 30"
Burning Area:	(L) 40" x (W) 12"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLPC2460
Flame Sense:	OPT-ATLPC2460FSML
Plug & Play:	OPT-ATLPC2460EKIT
Low Voltage:	OPT-ATLPC2460E12V
Fire Glow:	OPT-ATLPC2460FG
Spark Glow:	OPT-ATLPC2460SG

72" Atlantic - 24" Tall

Dimensions:	(L) 72" x (H) 24" x (W) 30"
Burning Area:	(L) 52" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLPC2472
Flame Sense:	OPT-ATLPC2472FSML
Plug & Play:	OPT-ATLPC2472EKIT
Low Voltage:	OPT-ATLPC2472E12V
Fire Glow:	OPT-ATLPC2472FG
Spark Glow:	OPT-ATLPC2472SG

84" Atlantic - 24" Tall

Dimensions:	(L) 84" x (H) 24" x (W) 30"
Burning Area:	(L) 64" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLPC2484
Flame Sense:	OPT-ATLPC2484FSML
Plug & Play:	OPT-ATLPC2484EKIT
Low Voltage:	OPT-ATLPC2484E12V
Fire Glow:	OPT-ATLPC2484FG
Spark Glow:	OPT-ATLPC2484SG

96" Atlantic - 24" Tall

Dimensions:	(L) 96" x (H) 24" x (W) 30"
Burning Area:	(L) 76" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLPC2496
Flame Sense:	OPT-ATLPC2496FSML
Plug & Play:	OPT-ATLPC2496EKIT
Low Voltage:	OPT-ATLPC2496E12V
Fire Glow:	OPT-ATLPC2496FG
Spark Glow:	OPT-ATLPC2496SG

UPGRADES

ACCESSORIES

48" Atlantic

60" Atlantic

72" Atlantic

84" Atlantic

96" Atlantic

BULLET BURNER

OPT-B20SST

OPT-B36SST

OPT-B48SST

OPT-B60SST

OPT-B60SST

CANVAS COVER - 18" TALL

OPT-CVR4830-18H

OPT-CVR6032-18H

OPT-CVR7236-18H

OPT-CVR8436-18H

OPT-CVR9636-18H

CANVAS COVER - 24" TALL

OPT-CVR4830-18H

OPT-CVR6030-18H

OPT-CVR7230-18H

OPT-CVR8430-18H

OPT-CVR9630-18H

STAINLESS LID

OPT-RC3012

OPT-RC4214

OPT-RC5418

OPT-RC6618

OPT-RC7818

GLASS WIND GUARD

OPT-WG-3214

OPT-WG-4416

OPT-WG-5620

OPT-WG-6820

OPT-WG-8020

ATLANTIC FIRE PIT

in Stainless Steel



SIZES

48" Atlantic - 18" Tall

Dimensions:	(L) 48" x (H) 18" x (W) 30"
Burning Area:	(L) 28" x (W) 10"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS1848
Flame Sense:	OPT-ATLSS1848FSML
Plug & Play:	OPT-ATLSS1848EKIT
Low Voltage:	OPT-ATLSS1848E12V
Fire Glow:	OPT-ATLSS1848FG
Spark Glow:	OPT-ATLSS1848SG

60" Atlantic - 18" Tall

Dimensions:	(L) 60" x (H) 18" x (W) 32"
Burning Area:	(L) 40" x (W) 12"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS1860
Flame Sense:	OPT-ATLSS1860FSML
Plug & Play:	OPT-ATLSS1860EKIT
Low Voltage:	OPT-ATLSS1860E12V
Fire Glow:	OPT-ATLSS1860FG
Spark Glow:	OPT-ATLSS1860SG

72" Atlantic - 18" Tall

Dimensions:	(L) 72" x (H) 18" x (W) 36"
Burning Area:	(L) 52" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS1872
Flame Sense:	OPT-ATLSS1872FSML
Plug & Play:	OPT-ATLSS1872EKIT
Low Voltage:	OPT-ATLSS1872E12V
Fire Glow:	OPT-ATLSS1872FG
Spark Glow:	OPT-ATLSS1872SG

84" Atlantic - 18" Tall

Dimensions:	(L) 84" x (H) 18" x (W) 36"
Burning Area:	(L) 64" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS1884
Flame Sense:	OPT-ATLSS1884FSML
Plug & Play:	OPT-ATLSS1884EKIT
Low Voltage:	OPT-ATLSS1884E12V
Fire Glow:	OPT-ATLSS1884FG
Spark Glow:	OPT-ATLSS1884SG

96" Atlantic - 18" Tall

Dimensions:	(L) 96" x (H) 18" x (W) 36"
Burning Area:	(L) 76" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS1896
Flame Sense:	OPT-ATLSS1896FSML
Plug & Play:	OPT-ATLSS1896EKIT
Low Voltage:	OPT-ATLSS1896E12V
Fire Glow:	OPT-ATLSS1896FG
Spark Glow:	OPT-ATLSS1896SG

48" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 30"
Burning Area:	(L) 28" x (W) 10"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS2448
Flame Sense:	OPT-ATLSS2448FSML
Plug & Play:	OPT-ATLSS2448EKIT
Low Voltage:	OPT-ATLSS2448E12V
Fire Glow:	OPT-ATLSS2448FG
Spark Glow:	OPT-ATLSS2448SG

60" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 32"
Burning Area:	(L) 40" x (W) 12"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS2460
Flame Sense:	OPT-ATLSS2460FSML
Plug & Play:	OPT-ATLSS2460EKIT
Low Voltage:	OPT-ATLSS2460E12V
Fire Glow:	OPT-ATLSS2460FG
Spark Glow:	OPT-ATLSS2460SG

72" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 52" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS2472
Flame Sense:	OPT-ATLSS2472FSML
Plug & Play:	OPT-ATLSS2472EKIT
Low Voltage:	OPT-ATLSS2472E12V
Fire Glow:	OPT-ATLSS2472FG
Spark Glow:	OPT-ATLSS2472SG

84" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 64" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS2484
Flame Sense:	OPT-ATLSS2484FSML
Plug & Play:	OPT-ATLSS2484EKIT
Low Voltage:	OPT-ATLSS2484E12V
Fire Glow:	OPT-ATLSS2484FG
Spark Glow:	OPT-ATLSS2484SG

96" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 76" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLSS2496
Flame Sense:	OPT-ATLSS2496FSML
Plug & Play:	OPT-ATLSS2496EKIT
Low Voltage:	OPT-ATLSS2496E12V
Fire Glow:	OPT-ATLSS2496FG
Spark Glow:	OPT-ATLSS2496SG

UPGRADES

ACCESSORIES

48" Atlantic

60" Atlantic

72" Atlantic

84" Atlantic

96" Atlantic

BULLET BURNER

OPT-B20SST

OPT-B36SST

OPT-B48SST

OPT-B60SST

OPT-B60SST

CANVAS COVER - 18" TALL

OPT-CVR4830-18H

OPT-CVR6032-18H

OPT-CVR7236-18H

OPT-CVR8436-18H

OPT-CVR9636-18H

CANVAS COVER - 24" TALL

OPT-CVR4830-18H

OPT-CVR6030-18H

OPT-CVR7230-18H

OPT-CVR8430-18H

OPT-CVR9630-18H

STAINLESS LID

OPT-RC3012

OPT-RC4214

OPT-RC5418

OPT-RC6618

OPT-RC7818

GLASS WIND GUARD

OPT-WG-3214

OPT-WG-4416

OPT-WG-5620

OPT-WG-6820

OPT-WG-8020

ATLANTIC FIRE PIT

in Corten Steel



SIZES

48" Atlantic - 18" Tall

Dimensions:	(L) 48" x (H) 18" x (W) 30"
Burning Area:	(L) 28" x (W) 10"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCS1848
Flame Sense:	OPT-ATLCS1848FSML
Plug & Play:	OPT-ATLCS1848EKIT
Low Voltage:	OPT-ATLCS1848E12V
Fire Glow:	OPT-ATLCS1848FG
Spark Glow:	OPT-ATLCS1848SG

60" Atlantic - 18" Tall

Dimensions:	(L) 60" x (H) 18" x (W) 32"
Burning Area:	(L) 40" x (W) 12"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCS1860
Flame Sense:	OPT-ATLCS1860FSML
Plug & Play:	OPT-ATLCS1860EKIT
Low Voltage:	OPT-ATLCS1860E12V
Fire Glow:	OPT-ATLCS1860FG
Spark Glow:	OPT-ATLCS1860SG

72" Atlantic - 18" Tall

Dimensions:	(L) 72" x (H) 18" x (W) 36"
Burning Area:	(L) 52" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCS1872
Flame Sense:	OPT-ATLCS1872FSML
Plug & Play:	OPT-ATLCS1872EKIT
Low Voltage:	OPT-ATLCS1872E12V
Fire Glow:	OPT-ATLCS1872FG
Spark Glow:	OPT-ATLCS1872SG

84" Atlantic - 18" Tall

Dimensions:	(L) 84" x (H) 18" x (W) 36"
Burning Area:	(L) 64" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCS1884
Flame Sense:	OPT-ATLCS1884FSML
Plug & Play:	OPT-ATLCS1884EKIT
Low Voltage:	OPT-ATLCS1884E12V
Fire Glow:	OPT-ATLCS1884FG
Spark Glow:	OPT-ATLCS1884SG

96" Atlantic - 18" Tall

Dimensions:	(L) 96" x (H) 18" x (W) 36"
Burning Area:	(L) 76" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCS1896
Flame Sense:	OPT-ATLCS1896FSML
Plug & Play:	OPT-ATLCS1896EKIT
Low Voltage:	OPT-ATLCS1896E12V
Fire Glow:	OPT-ATLCS1896FG
Spark Glow:	OPT-ATLCS1896SG

48" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 30"
Burning Area:	(L) 28" x (W) 10"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCS2448
Flame Sense:	OPT-ATLCS2448FSML
Plug & Play:	OPT-ATLCS2448EKIT
Low Voltage:	OPT-ATLCS2448E12V
Fire Glow:	OPT-ATLCS2448FG
Spark Glow:	OPT-ATLCS2448SG

60" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 32"
Burning Area:	(L) 40" x (W) 12"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCS2460
Flame Sense:	OPT-ATLCS2460FSML
Plug & Play:	OPT-ATLCS2460EKIT
Low Voltage:	OPT-ATLCS2460E12V
Fire Glow:	OPT-ATLCS2460FG
Spark Glow:	OPT-ATLCS2460SG

72" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 52" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCS2472
Flame Sense:	OPT-ATLCS2472FSML
Plug & Play:	OPT-ATLCS2472EKIT
Low Voltage:	OPT-ATLCS2472E12V
Fire Glow:	OPT-ATLCS2472FG
Spark Glow:	OPT-ATLCS2472SG

84" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 64" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCS2484
Flame Sense:	OPT-ATLCS2484FSML
Plug & Play:	OPT-ATLCS2484EKIT
Low Voltage:	OPT-ATLCS2484E12V
Fire Glow:	OPT-ATLCS2484FG
Spark Glow:	OPT-ATLCS2484SG

96" Atlantic - 24" Tall

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 76" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCS2496
Flame Sense:	OPT-ATLCS2496FSML
Plug & Play:	OPT-ATLCS2496EKIT
Low Voltage:	OPT-ATLCS2496E12V
Fire Glow:	OPT-ATLCS2496FG
Spark Glow:	OPT-ATLCS2496SG

UPGRADES

ACCESSORIES

48" Atlantic

60" Atlantic

72" Atlantic

84" Atlantic

96" Atlantic

BULLET BURNER

OPT-B20SST

OPT-B36SST

OPT-B48SST

OPT-B60SST

OPT-B60SST

CANVAS COVER - 18" TALL

OPT-CVR4830-18H

OPT-CVR6032-18H

OPT-CVR7236-18H

OPT-CVR8436-18H

OPT-CVR9636-18H

CANVAS COVER - 24" TALL

OPT-CVR4830-18H

OPT-CVR6030-18H

OPT-CVR7230-18H

OPT-CVR8430-18H

OPT-CVR9630-18H

STAINLESS LID

OPT-RC3012

OPT-RC4214

OPT-RC5418

OPT-RC6618

OPT-RC7818

GLASS WIND GUARD

OPT-WG-3214

OPT-WG-4416

OPT-WG-5620

OPT-WG-6820

OPT-WG-8020

ATLANTIC FIRE PIT

in Hammered Copper



SIZES

48" Atlantic - 18" Tall

Dimensions:	(L) 48" x (H) 18" x (W) 30"
Burning Area:	(L) 28" x (W) 10"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCP1848
Flame Sense:	OPT-ATLCP1848FSML
Plug & Play:	OPT-ATLCP1848EKIT
Low Voltage:	OPT-ATLCP1848E12V
Fire Glow:	OPT-ATLCP1848FG
Spark Glow:	OPT-ATLCP1848SG

60" Atlantic - 18" Tall

Dimensions:	(L) 60" x (H) 18" x (W) 32"
Burning Area:	(L) 40" x (W) 12"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCP1860
Flame Sense:	OPT-ATLCP1860FSML
Plug & Play:	OPT-ATLCP1860EKIT
Low Voltage:	OPT-ATLCP1860E12V
Fire Glow:	OPT-ATLCP1860FG
Spark Glow:	OPT-ATLCP1860SG

72" Atlantic - 18" Tall

Dimensions:	(L) 72" x (H) 18" x (W) 36"
Burning Area:	(L) 52" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCP1872
Flame Sense:	OPT-ATLCP1872FSML
Plug & Play:	OPT-ATLCP1872EKIT
Low Voltage:	OPT-ATLCP1872E12V
Fire Glow:	OPT-ATLCP1872FG
Spark Glow:	OPT-ATLCP1872SG

84" Atlantic - 18" Tall

Dimensions:	(L) 84" x (H) 18" x (W) 36"
Burning Area:	(L) 64" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCP1884
Flame Sense:	OPT-ATLCP1884FSML
Plug & Play:	OPT-ATLCP1884EKIT
Low Voltage:	OPT-ATLCP1884E12V
Fire Glow:	OPT-ATLCP1884FG
Spark Glow:	OPT-ATLCP1884SG

96" Atlantic - 18" Tall

Dimensions:	(L) 96" x (H) 18" x (W) 36"
Burning Area:	(L) 76" x (W) 16"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-ATLCP1896
Flame Sense:	OPT-ATLCP1896FSML
Plug & Play:	OPT-ATLCP1896EKIT
Low Voltage:	OPT-ATLCP1896E12V
Fire Glow:	OPT-ATLCP1896FG
Spark Glow:	OPT-ATLCP1896SG

48" Atlantic - 24" Tall

Dimensions:	(L) 48" x (H) 24" x (W) 30"
Burning Area:	(L) 28" x (W) 10"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCP2448
Flame Sense:	OPT-ATLCP2448FSML
Plug & Play:	OPT-ATLCP2448EKIT
Low Voltage:	OPT-ATLCP2448E12V
Fire Glow:	OPT-ATLCP2448FG
Spark Glow:	OPT-ATLCP2448SG

60" Atlantic - 24" Tall

Dimensions:	(L) 60" x (H) 24" x (W) 32"
Burning Area:	(L) 40" x (W) 12"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCP2460
Flame Sense:	OPT-ATLCP2460FSML
Plug & Play:	OPT-ATLCP2460EKIT
Low Voltage:	OPT-ATLCP2460E12V
Fire Glow:	OPT-ATLCP2460FG
Spark Glow:	OPT-ATLCP2460SG

72" Atlantic - 24" Tall

Dimensions:	(L) 72" x (H) 24" x (W) 36"
Burning Area:	(L) 52" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCP2472
Flame Sense:	OPT-ATLCP2472FSML
Plug & Play:	OPT-ATLCP2472EKIT
Low Voltage:	OPT-ATLCP2472E12V
Fire Glow:	OPT-ATLCP2472FG
Spark Glow:	OPT-ATLCP2472SG

84" Atlantic - 24" Tall

Dimensions:	(L) 84" x (H) 24" x (W) 36"
Burning Area:	(L) 64" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCP2484
Flame Sense:	OPT-ATLCP2484FSML
Plug & Play:	OPT-ATLCP2484EKIT
Low Voltage:	OPT-ATLCP2484E12V
Fire Glow:	OPT-ATLCP2484FG
Spark Glow:	OPT-ATLCP2484SG

96" Atlantic - 24" Tall

Dimensions:	(L) 96" x (H) 24" x (W) 36"
Burning Area:	(L) 76" x (W) 16"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	22lbs

Match Lit:	OPT-ATLCP2496
Flame Sense:	OPT-ATLCP2496FSML
Plug & Play:	OPT-ATLCP2496EKIT
Low Voltage:	OPT-ATLCP2496E12V
Fire Glow:	OPT-ATLCP2496FG
Spark Glow:	OPT-ATLCP2496SG

UPGRADES

ACCESSORIES

	48" Atlantic	60" Atlantic	72" Atlantic	84" Atlantic	96" Atlantic
BULLET BURNER	OPT-B20SST	OPT-B36SST	OPT-B48SST	OPT-B60SST	OPT-B60SST
CANVAS COVER - 18" TALL	OPT-CVR4830-18H	OPT-CVR6032-18H	OPT-CVR7236-18H	OPT-CVR8436-18H	OPT-CVR9636-18H
CANVAS COVER - 24" TALL	OPT-CVR4830-18H	OPT-CVR6030-18H	OPT-CVR7230-18H	OPT-CVR8430-18H	OPT-CVR9630-18H
STAINLESS LID	OPT-RC3012	OPT-RC4214	OPT-RC5418	OPT-RC6618	OPT-RC7818
GLASS WIND GUARD	OPT-WG-3214	OPT-WG-4416	OPT-WG-5620	OPT-WG-6820	OPT-WG-8020

REDAN FIRE PIT

in GFRC Concrete



Ash
-ASH



Black
-BLK



Brown
-BRN



Chestnut
-CST



Chocolate
-CHC



Gray
-GRY




Natural Gray
-NGY



Limestone
-LIM




Vanilla
-VAN



Rustic Moss Stone
-RMS



Rustic Coffee
-RCF



Rustic White
-RWH



Rustic Gray
-RGY



Metallic Slate
-MSL




Metallic Bronze
-MBR



Metallic Copper
-MCP



Metallic Pearl
-MPR



Metallic Silver
-MSV

SCAN THE QR CODE
TO LEARN MORE ABOUT OUR
COLOR SWATCH GUIDE



SIZES

36" Redan

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 19.5" x (W) 19.5"
Weight:	330lbs
BTU:	45,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-RDN36
Flame Sense:	OPT-RDN36FSML
Plug & Play:	OPT-RDN36EKIT
Low Voltage:	OPT-RDN36E12V
Fire Glow:	OPT-RDN36FG
Spark Glow:	OPT-RDN36SG

50" Redan

Dimensions:	(L) 50" x (H) 24" x (W) 50"
Burning Area:	(L) 29" x (W) 29"
Weight:	455lbs
BTU:	65,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-RDN50
Flame Sense:	OPT-RDN50FSML
Plug & Play:	OPT-RDN50EKIT
Low Voltage:	OPT-RDN50E12V
Fire Glow:	OPT-RDN50FG
Spark Glow:	OPT-RDN50SG

UPGRADES

ACCESSORIES	36" Redan	50" Redan
BULLET BURNER	OPT-B8SST	OPT-B12SST
CANVAS COVER	OPT-CVR-3636-24H	OPT-CVR-5050-24H
STAINLESS LID	OPT-21SC	OPT-31RC
GLASS WIND GUARD	OPT-WG-2323	OPT-WG-3131

REDAN FIRE PIT

in Powder Coat



REDAN FIRE PIT

in Stainless Steel



SIZES

36" Redan

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SQPC36
Flame Sense:	OPT-SQPC36FSML
Plug & Play:	OPT-SQPC36EKIT
Low Voltage:	OPT-SQPC36E12V
Fire Glow:	OPT-SQPC36FG
Spark Glow:	OPT-SQPC36SG

48" Redan

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 24" x (W) 24"
Weight:	155lbs
BTU:	--
Fire Glass Sugg:	75lbs

Match Lit:	OPT-SQPC48
Flame Sense:	OPT-SQPC48FSML
Plug & Play:	OPT-SQPC48EKIT
Low Voltage:	OPT-SQPC48E12V
Fire Glow:	OPT-SQPC48FG
Spark Glow:	OPT-SQPC48SG

SIZES

36" Redan

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SQSS36
Flame Sense:	OPT-SQSS36FSML
Plug & Play:	OPT-SQSS36EKIT
Low Voltage:	OPT-SQSS36E12V
Fire Glow:	OPT-SQSS36FG
Spark Glow:	OPT-SQSS36SG

48" Redan

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 24" x (W) 24"
Weight:	155lbs
BTU:	--
Fire Glass Sugg:	75lbs

Match Lit:	OPT-SQSS48
Flame Sense:	OPT-SQSS48FSML
Plug & Play:	OPT-SQSS48EKIT
Low Voltage:	OPT-SQSS48E12V
Fire Glow:	OPT-SQSS48FG
Spark Glow:	OPT-SQSS48SG

UPGRADES

ACCESSORIES 36" Redan 48" Redan

BULLET BURNER	OPT-BRDSS12	OPT-BRDSS18
CANVAS COVER	OPT-CVR-3636-24H	OPT-CVR-4848-24H
STAINLESS LID	OPT-22SC	OPT-26SC
GLASS WIND GUARD	OPT-WG-2222	OPT-WG-2828

REDAN FIRE PIT

in Corten Steel



REDAN FIRE PIT

in Hammered Copper



SIZES

36" Redan

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SQCS36
Flame Sense:	OPT-SQCS36FSML
Plug & Play:	OPT-SQCS36EKIT
Low Voltage:	OPT-SQCS36E12V
Fire Glow:	OPT-SQCS36FG
Spark Glow:	OPT-SQCS36SG

48" Redan

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 24" x (W) 24"
Weight:	155lbs
BTU:	--
Fire Glass Sugg:	75lbs

Match Lit:	OPT-SQCS48
Flame Sense:	OPT-SQCS48FSML
Plug & Play:	OPT-SQCS48EKIT
Low Voltage:	OPT-SQCS48E12V
Fire Glow:	OPT-SQCS48FG
Spark Glow:	OPT-SQCS48SG

SIZES

36" Redan

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SQ36CPM
Flame Sense:	OPT-SQ36CPMFSML
Plug & Play:	OPT-SQ36CPMEKIT
Low Voltage:	OPT-SQ36CPME12V
Fire Glow:	OPT-SQ36CPMFG
Spark Glow:	OPT-SQ36CPMSG

48" Redan

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 24" x (W) 24"
Weight:	155lbs
BTU:	--
Fire Glass Sugg:	75lbs

Match Lit:	OPT-SQ48CPM
Flame Sense:	OPT-SQ48CPMFSML
Plug & Play:	OPT-SQ48CPMEKIT
Low Voltage:	OPT-SQ48CPME12V
Fire Glow:	OPT-SQ48CPMFG
Spark Glow:	OPT-SQ48CPMSG

UPGRADES

ACCESSORIES 36" Redan 48" Redan

BULLET BURNER OPT-BRDSS12 OPT-BRDSS18

CANVAS COVER OPT-CVR-3636-24H OPT-CVR-4848-24H

STAINLESS LID OPT-22SC OPT-26SC

GLASS WIND GUARD OPT-WG-2424 OPT-WG-2828

SEDONA FIRE PIT - WIDE LEDGE

in GFRC Concrete



SIZES

48" Sedona

Dimensions:	(D) 48" x (H) 15"
Burning Area:	(D) 18"
Weight:	215lbs
BTU:	160,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SED48
Flame Sense:	OPT-SED48FSML
Plug & Play:	OPT-SED48EKIT
Low Voltage:	OPT-SED48E12V
Fire Glow:	OPT-SED48FG
Spark Glow:	OPT-SED48SG

60" Sedona

Dimensions:	(D) 60" x (H) 15"
Burning Area:	(D) 24"
Weight:	300lbs
BTU:	190,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-SED60
Flame Sense:	OPT-SED60FSML
Plug & Play:	OPT-SED60EKIT
Low Voltage:	OPT-SED60E12V
Fire Glow:	OPT-SED60FG
Spark Glow:	OPT-SED60SG

UPGRADES

ACCESSORIES	48" Sedona	60" Sedona
BULLET BURNER	OPT-BRDSS18	OPT-BRDSS24
CANVAS COVER	OPT-CVR-48R-15H	OPT-CVR-60R-15H
STAINLESS LID	OPT-20RC	OPT-26RC
GLASS WIND GUARD	--	--

SEDONA FIRE PIT - WIDE LEDGE

in GFRC Concrete



SIZES

48" Sedona

Dimensions:	(D) 48" x (H) 16"
Burning Area:	(D) 18"
Weight:	215lbs
BTU:	160,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SEDWL48
Flame Sense:	OPT-SEDWL48FSML
Plug & Play:	OPT-SEDWL48EKIT
Low Voltage:	OPT-SEDWL48E12V
Fire Glow:	OPT-SEDWL48FG
Spark Glow:	OPT-SEDWL48SG

60" Sedona

Dimensions:	(D) 60" x (H) 16"
Burning Area:	(D) 24"
Weight:	300lbs
BTU:	190,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-SEDWL60
Flame Sense:	OPT-SEDWL60FSML
Plug & Play:	OPT-SEDWL60EKIT
Low Voltage:	OPT-SEDWL60E12V
Fire Glow:	OPT-SEDWL60FG
Spark Glow:	OPT-SEDWL60SG

UPGRADES

ACCESSORIES	48" Sedona	60" Sedona
BULLET BURNER	OPT-BRDSS18	OPT-BRDSS24
CANVAS COVER	OPT-CVR-48R-16H	OPT-CVR-60R-16H
STAINLESS LID	OPT-20RC	OPT-26RC
GLASS WIND GUARD	--	--

TACOMA FIRE PIT

in GFRC Concrete



SIZES

48" Tacoma

Dimensions:	(L) 48" x (H) 24" x (W) 30"
Burning Area:	(L) 30" x (W) 8"
Weight:	TBD
BTU:	40,000
Fire Glass Sugg:	25lbs


Match Lit:	OPT-TACS4830
Flame Sense:	OPT-TACS4830FSML
Plug & Play:	OPT-TACS4830EKIT
Low Voltage:	OPT-TACS4830E12V
Fire Glow:	OPT-TACS4830FG
Spark Glow:	OPT-TACS4830SG

UPGRADES

ACCESSORIES

BULLET BURNER	OPT-B24SST
CANVAS COVER	OPT-CVR-4830-24H
STAINLESS LID	OPT-RC1032
GLASS WIND GUARD	OPT-WG-3412

48" Tacoma



PISMO FIRE PIT

in GFRC Concrete



SIZES

48" Pismo

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 31" x (W) 11"
Weight:	315lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-2448
Flame Sense:	OPT-2448FSML
Plug & Play:	OPT-2448EKIT
Low Voltage:	OPT-2448E12V
Fire Glow:	OPT-2448FG
Spark Glow:	OPT-2448SG

60" Pismo

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 42" x (W) 11"
Weight:	392lbs
BTU:	60,000
Fire Glass Sugg:	50lbs


Match Lit:	OPT-2460
Flame Sense:	OPT-2460FSML
Plug & Play:	OPT-2460EKIT
Low Voltage:	OPT-2460E12V
Fire Glow:	OPT-2460FG
Spark Glow:	OPT-2460SG

UPGRADES

ACCESSORIES	48" Pismo	60" Pismo
BULLET BURNER	OPT-B24SST	OPT-B36SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H
STAINLESS LID	OPT-RC1333	OPT-RC1344
GLASS WIND GUARD	OPT-WG-3515	OPT-WG-4415

PISMO FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	48" Pismo	60" Pismo	72" Pismo	84" Pismo
BULLET BURNER	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B66SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H	OPT-CVR-7224-24H	OPT-CVR-8424-24H
STAINLESS LID	OPT-RC1438	OPT-RC1450	OPT-RC1462	OPT-RC1474
GLASS WIND GUARD	OPT-WG-4016	OPT-WG-5216	OPT-WG-6416	OPT-WG-7616

SIZES

48" Pismo

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 12"
Weight:	135lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-R4824PCR
Flame Sense:	OPT-R4824PCRFSML
Plug & Play:	OPT-R4824PCREKIT
Low Voltage:	OPT-R4824PCRE12V
Fire Glow:	OPT-R4824PCRFG
Spark Glow:	OPT-R4824PCRS

60" Pismo

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 12"
Weight:	180lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-R6024PCR
Flame Sense:	OPT-R6024PCRFSML
Plug & Play:	OPT-R6024PCREKIT
Low Voltage:	OPT-R6024PCRE12V
Fire Glow:	OPT-R6024PCRFG
Spark Glow:	OPT-R6024PCRS

72" Pismo

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 60" x (W) 12"
Weight:	215lbs
BTU:	90,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-R7224PCR
Flame Sense:	OPT-R7224PCRFSML
Plug & Play:	OPT-R7224PCREKIT
Low Voltage:	OPT-R7224PCRE12V
Fire Glow:	OPT-R7224PCRFG
Spark Glow:	OPT-R7224PCRS

84" Pismo

Dimensions:	(L) 84" x (H) 24" x (W) 24"
Burning Area:	(L) 72" x (W) 12"
Weight:	260lbs
BTU:	260,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-R8424PCR
Flame Sense:	OPT-R8424PCRFSML
Plug & Play:	OPT-R8424PCREKIT
Low Voltage:	OPT-R8424PCRE12V
Fire Glow:	OPT-R8424PCRFG
Spark Glow:	OPT-R8424PCRS

PISMO FIRE PIT

in Stainless Steel



UPGRADES

ACCESSORIES	48" Pismo	60" Pismo	72" Pismo	84" Pismo
BULLET BURNER	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B66SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H	OPT-CVR-7224-24H	OPT-CVR-8424-24H
STAINLESS LID	OPT-RC1438	OPT-RC1450	OPT-RC1462	OPT-RC1474
GLASS WIND GUARD	OPT-WG-4016	OPT-WG-5216	OPT-WG-6416	OPT-WG-7616

SIZES

48" Pismo

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 12"
Weight:	135lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-R4824SS
Flame Sense:	OPT-R4824SSFSML
Plug & Play:	OPT-R4824SSEKIT
Low Voltage:	OPT-R4824SSE12V
Fire Glow:	OPT-R4824SSFG
Spark Glow:	OPT-R4824SSSG

60" Pismo

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 12"
Weight:	180lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-R6024SS
Flame Sense:	OPT-R6024SSFSML
Plug & Play:	OPT-R6024SSEKIT
Low Voltage:	OPT-R6024SSE12V
Fire Glow:	OPT-R6024SSFG
Spark Glow:	OPT-R6024SSSG

72" Pismo

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 60" x (W) 12"
Weight:	215lbs
BTU:	90,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-R7224SS
Flame Sense:	OPT-R7224SSFSML
Plug & Play:	OPT-R7224SSEKIT
Low Voltage:	OPT-R7224SSE12V
Fire Glow:	OPT-R7224SSFG
Spark Glow:	OPT-R7224SSSG

84" Pismo

Dimensions:	(L) 84" x (H) 24" x (W) 24"
Burning Area:	(L) 72" x (W) 12"
Weight:	260lbs
BTU:	260,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-R8424SS
Flame Sense:	OPT-R8424SSFSML
Plug & Play:	OPT-R8424SSEKIT
Low Voltage:	OPT-R8424SSE12V
Fire Glow:	OPT-R8424SSFG
Spark Glow:	OPT-R8424SSSG

PISMO FIRE PIT

in Corten Steel



UPGRADES

ACCESSORIES	48" Pismo	60" Pismo	72" Pismo	84" Pismo
BULLET BURNER	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B66SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H	OPT-CVR-7224-24H	OPT-CVR-8424-24H
STAINLESS LID	OPT-RC1438	OPT-RC1450	OPT-RC1462	OPT-RC1474
GLASS WIND GUARD	OPT-WG-4016	OPT-WG-5216	OPT-WG-6416	OPT-WG-7616

SIZES

48" Pismo

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 12"
Weight:	135lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-R4824CS
Flame Sense:	OPT-R4824CSFSML
Plug & Play:	OPT-R4824CSEKIT
Low Voltage:	OPT-R4824CSE12V
Fire Glow:	OPT-R4824CSFG
Spark Glow:	OPT-R4824CSSG

60" Pismo

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 12"
Weight:	180lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-R6024CS
Flame Sense:	OPT-R6024CSFSML
Plug & Play:	OPT-R6024CSEKIT
Low Voltage:	OPT-R6024CSE12V
Fire Glow:	OPT-R6024CSFG
Spark Glow:	OPT-R6024CSSG

72" Pismo

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 60" x (W) 12"
Weight:	215lbs
BTU:	90,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-R7224CS
Flame Sense:	OPT-R7224CSFSML
Plug & Play:	OPT-R7224CSEKIT
Low Voltage:	OPT-R7224CSE12V
Fire Glow:	OPT-R7224CSFG
Spark Glow:	OPT-R7224CSSG

84" Pismo

Dimensions:	(L) 84" x (H) 24" x (W) 24"
Burning Area:	(L) 72" x (W) 12"
Weight:	260lbs
BTU:	260,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-R8424CS
Flame Sense:	OPT-R8424CSFSML
Plug & Play:	OPT-R8424CSEKIT
Low Voltage:	OPT-R8424CSE12V
Fire Glow:	OPT-R8424CSFG
Spark Glow:	OPT-R8424CSSG

PISMO FIRE PIT

in Hammered Copper



UPGRADES

ACCESSORIES	48" Pismo	60" Pismo	72" Pismo	84" Pismo
BULLET BURNER	OPT-B30SST	OPT-B42SST	OPT-B54SST	OPT-B66SST
CANVAS COVER	OPT-CVR-4824-24H	OPT-CVR-6024-24H	OPT-CVR-7224-24H	OPT-CVR-8424-24H
STAINLESS LID	OPT-RC1438	OPT-RC1450	OPT-RC1462	OPT-RC1474
GLASS WIND GUARD	OPT-WG-4016	OPT-WG-5216	OPT-WG-6416	OPT-WG-7616

SIZES

48" Pismo

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 12"
Weight:	135lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CPRT4824
Flame Sense:	OPT-CPRT4824FSML
Plug & Play:	OPT-CPRT4824EKIT
Low Voltage:	OPT-CPRT4824E12V
Fire Glow:	OPT-CPRT4824FG
Spark Glow:	OPT-CPRT4824SG

60" Pismo

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 12"
Weight:	180lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CPRT6024
Flame Sense:	OPT-CPRT6024FSML
Plug & Play:	OPT-CPRT6024EKIT
Low Voltage:	OPT-CPRT6024E12V
Fire Glow:	OPT-CPRT6024FG
Spark Glow:	OPT-CPRT6024SG

72" Pismo

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 60" x (W) 12"
Weight:	215lbs
BTU:	90,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-CPRT7224
Flame Sense:	OPT-CPRT7224FSML
Plug & Play:	OPT-CPRT7224EKIT
Low Voltage:	OPT-CPRT7224E12V
Fire Glow:	OPT-CPRT7224FG
Spark Glow:	OPT-CPRT7224SG

84" Pismo

Dimensions:	(L) 84" x (H) 24" x (W) 24"
Burning Area:	(L) 72" x (W) 12"
Weight:	260lbs
BTU:	260,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-CPRT8424
Flame Sense:	OPT-CPRT8424FSML
Plug & Play:	OPT-CPRT8424EKIT
Low Voltage:	OPT-CPRT8424E12V
Fire Glow:	OPT-CPRT8424FG
Spark Glow:	OPT-CPRT8424SG

SEQUOIA FIRE PIT

in GFRC Concrete Wood Grain



42" SEQUOIA (24" TALL)



42" SEQUOIA (16" TALL)

SIZES

42" Sequoia - 16" Tall

Dimensions:	(D) 42" x (H) 16"
Burning Area:	(D) 19"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	30lbs
Match Lit:	OPT-SEQ42LW
Flame Sense:	OPT-SEQ42LWFMSML
Plug & Play:	OPT-SEQ42LWEKIT
Low Voltage:	OPT-SEQ42LWE12V
Fire Glow:	OPT-SEQ42LWFG
Spark Glow:	OPT-SEQ42LWSG

60" Sequoia - 16" Tall

Dimensions:	(D) 60" x (H) 16"
Burning Area:	(D) 31"
Weight:	--
BTU:	160,000
Fire Glass Sugg:	30lbs
Match Lit:	OPT-SEQ60LW
Flame Sense:	OPT-SEQ60LWFMSML
Plug & Play:	OPT-SEQ60LWEKIT
Low Voltage:	OPT-SEQ60LWE12V
Fire Glow:	OPT-SEQ60LWFG
Spark Glow:	OPT-SEQ60LWSG

42" Sequoia - 24" Tall

Dimensions:	(D) 42" x (H) 24"
Burning Area:	(D) 19"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	30lbs
Match Lit:	OPT-SEQ42
Flame Sense:	OPT-SEQ42FSML
Plug & Play:	OPT-SEQ42EKIT
Low Voltage:	OPT-SEQ42E12V
Fire Glow:	OPT-SEQ42FG
Spark Glow:	OPT-SEQ42SG

60" Sequoia - 24" Tall

Dimensions:	(D) 60" x (H) 24"
Burning Area:	(D) 31"
Weight:	--
BTU:	160,000
Fire Glass Sugg:	30lbs
Match Lit:	OPT-SEQ60
Flame Sense:	OPT-SEQ60FSML
Plug & Play:	OPT-SEQ60EKIT
Low Voltage:	OPT-SEQ60E12V
Fire Glow:	OPT-SEQ60FG
Spark Glow:	OPT-SEQ60SG

UPGRADES

ACCESSORIES

	42" Sequoia	60" Sequoia
BULLET BURNER	OPT-BRDSS12	OPT-BRDSS18
CANVAS COVER - 15" TALL	OPT-CVR-42R-16H	OPT-CVR-60R-16H
CANVAS COVER - 24" TALL	OPT-CVR-42R-24H	OPT-CVR-60R-24H
STAINLESS LID	OPT-21RC	OPT-33RC
GLASS WIND GUARD	--	--

FORMA FIRE PIT

in Stainless Steel



UPGRADES

ACCESSORIES	30" Forma	36" Forma	42" Forma	48" Forma	60" Forma
BULLET BURNER	OPT-BRDSS8	OPT-BRDSS12	OPT-BRDSS12	OPT-BRDSS18	OPT-BRDSS18
CANVAS COVER	OPT-CVR-3030-24H	OPT-CVR-3636-24H	OPT-CVR-4242-24H	OPT-CVR-4848-24H	OPT-CVR-6060-24H
STAINLESS LID	OPT-20SC	OPT-26SC	OPT-32SC	OPT-38SC	OPT-50SC
GLASS WIND GUARD	OPT-WG-2222	OPT-WG-2828	OPT-WG-3434	OPT-WG-4040	OPT-WG-5252

SIZES

30" Forma

Dimensions:	(L) 30" x (H) 24" x (W) 30"
Burning Area:	(L) 18" x (W) 18"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-3030SQSS
Flame Sense:	OPT-3030SQSSFMSL
Plug & Play:	OPT-3030SQSSEKIT
Low Voltage:	OPT-3030SQSSE12V
Fire Glow:	OPT-3030SQSSFG
Spark Glow:	OPT-3030SQSSSG

36" Forma

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 24" x (W) 24"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-3636SQSS
Flame Sense:	OPT-3636SQSSFMSL
Plug & Play:	OPT-3636SQSSEKIT
Low Voltage:	OPT-3636SQSSE12V
Fire Glow:	OPT-3636SQSSFG
Spark Glow:	OPT-3636SQSSSG

42" Forma

Dimensions:	(L) 42" x (H) 24" x (W) 42"
Burning Area:	(L) 30" x (W) 30"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	94lbs

Match Lit:	OPT-4242SQSS
Flame Sense:	OPT-4242SQSSFMSL
Plug & Play:	OPT-4242SQSSEKIT
Low Voltage:	OPT-4242SQSSE12V
Fire Glow:	OPT-4242SQSSFG
Spark Glow:	OPT-4242SQSSSG

48" Forma

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 36" x (W) 36"
Weight:	155lbs
BTU:	160,000
Fire Glass Sugg:	135lbs

Match Lit:	OPT-4848SQSS
Flame Sense:	OPT-4848SQSSFMSL
Plug & Play:	OPT-4848SQSSEKIT
Low Voltage:	OPT-4848SQSSE12V
Fire Glow:	OPT-4848SQSSFG
Spark Glow:	OPT-4848SQSSSG

60" Forma

Dimensions:	(L) 60" x (H) 24" x (W) 60"
Burning Area:	(L) 48" x (W) 48"
Weight:	215lbs
BTU:	160,000
Fire Glass Sugg:	239lbs

Match Lit:	OPT-6060SQSS
Flame Sense:	OPT-6060SQSSFMSL
Plug & Play:	OPT-6060SQSSEKIT
Low Voltage:	OPT-6060SQSSE12V
Fire Glow:	OPT-6060SQSSFG
Spark Glow:	OPT-6060SQSSSG

FORMA FIRE PIT

in Corten Steel



UPGRADES

ACCESSORIES	30" Forma	36" Forma	42" Forma	48" Forma	60" Forma
BULLET BURNER	OPT-BRDSS8	OPT-BRDSS12	OPT-BRDSS12	OPT-BRDSS18	OPT-BRDSS18
CANVAS COVER	OPT-CVR-3030-24H	OPT-CVR-3636-24H	OPT-CVR-4242-24H	OPT-CVR-4848-24H	OPT-CVR-6060-24H
STAINLESS LID	OPT-20SC	OPT-26SC	OPT-32SC	OPT-38SC	OPT-50SC
GLASS WIND GUARD	OPT-WG-2222	OPT-WG-2828	OPT-WG-3434	OPT-WG-4040	OPT-WG-5252

SIZES

30" Forma

Dimensions:	(L) 30" x (H) 24" x (W) 30"
Burning Area:	(L) 18" x (W) 18"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-3030SQCS
Flame Sense:	OPT-3030SQCSFSML
Plug & Play:	OPT-3030QCSEKIT
Low Voltage:	OPT-3030QCSE12V
Fire Glow:	OPT-3030QCSFG
Spark Glow:	OPT-3030QCSFG

36" Forma

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 24" x (W) 24"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-3636SQCS
Flame Sense:	OPT-3636SQCSFSML
Plug & Play:	OPT-3636QCSEKIT
Low Voltage:	OPT-3636QCSE12V
Fire Glow:	OPT-3636QCSFG
Spark Glow:	OPT-3636QCSFG

42" Forma

Dimensions:	(L) 42" x (H) 24" x (W) 42"
Burning Area:	(L) 30" x (W) 30"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	94lbs

Match Lit:	OPT-4242SQCS
Flame Sense:	OPT-4242SQCSFSML
Plug & Play:	OPT-4242QCSEKIT
Low Voltage:	OPT-4242QCSE12V
Fire Glow:	OPT-4242QCSFG
Spark Glow:	OPT-4242QCSFG

48" Forma

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 36" x (W) 36"
Weight:	155lbs
BTU:	160,000
Fire Glass Sugg:	135lbs

Match Lit:	OPT-4848SQCS
Flame Sense:	OPT-4848SQCSFSML
Plug & Play:	OPT-4848QCSEKIT
Low Voltage:	OPT-4848QCSE12V
Fire Glow:	OPT-4848QCSFG
Spark Glow:	OPT-4848QCSFG

60" Forma

Dimensions:	(L) 60" x (H) 24" x (W) 60"
Burning Area:	(L) 48" x (W) 48"
Weight:	215lbs
BTU:	160,000
Fire Glass Sugg:	239lbs

Match Lit:	OPT-6060SQCS
Flame Sense:	OPT-6060SQCSFSML
Plug & Play:	OPT-6060QCSEKIT
Low Voltage:	OPT-6060QCSE12V
Fire Glow:	OPT-6060QCSFG
Spark Glow:	OPT-6060QCSFG

FORMA FIRE PIT

in Powder Coat



ACCESSORIES	30" Forma	36" Forma	42" Forma	48" Forma	60" Forma
BULLET BURNER	OPT-BRDSS8	OPT-BRDSS12	OPT-BRDSS12	OPT-BRDSS18	OPT-BRDSS18
CANVAS COVER	OPT-CVR-3030-24H	OPT-CVR-3636-24H	OPT-CVR-4242-24H	OPT-CVR-4848-24H	OPT-CVR-6060-24H
STAINLESS LID	OPT-20SC	OPT-26SC	OPT-32SC	OPT-38SC	OPT-50SC
GLASS WIND GUARD	OPT-WG-2222	OPT-WG-2828	OPT-WG-3434	OPT-WG-4040	OPT-WG-5252

SIZES

30" Forma

Dimensions:	(L) 30" x (H) 24" x (W) 30"
Burning Area:	(L) 18" x (W) 18"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-30PCSQ
Flame Sense:	OPT-30PCSQFSML
Plug & Play:	OPT-30PCSQEKIT
Low Voltage:	OPT-30PCSQE12V
Fire Glow:	OPT-30PCSQFG
Spark Glow:	OPT-30PCSQSG

36" Forma

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 24" x (W) 24"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-36PCSQ
Flame Sense:	OPT-36PCSQFSML
Plug & Play:	OPT-36PCSQEKIT
Low Voltage:	OPT-36PCSQE12V
Fire Glow:	OPT-36PCSQFG
Spark Glow:	OPT-36PCSQSG

42" Forma

Dimensions:	(L) 42" x (H) 24" x (W) 42"
Burning Area:	(L) 30" x (W) 30"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	94lbs

Match Lit:	OPT-42PCSQ
Flame Sense:	OPT-42PCSQFSML
Plug & Play:	OPT-42PCSQEKIT
Low Voltage:	OPT-42PCSQE12V
Fire Glow:	OPT-42PCSQFG
Spark Glow:	OPT-42PCSQSG

48" Forma

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 36" x (W) 36"
Weight:	155lbs
BTU:	160,000
Fire Glass Sugg:	135lbs

Match Lit:	OPT-48PCSQ
Flame Sense:	OPT-48PCSQFSML
Plug & Play:	OPT-48PCSQEKIT
Low Voltage:	OPT-48PCSQE12V
Fire Glow:	OPT-48PCSQFG
Spark Glow:	OPT-48PCSQSG

60" Forma

Dimensions:	(L) 60" x (H) 24" x (W) 60"
Burning Area:	(L) 48" x (W) 48"
Weight:	215lbs
BTU:	160,000
Fire Glass Sugg:	239lbs

Match Lit:	OPT-60PCSQ
Flame Sense:	OPT-60PCSQFSML
Plug & Play:	OPT-60PCSQEKIT
Low Voltage:	OPT-60PCSQE12V
Fire Glow:	OPT-60PCSQFG
Spark Glow:	OPT-60PCSQSG

FORMA FIRE PIT

in Hammered Copper



UPGRADES

ACCESSORIES	30" Forma	36" Forma	42" Forma	48" Forma	60" Forma
BULLET BURNER	OPT-BRDSS8	OPT-BRDSS12	OPT-BRDSS12	OPT-BRDSS18	OPT-BRDSS18
CANVAS COVER	OPT-CVR-3030-24H	OPT-CVR-3636-24H	OPT-CVR-4242-24H	OPT-CVR-4848-24H	OPT-CVR-6060-24H
STAINLESS LID	OPT-20SC	OPT-26SC	OPT-32SC	OPT-38SC	OPT-50SC
GLASS WIND GUARD	OPT-WG-2222	OPT-WG-2828	OPT-WG-3434	OPT-WG-4040	OPT-WG-5252

SIZES

30" Forma

Dimensions:	(L) 30" x (H) 24" x (W) 30"
Burning Area:	(L) 18" x (W) 18"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-3030SQ CPR
Flame Sense:	OPT-3030SQ CPRFSML
Plug & Play:	OPT-3030SQ CPREKIT
Low Voltage:	OPT-3030SQ CPRE12V
Fire Glow:	OPT-3030SQ CPRFG
Spark Glow:	OPT-3030SQ CPRSG

36" Forma

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 24" x (W) 24"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-3636SQ CPR
Flame Sense:	OPT-3636SQ CPRFSML
Plug & Play:	OPT-3636SQ CPREKIT
Low Voltage:	OPT-3636SQ CPRE12V
Fire Glow:	OPT-3636SQ CPRFG
Spark Glow:	OPT-3636SQ CPRSG

42" Forma

Dimensions:	(L) 42" x (H) 24" x (W) 42"
Burning Area:	(L) 30" x (W) 30"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	94lbs

Match Lit:	OPT-4242SQ CPR
Flame Sense:	OPT-4242SQ CPRFSML
Plug & Play:	OPT-4242SQ CPREKIT
Low Voltage:	OPT-4242SQ CPRE12V
Fire Glow:	OPT-4242SQ CPRFG
Spark Glow:	OPT-4242SQ CPRSG

48" Forma

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 36" x (W) 36"
Weight:	155lbs
BTU:	160,000
Fire Glass Sugg:	135lbs

Match Lit:	OPT-4848SQ CPR
Flame Sense:	OPT-4848SQ CPRFSML
Plug & Play:	OPT-4848SQ CPREKIT
Low Voltage:	OPT-4848SQ CPRE12V
Fire Glow:	OPT-4848SQ CPRFG
Spark Glow:	OPT-4848SQ CPRSG

60" Forma

Dimensions:	(L) 60" x (H) 24" x (W) 60"
Burning Area:	(L) 48" x (W) 48"
Weight:	215lbs
BTU:	160,000
Fire Glass Sugg:	239lbs

Match Lit:	OPT-6060SQ CPR
Flame Sense:	OPT-6060SQ CPRFSML
Plug & Play:	OPT-6060SQ CPREKIT
Low Voltage:	OPT-6060SQ CPRE12V
Fire Glow:	OPT-6060SQ CPRFG
Spark Glow:	OPT-6060SQ CPRSG

FREMONT FIRE PIT

in Powder Coat



SIZES

FREMONT - 15" TALL

48" Fremont

Dimensions:	(L) 48" x (H) 15" x (W) 32"
Burning Area:	(L) 30" x (W) 10"
Weight:	85lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FRMPC4815
Flame Sense:	OPT-FRMPC4815FSML
Plug & Play:	OPT-FRMPC4815EKIT
Low Voltage:	OPT-FRMPC4815E12V
Fire Glow:	OPT-FRMPC4815FG
Spark Glow:	OPT-FRMPC4815SG

60" Fremont

Dimensions:	(L) 60" x (H) 15" x (W) 32"
Burning Area:	(L) 42" x (W) 10"
Weight:	100lbs
BTU:	60,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMPC6015
Flame Sense:	OPT-FRMPC6015FSML
Plug & Play:	OPT-FRMPC6015EKIT
Low Voltage:	OPT-FRMPC6015E12V
Fire Glow:	OPT-FRMPC6015FG
Spark Glow:	OPT-FRMPC6015SG

72" Fremont

Dimensions:	(L) 72" x (H) 15" x (W) 32"
Burning Area:	(L) 54" x (W) 10"
Weight:	115lbs
BTU:	80,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMPC7215
Flame Sense:	OPT-FRMPC7215FSML
Plug & Play:	OPT-FRMPC7215EKIT
Low Voltage:	OPT-FRMPC7215E12V
Fire Glow:	OPT-FRMPC7215FG
Spark Glow:	OPT-FRMPC7215SG

84" Fremont

Dimensions:	(L) 84" x (H) 15" x (W) 32"
Burning Area:	(L) 66" x (W) 10"
Weight:	130lbs
BTU:	100,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMPC8415
Flame Sense:	OPT-FRMPC8415FSML
Plug & Play:	OPT-FRMPC8415EKIT
Low Voltage:	OPT-FRMPC8415E12V
Fire Glow:	OPT-FRMPC8415FG
Spark Glow:	OPT-FRMPC8415SG

FREMONT - 24" TALL

48" Fremont

Dimensions:	(L) 48" x (H) 24" x (W) 32"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FRMPC4824
Flame Sense:	OPT-FRMPC4824FSML
Plug & Play:	OPT-FRMPC4824EKIT
Low Voltage:	OPT-FRMPC4824E12V
Fire Glow:	OPT-FRMPC4824FG
Spark Glow:	OPT-FRMPC4824SG

60" Fremont

Dimensions:	(L) 60" x (H) 24" x (W) 32"
Burning Area:	(L) 42" x (W) 10"
Weight:	120lbs
BTU:	60,000
Fire Glass Sugg:	---

Match Lit:	OPT-FRMPC6024
Flame Sense:	OPT-FRMPC6024FSML
Plug & Play:	OPT-FRMPC6024EKIT
Low Voltage:	OPT-FRMPC6024E12V
Fire Glow:	OPT-FRMPC6024FG
Spark Glow:	OPT-FRMPC6024SG

72" Fremont

Dimensions:	(L) 72" x (H) 24" x (W) 32"
Burning Area:	(L) 54" x (W) 10"
Weight:	135lbs
BTU:	80,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMPC7224
Flame Sense:	OPT-FRMPC7224FSML
Plug & Play:	OPT-FRMPC7224EKIT
Low Voltage:	OPT-FRMPC7224E12V
Fire Glow:	OPT-FRMPC7224FG
Spark Glow:	OPT-FRMPC7224SG

84" Fremont

Dimensions:	(L) 84" x (H) 24" x (W) 32"
Burning Area:	(L) 66" x (W) 10"
Weight:	155lbs
BTU:	100,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMPC8424
Flame Sense:	OPT-FRMPC8424FSML
Plug & Play:	OPT-FRMPC8424EKIT
Low Voltage:	OPT-FRMPC8424E12V
Fire Glow:	OPT-FRMPC8424FG
Spark Glow:	OPT-FRMPC8424SG

UPGRADES

ACCESSORIES

	48" Fremont	60" Fremont	72" Fremont	84" Fremont
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER - 15" TALL	OPT-CVR-4832-15H	OPT-CVR-6032-15H	OPT-CVR-7232-15H	OPT-CVR-8432-15H
CANVAS COVER - 24" TALL	OPT-CVR-4832-24H	OPT-CVR-6032-24H	OPT-CVR-7232-24H	OPT-CVR-8432-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

FREMONT FIRE PIT

in Stainless Steel



SIZES

FREMONT - 15" TALL

48" Fremont

Dimensions:	(L) 48" x (H) 15" x (W) 32"
Burning Area:	(L) 30" x (W) 10"
Weight:	85lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FRMSS4815
Flame Sense:	OPT-FRMSS4815FSML
Plug & Play:	OPT-FRMSS4815EKIT
Low Voltage:	OPT-FRMSS4815E12V
Fire Glow:	OPT-FRMSS4815FG
Spark Glow:	OPT-FRMSS4815SG

60" Fremont

Dimensions:	(L) 60" x (H) 15" x (W) 32"
Burning Area:	(L) 42" x (W) 10"
Weight:	100lbs
BTU:	60,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMSS6015
Flame Sense:	OPT-FRMSS6015FSML
Plug & Play:	OPT-FRMSS6015EKIT
Low Voltage:	OPT-FRMSS6015E12V
Fire Glow:	OPT-FRMSS6015FG
Spark Glow:	OPT-FRMSS6015SG

72" Fremont

Dimensions:	(L) 72" x (H) 15" x (W) 32"
Burning Area:	(L) 54" x (W) 10"
Weight:	115lbs
BTU:	80,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMSS7215
Flame Sense:	OPT-FRMSS7215FSML
Plug & Play:	OPT-FRMSS7215EKIT
Low Voltage:	OPT-FRMSS7215E12V
Fire Glow:	OPT-FRMSS7215FG
Spark Glow:	OPT-FRMSS7215SG

84" Fremont

Dimensions:	(L) 84" x (H) 15" x (W) 32"
Burning Area:	(L) 66" x (W) 10"
Weight:	130lbs
BTU:	100,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMSS8415
Flame Sense:	OPT-FRMSS8415FSML
Plug & Play:	OPT-FRMSS8415EKIT
Low Voltage:	OPT-FRMSS8415E12V
Fire Glow:	OPT-FRMSS8415FG
Spark Glow:	OPT-FRMSS8415SG

FREMONT - 24" TALL

48" Fremont

Dimensions:	(L) 48" x (H) 24" x (W) 32"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FRMSS4824
Flame Sense:	OPT-FRMSS4824FSML
Plug & Play:	OPT-FRMSS4824EKIT
Low Voltage:	OPT-FRMSS4824E12V
Fire Glow:	OPT-FRMSS4824FG
Spark Glow:	OPT-FRMSS4824SG

60" Fremont

Dimensions:	(L) 60" x (H) 24" x (W) 32"
Burning Area:	(L) 42" x (W) 10"
Weight:	120lbs
BTU:	60,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMSS6024
Flame Sense:	OPT-FRMSS6024FSML
Plug & Play:	OPT-FRMSS6024EKIT
Low Voltage:	OPT-FRMSS6024E12V
Fire Glow:	OPT-FRMSS6024FG
Spark Glow:	OPT-FRMSS6024SG

72" Fremont

Dimensions:	(L) 72" x (H) 24" x (W) 32"
Burning Area:	(L) 54" x (W) 10"
Weight:	135lbs
BTU:	80,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMSS7224
Flame Sense:	OPT-FRMSS7224FSML
Plug & Play:	OPT-FRMSS7224EKIT
Low Voltage:	OPT-FRMSS7224E12V
Fire Glow:	OPT-FRMSS7224FG
Spark Glow:	OPT-FRMSS7224SG

84" Fremont

Dimensions:	(L) 84" x (H) 24" x (W) 32"
Burning Area:	(L) 66" x (W) 10"
Weight:	155lbs
BTU:	100,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMSS8424
Flame Sense:	OPT-FRMSS8424FSML
Plug & Play:	OPT-FRMSS8424EKIT
Low Voltage:	OPT-FRMSS8424E12V
Fire Glow:	OPT-FRMSS8424FG
Spark Glow:	OPT-FRMSS8424SG

UPGRADES

ACCESSORIES

	48" Fremont	60" Fremont	72" Fremont	84" Fremont
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER - 15" TALL	OPT-CVR-4832-15H	OPT-CVR-6032-15H	OPT-CVR-7232-15H	OPT-CVR-8432-15H
CANVAS COVER - 24" TALL	OPT-CVR-4832-24H	OPT-CVR-6032-24H	OPT-CVR-7232-24H	OPT-CVR-8432-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

FREMONT FIRE PIT

in Corten Steel



SIZES

FREMONT - 15" TALL

48" Fremont

Dimensions:	(L) 48" x (H) 15" x (W) 32"
Burning Area:	(L) 30" x (W) 10"
Weight:	85lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FRMCS4815
Flame Sense:	OPT-FRMCS4815FSML
Plug & Play:	OPT-FRMCS4815EKIT
Low Voltage:	OPT-FRMCS4815E12V
Fire Glow:	OPT-FRMCS4815FG
Spark Glow:	OPT-FRMCS4815SG

60" Fremont

Dimensions:	(L) 60" x (H) 15" x (W) 32"
Burning Area:	(L) 42" x (W) 10"
Weight:	100lbs
BTU:	60,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMCS6015
Flame Sense:	OPT-FRMCS6015FSML
Plug & Play:	OPT-FRMCS6015EKIT
Low Voltage:	OPT-FRMCS6015E12V
Fire Glow:	OPT-FRMCS6015FG
Spark Glow:	OPT-FRMCS6015SG

72" Fremont

Dimensions:	(L) 72" x (H) 15" x (W) 32"
Burning Area:	(L) 54" x (W) 10"
Weight:	115lbs
BTU:	80,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMCS7215
Flame Sense:	OPT-FRMCS7215FSML
Plug & Play:	OPT-FRMCS7215EKIT
Low Voltage:	OPT-FRMCS7215E12V
Fire Glow:	OPT-FRMCS7215FG
Spark Glow:	OPT-FRMCS7215SG

84" Fremont

Dimensions:	(L) 84" x (H) 15" x (W) 32"
Burning Area:	(L) 66" x (W) 10"
Weight:	130lbs
BTU:	100,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMCS8415
Flame Sense:	OPT-FRMCS8415FSML
Plug & Play:	OPT-FRMCS8415EKIT
Low Voltage:	OPT-FRMCS8415E12V
Fire Glow:	OPT-FRMCS8415FG
Spark Glow:	OPT-FRMCS8415SG

FREMONT - 24" TALL

48" Fremont

Dimensions:	(L) 48" x (H) 24" x (W) 32"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FRMCS4824
Flame Sense:	OPT-FRMCS4824FSML
Plug & Play:	OPT-FRMCS4824EKIT
Low Voltage:	OPT-FRMCS4824E12V
Fire Glow:	OPT-FRMCS4824FG
Spark Glow:	OPT-FRMCS4824SG

60" Fremont

Dimensions:	(L) 60" x (H) 24" x (W) 32"
Burning Area:	(L) 42" x (W) 10"
Weight:	120lbs
BTU:	60,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMCS6024
Flame Sense:	OPT-FRMCS6024FSML
Plug & Play:	OPT-FRMCS6024EKIT
Low Voltage:	OPT-FRMCS6024E12V
Fire Glow:	OPT-FRMCS6024FG
Spark Glow:	OPT-FRMCS6024SG

72" Fremont

Dimensions:	(L) 72" x (H) 24" x (W) 32"
Burning Area:	(L) 54" x (W) 10"
Weight:	135lbs
BTU:	80,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMCS7224
Flame Sense:	OPT-FRMCS7224FSML
Plug & Play:	OPT-FRMCS7224EKIT
Low Voltage:	OPT-FRMCS7224E12V
Fire Glow:	OPT-FRMCS7224FG
Spark Glow:	OPT-FRMCS7224SG

84" Fremont

Dimensions:	(L) 84" x (H) 24" x (W) 32"
Burning Area:	(L) 66" x (W) 10"
Weight:	155lbs
BTU:	100,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMCS8424
Flame Sense:	OPT-FRMCS8424FSML
Plug & Play:	OPT-FRMCS8424EKIT
Low Voltage:	OPT-FRMCS8424E12V
Fire Glow:	OPT-FRMCS8424FG
Spark Glow:	OPT-FRMCS8424SG

UPGRADES

ACCESSORIES

	48" Fremont	60" Fremont	72" Fremont	84" Fremont
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER - 15" TALL	OPT-CVR-4832-15H	OPT-CVR-6032-15H	OPT-CVR-7232-15H	OPT-CVR-8432-15H
CANVAS COVER - 24" TALL	OPT-CVR-4832-24H	OPT-CVR-6032-24H	OPT-CVR-7232-24H	OPT-CVR-8432-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

FREMONT FIRE PIT

in Hammered Copper



SIZES

FREMONT - 15" TALL

48" Fremont

Dimensions:	(L) 48" x (H) 15" x (W) 32"
Burning Area:	(L) 30" x (W) 10"
Weight:	85lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FRMCPR4815
Flame Sense:	OPT-FRMCPR4815FSML
Plug & Play:	OPT-FRMCPR4815EKIT
Low Voltage:	OPT-FRMCPR4815E12V
Fire Glow:	OPT-FRMCPR4815FG
Spark Glow:	OPT-FRMCPR4815SG

60" Fremont

Dimensions:	(L) 60" x (H) 15" x (W) 32"
Burning Area:	(L) 42" x (W) 10"
Weight:	100lbs
BTU:	60,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMCPR6015
Flame Sense:	OPT-FRMCPR6015FSML
Plug & Play:	OPT-FRMCPR6015EKIT
Low Voltage:	OPT-FRMCPR6015E12V
Fire Glow:	OPT-FRMCPR6015FG
Spark Glow:	OPT-FRMCPR6015SG

72" Fremont

Dimensions:	(L) 72" x (H) 15" x (W) 32"
Burning Area:	(L) 54" x (W) 10"
Weight:	115lbs
BTU:	80,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMCPR7215
Flame Sense:	OPT-FRMCPR7215FSML
Plug & Play:	OPT-FRMCPR7215EKIT
Low Voltage:	OPT-FRMCPR7215E12V
Fire Glow:	OPT-FRMCPR7215FG
Spark Glow:	OPT-FRMCPR7215SG

84" Fremont

Dimensions:	(L) 84" x (H) 15" x (W) 32"
Burning Area:	(L) 66" x (W) 10"
Weight:	130lbs
BTU:	100,000
Fire Glass Sugg:	TBD

Match Lit:	OPT-FRMCPR8415
Flame Sense:	OPT-FRMCPR8415FSML
Plug & Play:	OPT-FRMCPR8415EKIT
Low Voltage:	OPT-FRMCPR8415E12V
Fire Glow:	OPT-FRMCPR8415FG
Spark Glow:	OPT-FRMCPR8415SG

FREMONT - 24" TALL

48" Fremont

Dimensions:	(L) 48" x (H) 24" x (W) 32"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FRMCPR4824
Flame Sense:	OPT-FRMCPR4824FSML
Plug & Play:	OPT-FRMCPR4824EKIT
Low Voltage:	OPT-FRMCPR4824E12V
Fire Glow:	OPT-FRMCPR4824FG
Spark Glow:	OPT-FRMCPR4824SG

60" Fremont

Dimensions:	(L) 60" x (H) 24" x (W) 32"
Burning Area:	(L) 42" x (W) 10"
Weight:	120lbs
BTU:	60,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMCPR6024
Flame Sense:	OPT-FRMCPR6024FSML
Plug & Play:	OPT-FRMCPR6024EKIT
Low Voltage:	OPT-FRMCPR6024E12V
Fire Glow:	OPT-FRMCPR6024FG
Spark Glow:	OPT-FRMCPR6024SG

72" Fremont

Dimensions:	(L) 72" x (H) 24" x (W) 32"
Burning Area:	(L) 54" x (W) 10"
Weight:	135lbs
BTU:	80,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMCPR7224
Flame Sense:	OPT-FRMCPR7224FSML
Plug & Play:	OPT-FRMCPR7224EKIT
Low Voltage:	OPT-FRMCPR7224E12V
Fire Glow:	OPT-FRMCPR7224FG
Spark Glow:	OPT-FRMCPR7224SG

84" Fremont

Dimensions:	(L) 84" x (H) 24" x (W) 32"
Burning Area:	(L) 66" x (W) 10"
Weight:	155lbs
BTU:	100,000
Fire Glass Sugg:	--

Match Lit:	OPT-FRMCPR8424
Flame Sense:	OPT-FRMCPR8424FSML
Plug & Play:	OPT-FRMCPR8424EKIT
Low Voltage:	OPT-FRMCPR8424E12V
Fire Glow:	OPT-FRMCPR8424FG
Spark Glow:	OPT-FRMCPR8424SG

UPGRADES

ACCESSORIES	48" Fremont	60" Fremont	72" Fremont	84" Fremont
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER - 15" TALL	OPT-CVR-4832-15H	OPT-CVR-6032-15H	OPT-CVR-7232-15H	OPT-CVR-8432-15H
CANVAS COVER - 24" TALL	OPT-CVR-4832-24H	OPT-CVR-6032-24H	OPT-CVR-7232-24H	OPT-CVR-8432-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

PLYMOUTH FIRE PIT

in GFRC Wood Grain



SIZES

PLYMOUTH - 16" TALL

48" Plymouth

Dimensions:	(L) 48" x (H) 16" x (W) 28"
Burning Area:	(L) 30" x (W) 8"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM4828LW
Flame Sense:	OPT-PLM4828LWFSML
Plug & Play:	OPT-PLM4828LWEKIT
Low Voltage:	OPT-PLM4828LWE12V
Fire Glow:	OPT-PLM4828LWFG
Spark Glow:	OPT-PLM4828LWSG

60" Plymouth

Dimensions:	(L) 60" x (H) 16" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM6028LW
Flame Sense:	OPT-PLM6028LWFSML
Plug & Play:	OPT-PLM6028LWEKIT
Low Voltage:	OPT-PLM6028LWE12V
Fire Glow:	OPT-PLM6028LWFG
Spark Glow:	OPT-PLM6028LWSG

72" Plymouth

Dimensions:	(L)72" x (H) 16" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM7228LW
Flame Sense:	OPT-PLM7228LWFSML
Plug & Play:	OPT-PLM7228LWEKIT
Low Voltage:	OPT-PLM7228LWE12V
Fire Glow:	OPT-PLM7228LWFG
Spark Glow:	OPT-PLM7228LWSG

84" Plymouth

Dimensions:	(L) 84" x (H) 16" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM8428LW
Flame Sense:	OPT-PLM8428LWFSML
Plug & Play:	OPT-PLM8428LWEKIT
Low Voltage:	OPT-PLM8428LWE12V
Fire Glow:	OPT-PLM8428LWFG
Spark Glow:	OPT-PLM8428LWSG

PLYMOUTH - 24" TALL

48" Plymouth

Dimensions:	(L) 48" x (H) 24" x (W) 28"
Burning Area:	(L) 30" x (W) 8"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM4828
Flame Sense:	OPT-PLM4828FSML
Plug & Play:	OPT-PLM4828EKIT
Low Voltage:	OPT-PLM4828E12V
Fire Glow:	OPT-PLM4828FG
Spark Glow:	OPT-PLM4828SG

60" Plymouth

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM6028
Flame Sense:	OPT-PLM6028FSML
Plug & Play:	OPT-PLM6028EKIT
Low Voltage:	OPT-PLM6028E12V
Fire Glow:	OPT-PLM6028FG
Spark Glow:	OPT-PLM6028SG

72" Plymouth

Dimensions:	(L)72" x (H) 24" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM7228
Flame Sense:	OPT-PLM7228FSML
Plug & Play:	OPT-PLM7228EKIT
Low Voltage:	OPT-PLM7228E12V
Fire Glow:	OPT-PLM7228FG
Spark Glow:	OPT-PLM7228SG

84" Plymouth

Dimensions:	(L) 84" x (H) 24" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM8428
Flame Sense:	OPT-PLM8428FSML
Plug & Play:	OPT-PLM8428EKIT
Low Voltage:	OPT-PLM8428E12V
Fire Glow:	OPT-PLM8428FG
Spark Glow:	OPT-PLM8428SG

UPGRADES

ACCESSORIES

	48" Plymouth	60" Plymouth	72" Plymouth	84" Plymouth
BULLET BURNER	OPT-B24SST	OPT-B30SST	OPT-B36SST	OPT-B42SST
CANVAS COVER - 24	OPT-CVR-4828-24H	OPT-CVR-6028-24H	OPT-CVR-7228-24H	OPT-CVR-8428-24H
CANVAS COVER - 16	OPT-CVR-4828-16H	OPT-CVR-6028-16H	OPT-CVR-7228-16H	OPT-CVR-8428-16H
STAINLESS LID	OPT-RC1032	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3412	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SQUARE PLYMOUTH FIRE PIT

in GFRC Wood Grain



SIZES

SQUARE PLYMOUTH - 16" TALL

36" Square Plymouth

Dimensions:	(L) 36" x (H) 16" x (W) 36"
Burning Area:	(L) 18" x (W) 18"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLMS36LW
Flame Sense:	OPT-PLMS36LWFSML
Plug & Play:	OPT-PLMS36LWEKIT
Low Voltage:	OPT-PLMS36LWE12V
Fire Glow:	OPT-PLMS36LWFG
Spark Glow:	OPT-PLMS36LWSG

48" Square Plymouth

Dimensions:	(L) 48" x (H) 16" x (W) 48"
Burning Area:	(L) 24" x (W) 24"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLM6028LW
Flame Sense:	OPT-PLM6028LWFSML
Plug & Play:	OPT-PLM6028LWEKIT
Low Voltage:	OPT-PLM6028LWE12V
Fire Glow:	OPT-PLM6028LWFG
Spark Glow:	OPT-PLM6028LWSG

SQUARE PLYMOUTH - 24" TALL

36" Square Plymouth

Dimensions:	(L) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 18" x (W) 18"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLMS36
Flame Sense:	OPT-PLMS36FSML
Plug & Play:	OPT-PLMS36EKIT
Low Voltage:	OPT-PLMS36E12V
Fire Glow:	OPT-PLMS36FG
Spark Glow:	OPT-PLMS36SG

48" Square Plymouth

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 24" x (W) 24"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-PLMS48
Flame Sense:	OPT-PLMS48FSML
Plug & Play:	OPT-PLMS48EKIT
Low Voltage:	OPT-PLMS48E12V
Fire Glow:	OPT-PLMS48FG
Spark Glow:	OPT-PLMS48SG

UPGRADES

ACCESSORIES

	36" Square Plymouth	48" Square Plymouth
BULLET BURNER	OPT-BRDSS12	OPT-BRDSS18
CANVAS COVER - 16" Tall	OPT-CVR-3636-16H	OPT-CVR-4848-16H
CANVAS COVER - 24" Tall	OPT-CVR-3636-24H	OPT-CVR-4848-24H
STAINLESS LID	OPT-20SC	OPT-26SC
GLASS WIND GUARD	OPT-WG2424	OPT-WG2828

CARSON FIRE PIT

in GFRC Wood Grain



SIZES

CARSON - 16" TALL

48" Carson

Dimensions:	(L) 48" x (H) 16" x (W) 36"
Burning Area:	(L) 30" x (W) 8"
Weight:	---lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CRS4836LW
Flame Sense:	OPT-CRS4836LWFSML
Plug & Play:	OPT-CRS4836LWEKIT
Low Voltage:	OPT-CRS4836LWE12V
Fire Glow:	OPT-CRS4836LWFG
Spark Glow:	OPT-CRS4836LWSG

60" Carson

Dimensions:	(L) 60" x (H) 16" x (W) 36"
Burning Area:	(L) 42" x (W) 8"
Weight:	---lbs
BTU:	65,000
Fire Glass Sugg:	35lbs

Match Lit:	OPT-CRS6036LW
Flame Sense:	OPT-CRS6036LWFSML
Plug & Play:	OPT-CRS6036LWEKIT
Low Voltage:	OPT-CRS6036LWE12V
Fire Glow:	OPT-CRS6036LWFG
Spark Glow:	OPT-CRS6036LWSG

72" Carson

Dimensions:	(L) 72" x (H) 16" x (W) 36"
Burning Area:	(L) 54" x (W) 8"
Weight:	---lbs
BTU:	80,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CRS7236LW
Flame Sense:	OPT-CRS7236LWFSML
Plug & Play:	OPT-CRS7236LWEKIT
Low Voltage:	OPT-CRS7236LWE12V
Fire Glow:	OPT-CRS7236LWFG
Spark Glow:	OPT-CRS7236LWSG

84" Carson

Dimensions:	(L) 84" x (H) 16" x (W) 36"
Burning Area:	(L) 66" x (W) 8"
Weight:	---lbs
BTU:	140,000
Fire Glass Sugg:	60lbs

Match Lit:	OPT-CRS8436LW
Flame Sense:	OPT-CRS8436LWFSML
Plug & Play:	OPT-CRS8436LWEKIT
Low Voltage:	OPT-CRS8436LWE12V
Fire Glow:	OPT-CRS8436LWFG
Spark Glow:	OPT-CRS8436LWSG

CARSON 24" TALL

48" Carson

Dimensions:	(L) 48" x (H) 24" x (W) 36"
Burning Area:	(L) 30" x (W) 8"
Weight:	---lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CRS4836
Flame Sense:	OPT-CRS4836FSML
Plug & Play:	OPT-CRS4836EKIT
Low Voltage:	OPT-CRS4836E12V
Fire Glow:	OPT-CRS4836FG
Spark Glow:	OPT-CRS4836SG

60" Carson

Dimensions:	(L) 60" x (H) 24" x (W) 36"
Burning Area:	(L) 42" x (W) 8"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	35lbs

Match Lit:	OPT-CRS6036
Flame Sense:	OPT-CRS6036FSML
Plug & Play:	OPT-CRS6036EKIT
Low Voltage:	OPT-CRS6036E12V
Fire Glow:	OPT-CRS6036FG
Spark Glow:	OPT-CRS6036SG

72" Carson

Dimensions:	(L) 72" x (H) 24" x (W) 36"
Burning Area:	(L) 48" x (W) 8"
Weight:	--
BTU:	80,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-CRS7236
Flame Sense:	OPT-CRS7236FSML
Plug & Play:	OPT-CRS7236EKIT
Low Voltage:	OPT-CRS7236E12V
Fire Glow:	OPT-CRS7236FG
Spark Glow:	OPT-CRS7236SG

84" Carson

Dimensions:	(L) 84" x (H) 24" x (W) 36"
Burning Area:	(L) 66" x (W) 8"
Weight:	--
BTU:	140,000
Fire Glass Sugg:	60lbs

Match Lit:	OPT-CRS8436
Flame Sense:	OPT-CRS8436FSML
Plug & Play:	OPT-CRS8436EKIT
Low Voltage:	OPT-CRS8436E12V
Fire Glow:	OPT-CRS8436FG
Spark Glow:	OPT-CRS8436SG

UPGRADES

ACCESSORIES	48" Carson	60" Carson	72" Carson	84" Carson
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER - 16" Tall	OPT-CVR-4836-16H	OPT-CVR-6036-16H	OPT-CVR-7236-16H	OPT-CVR-8436-16H
CANVAS COVER - 24" Tall	OPT-CVR-4836-24H	OPT-CVR-6036-24H	OPT-CVR-7236-24H	OPT-CVR-8436-24H
STAINLESS LID	OPT-1032	OPT-1044	OPT-1050	OPT-1068
GLASS WIND GUARD	OPT-WG-3412	OPT-WG-4612	OPT-WG-5212	OPT-WG-7012

IMPERIAL FIRE PIT - 15" TALL

in METAL COLLECTION



SIZES

Premium Powder Coat

60" Imperial

Dimensions:	(L) 60" x (H) 15" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMPC6015
Flame Sense:	OPT-IMPC6015FSML
Plug & Play:	OPT-IMPC6015EKIT
Low Voltage:	OPT-IMPC6015E12V
Fire Glow:	OPT-IMPC6015FG
Spark Glow:	OPT-IMPC6015SG

72" Imperial

Dimensions:	(L) 72" x (H) 15" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	125lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMPC7215
Flame Sense:	OPT-IMPC7215FSML
Plug & Play:	OPT-IMPC7215EKIT
Low Voltage:	OPT-IMPC7215E12V
Fire Glow:	OPT-IMPC7215FG
Spark Glow:	OPT-IMPC7215SG

Stainless Steel

60" Imperial

Dimensions:	(L) 60" x (H) 15" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMSS6015
Flame Sense:	OPT-IMSS6015FSML
Plug & Play:	OPT-IMSS6015EKIT
Low Voltage:	OPT-IMSS6015E12V
Fire Glow:	OPT-IMSS6015FG
Spark Glow:	OPT-IMSS6015SG

72" Imperial

Dimensions:	(L) 72" x (H) 15" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	125lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMSS7215
Flame Sense:	OPT-IMSS7215FSML
Plug & Play:	OPT-IMSS7215EKIT
Low Voltage:	OPT-IMSS7215E12V
Fire Glow:	OPT-IMSS7215FG
Spark Glow:	OPT-IMSS7215SG

Corten Steel

60" Imperial

Dimensions:	(L) 60" x (H) 15" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMCS6015
Flame Sense:	OPT-IMCS6015FSML
Plug & Play:	OPT-IMCS6015EKIT
Low Voltage:	OPT-IMCS6015E12V
Fire Glow:	OPT-IMCS6015FG
Spark Glow:	OPT-IMCS6015SG

72" Imperial

Dimensions:	(L) 72" x (H) 15" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	125lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMCS7215
Flame Sense:	OPT-IMCS7215FSML
Plug & Play:	OPT-IMCS7215EKIT
Low Voltage:	OPT-IMCS7215E12V
Fire Glow:	OPT-IMCS7215FG
Spark Glow:	OPT-IMCS7215SG

Hammered Copper

60" Imperial

Dimensions:	(L) 60" x (H) 15" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMCPR6015
Flame Sense:	OPT-IMCPR6015FSML
Plug & Play:	OPT-IMCPR6015EKIT
Low Voltage:	OPT-IMCPR6015E12V
Fire Glow:	OPT-IMCPR6015FG
Spark Glow:	OPT-IMCPR6015SG

72" Imperial

Dimensions:	(L) 72" x (H) 15" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	125lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMCPR7215
Flame Sense:	OPT-IMCPR7215FSML
Plug & Play:	OPT-IMCPR7215EKIT
Low Voltage:	OPT-IMCPR7215E12V
Fire Glow:	OPT-IMCPR7215FG
Spark Glow:	OPT-IMCPR7215SG

UPGRADES

ACCESSORIES

BULLET BURNER

CANVAS COVER

STAINLESS LID

GLASS WIND GUARD

60" Imperial

OPT-B24SST

OPT-CVR-6030-15H

OPT-RC1232

OPT-WG-3414

78" Imperial

OPT-B36SST

OPT-CVR-7230-15H

OPT-RC1244

OPT-WG-4614

IMPERIAL FIRE PIT - 24" TALL

in METAL COLLECTION



SIZES

Premium Powder Coat

60" Imperial

Dimensions:	(L) 60" x (H) 24" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMPC6024
Flame Sense:	OPT-IMPC6024FSML
Plug & Play:	OPT-IMPC6024EKIT
Low Voltage:	OPT-IMPC6024E12V
Fire Glow:	OPT-IMPC6024FG
Spark Glow:	OPT-IMPC6024SG

72" Imperial

Dimensions:	(L) 72" x (H) 24" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	125lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMPC7224
Flame Sense:	OPT-IMPC7224FSML
Plug & Play:	OPT-IMPC7224EKIT
Low Voltage:	OPT-IMPC7224E12V
Fire Glow:	OPT-IMPC7224FG
Spark Glow:	OPT-IMPC7224SG

Stainless Steel

60" Imperial

Dimensions:	(L) 60" x (H) 24" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMSS6024
Flame Sense:	OPT-IMSS6024FSML
Plug & Play:	OPT-IMSS6024EKIT
Low Voltage:	OPT-IMSS6024E12V
Fire Glow:	OPT-IMSS6024FG
Spark Glow:	OPT-IMSS6024SG

72" Imperial

Dimensions:	(L) 72" x (H) 24" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	125lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMSS7224
Flame Sense:	OPT-IMSS7224FSML
Plug & Play:	OPT-IMSS7224EKIT
Low Voltage:	OPT-IMSS7224E12V
Fire Glow:	OPT-IMSS7224FG
Spark Glow:	OPT-IMSS7224SG

Corten Steel

60" Imperial

Dimensions:	(L) 60" x (H) 24" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMCS6024
Flame Sense:	OPT-IMCS6024FSML
Plug & Play:	OPT-IMCS6024EKIT
Low Voltage:	OPT-IMCS6024E12V
Fire Glow:	OPT-IMCS6024FG
Spark Glow:	OPT-IMCS6024SG

72" Imperial

Dimensions:	(L) 72" x (H) 24" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	125lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMCS7224
Flame Sense:	OPT-IMCS7224FSML
Plug & Play:	OPT-IMCS7224EKIT
Low Voltage:	OPT-IMCS7224E12V
Fire Glow:	OPT-IMCS7224FG
Spark Glow:	OPT-IMCS7224SG

Hammered Copper

60" Imperial

Dimensions:	(L) 60" x (H) 24" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	105lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMCPR6024
Flame Sense:	OPT-IMCPR6024FSML
Plug & Play:	OPT-IMCPR6024EKIT
Low Voltage:	OPT-IMCPR6024E12V
Fire Glow:	OPT-IMCPR6024FG
Spark Glow:	OPT-IMCPR6024SG

72" Imperial

Dimensions:	(L) 72" x (H) 24" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	125lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-IMCPR7224
Flame Sense:	OPT-IMCPR7224FSML
Plug & Play:	OPT-IMCPR7224EKIT
Low Voltage:	OPT-IMCPR7224E12V
Fire Glow:	OPT-IMCPR7224FG
Spark Glow:	OPT-IMCPR7224SG

UPGRADES

ACCESSORIES

BULLET BURNER

CANVAS COVER - 24" Tall

STAINLESS LID

GLASS WIND GUARD

60" Imperial

OPT-B24SST

OPT-CVR-6030-24H

OPT-RC1232

OPT-WG-3414

78" Imperial

OPT-B36SST

OPT-CVR-7230-24H

OPT-RC1244

OPT-WG-4614

LA JOLLA FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	48" La Jolla	60" La Jolla	72" La Jolla	84" La Jolla	96" La Jolla
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214

SIZES

48" La Jolla

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	175lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LAJPC48
Flame Sense:	OPT-LAJPC48FSML
Plug & Play:	OPT-LAJPC48EKIT
Low Voltage:	OPT-LAJPC48E12V
Fire Glow:	OPT-LAJPC48FG
Spark Glow:	OPT-LAJPC48SG

60" La Jolla

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	195lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LAJPC60
Flame Sense:	OPT-LAJPC60FSML
Plug & Play:	OPT-LAJPC60EKIT
Low Voltage:	OPT-LAJPC60E12V
Fire Glow:	OPT-LAJPC60FG
Spark Glow:	OPT-LAJPC60SG

72" La Jolla

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	220lbs
BTU:	80,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-LAJPC72
Flame Sense:	OPT-LAJPC72FSML
Plug & Play:	OPT-LAJPC72EKIT
Low Voltage:	OPT-LAJPC72E12V
Fire Glow:	OPT-LAJPC72FG
Spark Glow:	OPT-LAJPC72SG

84" La Jolla

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	245lbs
BTU:	100,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-LAJPC84
Flame Sense:	OPT-LAJPC84FSML
Plug & Play:	OPT-LAJPC84EKIT
Low Voltage:	OPT-LAJPC84E12V
Fire Glow:	OPT-LAJPC84FG
Spark Glow:	OPT-LAJPC84SG

96" La Jolla

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	270lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-LAJPC96
Flame Sense:	OPT-LAJPC96FSML
Plug & Play:	OPT-LAJPC96EKIT
Low Voltage:	OPT-LAJPC96E12V
Fire Glow:	OPT-LAJPC96FG
Spark Glow:	OPT-LAJPC96SG

LA JOLLA FIRE PIT

in Stainless Steel



UPGRADES

ACCESSORIES	48" La Jolla	60" La Jolla	72" La Jolla	84" La Jolla	96" La Jolla
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214

SIZES

48" La Jolla

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	175lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LAJSS48
Flame Sense:	OPT-LAJSS48FSML
Plug & Play:	OPT-LAJSS48E
Low Voltage:	OPT-LAJSS48
Fire Glow:	OPT-LAJSS48
Spark Glow:	OPT-LAJSS48

60" La Jolla

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	195lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LAJSS60
Flame Sense:	OPT-LAJSS60FSML
Plug & Play:	OPT-LAJSS60EKIT
Low Voltage:	OPT-LAJSS60E12V
Fire Glow:	OPT-LAJSS60FG
Spark Glow:	OPT-LAJSS60SG

72" La Jolla

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	220lbs
BTU:	80,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-LAJSS72
Flame Sense:	OPT-LAJSS72FSML
Plug & Play:	OPT-LAJSS72EKIT
Low Voltage:	OPT-LAJSS72E12V
Fire Glow:	OPT-LAJSS72FG
Spark Glow:	OPT-LAJSS72SG

84" La Jolla

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	245lbs
BTU:	100,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-LAJSS84
Flame Sense:	OPT-LAJSS84FSML
Plug & Play:	OPT-LAJSS84EKIT
Low Voltage:	OPT-LAJSS84E12V
Fire Glow:	OPT-LAJSS84FG
Spark Glow:	OPT-LAJSS84SG

96" La Jolla

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	270lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-LAJSS96
Flame Sense:	OPT-LAJSS96FSML
Plug & Play:	OPT-LAJSS96EKIT
Low Voltage:	OPT-LAJSS96E12V
Fire Glow:	OPT-LAJSS96FG
Spark Glow:	OPT-LAJSS96SG

LA JOLLA FIRE PIT

in Corten Steel



UPGRADES

ACCESSORIES	48" La Jolla	60" La Jolla	72" La Jolla	84" La Jolla	96" La Jolla
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214

SIZES

48" La Jolla

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	175lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LAJCS48
Flame Sense:	OPT-LAJCS48FSML
Plug & Play:	OPT-LAJCS48EKIT
Low Voltage:	OPT-LAJCS48E12V
Fire Glow:	OPT-LAJCS48FG
Spark Glow:	OPT-LAJCS48SG

60" La Jolla

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	195lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LAJCS60
Flame Sense:	OPT-LAJCS60FSML
Plug & Play:	OPT-LAJCS60EKIT
Low Voltage:	OPT-LAJCS60E12V
Fire Glow:	OPT-LAJCS60FG
Spark Glow:	OPT-LAJCS60SG

72" La Jolla

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	220lbs
BTU:	80,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-LAJCS72
Flame Sense:	OPT-LAJCS72FSML
Plug & Play:	OPT-LAJCS72EKIT
Low Voltage:	OPT-LAJCS72E12V
Fire Glow:	OPT-LAJCS72FG
Spark Glow:	OPT-LAJCS72SG

84" La Jolla

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	245lbs
BTU:	100,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-LAJCS84
Flame Sense:	OPT-LAJCS84FSML
Plug & Play:	OPT-LAJCS84EKIT
Low Voltage:	OPT-LAJCS84E12V
Fire Glow:	OPT-LAJCS84FG
Spark Glow:	OPT-LAJCS84SG

96" La Jolla

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	270lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-LAJCS96
Flame Sense:	OPT-LAJCS96FSML
Plug & Play:	OPT-LAJCS96EKIT
Low Voltage:	OPT-LAJCS96E12V
Fire Glow:	OPT-LAJCS96FG
Spark Glow:	OPT-LAJCS96SG

LA JOLLA FIRE PIT

in Hammered Copper



UPGRADES

ACCESSORIES	48" La Jolla	60" La Jolla	72" La Jolla	84" La Jolla	96" La Jolla
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST	OPT-B72SST
CANVAS COVER	OPT-CVR-4828-15H	OPT-CVR-6028-15H	OPT-CVR-7228-15H	OPT-CVR-8428-15H	OPT-CVR-9628-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214

SIZES

48" La Jolla

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	175lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LAJCPR48
Flame Sense:	OPT-LAJCPR48FSML
Plug & Play:	OPT-LAJCPR48EKIT
Low Voltage:	OPT-LAJCPR48E12V
Fire Glow:	OPT-LAJCPR48FG
Spark Glow:	OPT-LAJCPR48SG

60" La Jolla

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	195lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-LAJCPR60
Flame Sense:	OPT-LAJCPR60FSML
Plug & Play:	OPT-LAJCPR60EKIT
Low Voltage:	OPT-LAJCPR60E12V
Fire Glow:	OPT-LAJCPR60FG
Spark Glow:	OPT-LAJCPR60SG

72" La Jolla

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	220lbs
BTU:	80,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-LAJCPR72
Flame Sense:	OPT-LAJCPR72FSML
Plug & Play:	OPT-LAJCPR72EKIT
Low Voltage:	OPT-LAJCPR72E12V
Fire Glow:	OPT-LAJCPR72FG
Spark Glow:	OPT-LAJCPR72SG

84" La Jolla

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	245lbs
BTU:	100,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-LAJCPR84
Flame Sense:	OPT-LAJCPR84FSML
Plug & Play:	OPT-LAJCPR84EKIT
Low Voltage:	OPT-LAJCPR84E12V
Fire Glow:	OPT-LAJCPR84FG
Spark Glow:	OPT-LAJCPR84SG

96" La Jolla

Dimensions:	(L) 96" x (H) 15" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	270lbs
BTU:	120,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-LAJCPR96
Flame Sense:	OPT-LAJCPR96FSML
Plug & Play:	OPT-LAJCPR96EKIT
Low Voltage:	OPT-LAJCPR96E12V
Fire Glow:	OPT-LAJCPR96FG
Spark Glow:	OPT-LAJCPR96SG

BISPO FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	48" Bispo	60" Bispo	72" Bispo	84" Bispo
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-BISCVR-4828-15H	OPT-BISCVR-6028-15H	OPT-BISCVR-7228-15H	OPT-BISCVR-8428-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SIZES

48" Bispo

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	120lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BSPPC48
Flame Sense:	OPT-BSPPC48FSML
Plug & Play:	OPT-BSPPC48EKIT
Low Voltage:	OPT-BSPPC48E12V
Fire Glow:	OPT-BSPPC48FG
Spark Glow:	OPT-BSPPC48SG

60" Bispo

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	180lbs
BTU:	60,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BSPPC60
Flame Sense:	OPT-BSPPC60FSML
Plug & Play:	OPT-BSPPC60EKIT
Low Voltage:	OPT-BSPPC60E12V
Fire Glow:	OPT-BSPPC60FG
Spark Glow:	OPT-BSPPC60SG

72" Bispo

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	240lbs
BTU:	80,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BSPPC72
Flame Sense:	OPT-BSPPC72FSML
Plug & Play:	OPT-BSPPC72EKIT
Low Voltage:	OPT-BSPPC72E12V
Fire Glow:	OPT-BSPPC72FG
Spark Glow:	OPT-BSPPC72SG

84" Bispo

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	315lbs
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BSPPC84
Flame Sense:	OPT-BSPPC84FSML
Plug & Play:	OPT-BSPPC84EKIT
Low Voltage:	OPT-BSPPC84E12V
Fire Glow:	OPT-BSPPC84FG
Spark Glow:	OPT-BSPPC84SG

BISPO FIRE PIT

in Corten Steel



UPGRADES

ACCESSORIES	48" Bispo	60" Bispo	72" Bispo	84" Bispo
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-BISCVR-4828-15H	OPT-BISCVR-6028-15H	OPT-BISCVR-7228-15H	OPT-BISCVR-8428-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SIZES

48" Bispo

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	120lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BSPCS48
Flame Sense:	OPT-BSPCS48FSML
Plug & Play:	OPT-BSPCS48EKIT
Low Voltage:	OPT-BSPCS48E12V
Fire Glow:	OPT-BSPCS48FG
Spark Glow:	OPT-BSPCS48SG

60" Bispo

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	180lbs
BTU:	60,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BSPCS60
Flame Sense:	OPT-BSPCS60FSML
Plug & Play:	OPT-BSPCS60EKIT
Low Voltage:	OPT-BSPCS60E12V
Fire Glow:	OPT-BSPCS60FG
Spark Glow:	OPT-BSPCS60SG

72" Bispo

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	240lbs
BTU:	80,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BSPCS72
Flame Sense:	OPT-BSPCS72FSML
Plug & Play:	OPT-BSPCS72EKIT
Low Voltage:	OPT-BSPCS72E12V
Fire Glow:	OPT-BSPCS72FG
Spark Glow:	OPT-BSPCS72SG

84" Bispo

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	315lbs
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BSPCS84
Flame Sense:	OPT-BSPCS84FSML
Plug & Play:	OPT-BSPCS84EKIT
Low Voltage:	OPT-BSPCS84E12V
Fire Glow:	OPT-BSPCS84FG
Spark Glow:	OPT-BSPCS84SG

BISPO FIRE PIT

in Stainless Steel



UPGRADES

ACCESSORIES	48" Bispo	60" Bispo	72" Bispo	84" Bispo
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-BISCVR-4828-15H	OPT-BISCVR-6028-15H	OPT-BISCVR-7228-15H	OPT-BISCVR-8428-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SIZES

48" Bispo

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	120lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BSPSS48
Flame Sense:	OPT-BSPSS48FSML
Plug & Play:	OPT-BSPSS48EKIT
Low Voltage:	OPT-BSPSS48E12V
Fire Glow:	OPT-BSPSS48FG
Spark Glow:	OPT-BSPSS48SG

60" Bispo

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	180lbs
BTU:	60,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BSPSS60
Flame Sense:	OPT-BSPSS60FSML
Plug & Play:	OPT-BSPSS60EKIT
Low Voltage:	OPT-BSPSS60E12V
Fire Glow:	OPT-BSPSS60FG
Spark Glow:	OPT-BSPSS60SG

72" Bispo

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	240lbs
BTU:	80,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BSPSS72
Flame Sense:	OPT-BSPSS72FSML
Plug & Play:	OPT-BSPSS72EKIT
Low Voltage:	OPT-BSPSS72E12V
Fire Glow:	OPT-BSPSS72FG
Spark Glow:	OPT-BSPSS72SG

84" Bispo

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	315lbs
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BSPSS84
Flame Sense:	OPT-BSPSS84FSML
Plug & Play:	OPT-BSPSS84EKIT
Low Voltage:	OPT-BSPSS84E12V
Fire Glow:	OPT-BSPSS84FG
Spark Glow:	OPT-BSPSS84SG

BISPO FIRE PIT

in Hammered Copper



UPGRADES

ACCESSORIES	48" Bispo	60" Bispo	72" Bispo	84" Bispo
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-BISCVR-4828-15H	OPT-BISCVR-6028-15H	OPT-BISCVR-7228-15H	OPT-BISCVR-8428-15H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SIZES

48" Bispo

Dimensions:	(L) 48" x (H) 15" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	120lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BSPCPR48
Flame Sense:	OPT-BSPCPR48FSML
Plug & Play:	OPT-BSP48EKIT
Low Voltage:	OPT-BSPCPR48E12V
Fire Glow:	OPT-BSPCPR48FG
Spark Glow:	OPT-BSPCPR48SG

60" Bispo

Dimensions:	(L) 60" x (H) 15" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	180lbs
BTU:	60,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BSPCPR60
Flame Sense:	OPT-BSPCPR60FSML
Plug & Play:	OPT-BSPCPR60EKIT
Low Voltage:	OPT-BSPCPR60E12V
Fire Glow:	OPT-BSPCPR60FG
Spark Glow:	OPT-BSPCPR60SG

72" Bispo

Dimensions:	(L) 72" x (H) 15" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	240lbs
BTU:	80,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BSPCPR72
Flame Sense:	OPT-BSPCPR72FSML
Plug & Play:	OPT-BSPCPR72EKIT
Low Voltage:	OPT-BSPCPR72E12V
Fire Glow:	OPT-BSPCPR72FG
Spark Glow:	OPT-BSPCPR72SG

84" Bispo

Dimensions:	(L) 84" x (H) 15" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	315lbs
BTU:	100,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BSPCPR84
Flame Sense:	OPT-BSPCPR84FSML
Plug & Play:	OPT-BSPCPR84EKIT
Low Voltage:	OPT-BSPCPR84E12V
Fire Glow:	OPT-BSPCPR84FG
Spark Glow:	OPT-BSPCPR84SG

SAN JUAN FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	48" San Juan	60" San Juan	72" San Juan	84" San Juan	96" San Juan
BULLET BURNER	OPT-B18SSH	OPT-B24SSH	OPT-B30SSH	OPT-B36SSH	OPT-B42SSH
CANVAS COVER	OPT-CVR-4828-18H	OPT-CVR-6028-18H	OPT-CVR-7228-18H	OPT-CVR-8428-18H	OPT-CVR-9628-18H
STAINLESS LID	--	--	--	--	--
GLASS WIND GUARD	--	--	--	--	--

SIZES

48" San Juan

Dimensions:	(L) 48" x (H) 18" x (W) 28"
Burning Area:	(L) 24" x (W) 10"
Weight:	---lbs
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJPC48
Flame Sense:	OPT-SANJPC48FSML
Plug & Play:	OPT-SANJPC48EKIT
Low Voltage:	OPT-SANJPC48E12V
Fire Glow:	OPT-SANJPC48FG
Spark Glow:	OPT-SANJPC48SG

60" La Jolla

Dimensions:	(L) 60" x (H) 18" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	---lbs
BTU:	90,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJPC60
Flame Sense:	OPT-SANJPC60FSML
Plug & Play:	OPT-SANJPC60EKIT
Low Voltage:	OPT-SANJPC60E12V
Fire Glow:	OPT-SANJPC60FG
Spark Glow:	OPT-SANJPC60SG

72" La Jolla

Dimensions:	(L) 72" x (H) 18" x (W) 28"
Burning Area:	(L) 36" x (W) 10"
Weight:	---lbs
BTU:	110,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJPC72
Flame Sense:	OPT-SANJPC72FSML
Plug & Play:	OPT-SANJPC72EKIT
Low Voltage:	OPT-SANJPC72E12V
Fire Glow:	OPT-SANJPC72FG
Spark Glow:	OPT-SANJPC72SG

84" La Jolla

Dimensions:	(L) 84" x (H) 18" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	---lbs
BTU:	130,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SANJPC84
Flame Sense:	OPT-SANJPC84FSML
Plug & Play:	OPT-SANJPC84EKIT
Low Voltage:	OPT-SANJPC84E12V
Fire Glow:	OPT-SANJPC84FG
Spark Glow:	OPT-SANJPC84SG

96" La Jolla

Dimensions:	(L) 96" x (H) 18" x (W) 28"
Burning Area:	(L) 48" x (W) 10"
Weight:	---lbs
BTU:	150,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SANJPC96
Flame Sense:	OPT-SANJPC96FSML
Plug & Play:	OPT-SANJPC96EKIT
Low Voltage:	OPT-SANJPC96E12V
Fire Glow:	OPT-SANJPC96FG
Spark Glow:	OPT-SANJPC96SG

SAN JUAN FIRE PIT

in Stainless Steel



UPGRADES

ACCESSORIES	48" San Juan	60" San Juan	72" San Juan	84" San Juan	96" San Juan
BULLET BURNER	OPT-B18SSH	OPT-B24SSH	OPT-B30SSH	OPT-B36SSH	OPT-B42SSH
CANVAS COVER	OPT-CVR-4828-18H	OPT-CVR-6028-18H	OPT-CVR-7228-18H	OPT-CVR-8428-18H	OPT-CVR-9628-18H
STAINLESS LID	--	--	--	--	--
GLASS WIND GUARD	--	--	--	--	--

SIZES

48" San Juan

Dimensions:	(L) 48" x (H) 18" x (W) 28"
Burning Area:	(L) 24" x (W) 10"
Weight:	---lbs
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJSS48
Flame Sense:	OPT-SANJSS48FSML
Plug & Play:	OPT-SANJSS48EKIT
Low Voltage:	OPT-SANJSS48E12V
Fire Glow:	OPT-SANJSS48FG
Spark Glow:	OPT-SANJSS48SG

60" La Jolla

Dimensions:	(L) 60" x (H) 18" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	---lbs
BTU:	90,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJSS60
Flame Sense:	OPT-SANJSS60FSML
Plug & Play:	OPT-SANJSS60EKIT
Low Voltage:	OPT-SANJSS60E12V
Fire Glow:	OPT-SANJSS60FG
Spark Glow:	OPT-SANJSS60SG

72" La Jolla

Dimensions:	(L) 72" x (H) 18" x (W) 28"
Burning Area:	(L) 36" x (W) 10"
Weight:	---lbs
BTU:	110,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJSS72
Flame Sense:	OPT-SANJSS72FSML
Plug & Play:	OPT-SANJSS72EKIT
Low Voltage:	OPT-SANJSS72E12V
Fire Glow:	OPT-SANJSS72FG
Spark Glow:	OPT-SANJSS72SG

84" La Jolla

Dimensions:	(L) 84" x (H) 18" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	---lbs
BTU:	130,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SANJSS84
Flame Sense:	OPT-SANJSS84FSML
Plug & Play:	OPT-SANJSS84EKIT
Low Voltage:	OPT-SANJSS84E12V
Fire Glow:	OPT-SANJSS84FG
Spark Glow:	OPT-SANJSS84SG

96" La Jolla

Dimensions:	(L) 96" x (H) 18" x (W) 28"
Burning Area:	(L) 48" x (W) 10"
Weight:	---lbs
BTU:	150,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SANJSS96
Flame Sense:	OPT-SANJSS96FSML
Plug & Play:	OPT-SANJSS96EKIT
Low Voltage:	OPT-SANJSS96E12V
Fire Glow:	OPT-SANJSS96FG
Spark Glow:	OPT-SANJSS96SG

SAN JUAN FIRE PIT

in Corten Steel



UPGRADES

ACCESSORIES	48" San Juan	60" San Juan	72" San Juan	84" San Juan	96" San Juan
BULLET BURNER	OPT-B18SSH	OPT-B24SSH	OPT-B30SSH	OPT-B36SSH	OPT-B42SSH
CANVAS COVER	OPT-CVR-4828-18H	OPT-CVR-6028-18H	OPT-CVR-7228-18H	OPT-CVR-8428-18H	OPT-CVR-9628-18H
STAINLESS LID	--	--	--	--	--
GLASS WIND GUARD	--	--	--	--	--

SIZES

48" San Juan

Dimensions:	(L) 48" x (H) 18" x (W) 28"
Burning Area:	(L) 24" x (W) 10"
Weight:	---lbs
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJCS48
Flame Sense:	OPT-SANJCS48FSML
Plug & Play:	OPT-SANJCS48EKIT
Low Voltage:	OPT-SANJCS48E12V
Fire Glow:	OPT-SANJCS48FG
Spark Glow:	OPT-SANJCS48SG

60" La Jolla

Dimensions:	(L) 60" x (H) 18" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	---lbs
BTU:	90,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJCS60
Flame Sense:	OPT-SANJCS60FSML
Plug & Play:	OPT-SANJCS60EKIT
Low Voltage:	OPT-SANJCS60E12V
Fire Glow:	OPT-SANJCS60FG
Spark Glow:	OPT-SANJCS60SG

72" La Jolla

Dimensions:	(L) 72" x (H) 18" x (W) 28"
Burning Area:	(L) 36" x (W) 10"
Weight:	---lbs
BTU:	110,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJCS72
Flame Sense:	OPT-SANJCS72FSML
Plug & Play:	OPT-SANJCS72EKIT
Low Voltage:	OPT-SANJCS72E12V
Fire Glow:	OPT-SANJCS72FG
Spark Glow:	OPT-SANJCS72SG

84" La Jolla

Dimensions:	(L) 84" x (H) 18" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	---lbs
BTU:	130,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SANJCS84
Flame Sense:	OPT-SANJCS84FSML
Plug & Play:	OPT-SANJCS84EKIT
Low Voltage:	OPT-SANJCS84E12V
Fire Glow:	OPT-SANJCS84FG
Spark Glow:	OPT-SANJCS84SG

96" La Jolla

Dimensions:	(L) 96" x (H) 18" x (W) 28"
Burning Area:	(L) 48" x (W) 10"
Weight:	---lbs
BTU:	150,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SANJCS96
Flame Sense:	OPT-SANJCS96FSML
Plug & Play:	OPT-SANJCS96EKIT
Low Voltage:	OPT-SANJCS96E12V
Fire Glow:	OPT-SANJCS96FG
Spark Glow:	OPT-SANJCS96SG

SAN JUAN FIRE PIT

in Hammered Copper



UPGRADES

ACCESSORIES	48" San Juan	60" San Juan	72" San Juan	84" San Juan	96" San Juan
BULLET BURNER	OPT-B18SSH	OPT-B24SSH	OPT-B30SSH	OPT-B36SSH	OPT-B42SSH
CANVAS COVER	OPT-CVR-4828-18H	OPT-CVR-6028-18H	OPT-CVR-7228-18H	OPT-CVR-8428-18H	OPT-CVR-9628-18H
STAINLESS LID	--	--	--	--	--
GLASS WIND GUARD	--	--	--	--	--

SIZES

48" San Juan

Dimensions:	(L) 48" x (H) 18" x (W) 28"
Burning Area:	(L) 24" x (W) 10"
Weight:	---lbs
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJCPR48
Flame Sense:	OPT-SANJCPR48FSML
Plug & Play:	OPT-SANJCPR48EKIT
Low Voltage:	OPT-SANJCPR48E12V
Fire Glow:	OPT-SANJCPR48FG
Spark Glow:	OPT-SANJCPR48SG

60" San Juan

Dimensions:	(L) 60" x (H) 18" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	---lbs
BTU:	90,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJCPR60
Flame Sense:	OPT-SANJCPR60FSML
Plug & Play:	OPT-SANJCPR60EKIT
Low Voltage:	OPT-SANJCPR60E12V
Fire Glow:	OPT-SANJCPR60FG
Spark Glow:	OPT-SANJCPR60SG

72" San Juan

Dimensions:	(L) 72" x (H) 18" x (W) 28"
Burning Area:	(L) 36" x (W) 10"
Weight:	---lbs
BTU:	110,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-SANJCPR72
Flame Sense:	OPT-SANJCPR72FSML
Plug & Play:	OPT-SANJCPR72EKIT
Low Voltage:	OPT-SANJCPR72E12V
Fire Glow:	OPT-SANJCPR72FG
Spark Glow:	OPT-SANJCPR72SG

84" San Juan

Dimensions:	(L) 84" x (H) 18" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	---lbs
BTU:	130,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SANJCPR84
Flame Sense:	OPT-SANJCPR84FSML
Plug & Play:	OPT-SANJCPR84EKIT
Low Voltage:	OPT-SANJCPR84E12V
Fire Glow:	OPT-SANJCPR84FG
Spark Glow:	OPT-SANJCPR84SG

96" San Juan

Dimensions:	(L) 96" x (H) 18" x (W) 28"
Burning Area:	(L) 48" x (W) 10"
Weight:	---lbs
BTU:	150,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SANJCPR96
Flame Sense:	OPT-SANJCPR96FSML
Plug & Play:	OPT-SANJCPR96EKIT
Low Voltage:	OPT-SANJCPR96E12V
Fire Glow:	OPT-SANJCPR96FG
Spark Glow:	OPT-SANJCPR96SG

MABEL FIRE PIT

in Powder Coat



36" Mabel

Dimensions:	(D) 36" x (H) 24"
Burning Area:	(D) 19"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-MABPC36
Flame Sense:	OPT-MABPC36FSML
Plug & Play:	OPT-MABPC36EKIT
Low Voltage:	OPT-MABPC36E12V
Fire Glow:	OPT-MABPC36FG
Spark Glow:	OPT-MABPC36SG

48" Mabel

Dimensions:	(D) 48" x (H) 24"
Burning Area:	(D) 19"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-MABPC48
Flame Sense:	OPT-MABPC48FSML
Plug & Play:	OPT-MABPC48EKIT
Low Voltage:	OPT-MABPC48E12V
Fire Glow:	OPT-MABPC48FG
Spark Glow:	OPT-MABPC48SG

60" Mabel

Dimensions:	(D) 60" x (H) 24"
Burning Area:	(D) 25"
Weight:	175lbs
BTU:	65,000
Fire Glass Sugg:	55lbs

Match Lit:	OPT-MABPC60
Flame Sense:	OPT-MABPC60FSML
Plug & Play:	OPT-MABPC60EKIT
Low Voltage:	OPT-MABPC60E12V
Fire Glow:	OPT-MABPC60FG
Spark Glow:	OPT-MABPC60SG

SIZES

MABEL FIRE PIT

in Stainless Steel



36" Mabel

Dimensions:	(D) 36" x (H) 24"
Burning Area:	(D) 19"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-MABSS36
Flame Sense:	OPT-MABSS36FSML
Plug & Play:	OPT-MABSS36EKIT
Low Voltage:	OPT-MABSS36E12V
Fire Glow:	OPT-MABSS36FG
Spark Glow:	OPT-MABSS36SG

48" Mabel

Dimensions:	(D) 48" x (H) 24"
Burning Area:	(D) 19"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-MABSS48
Flame Sense:	OPT-MABSS48FSML
Plug & Play:	OPT-MABSS48EKIT
Low Voltage:	OPT-MABSS48E12V
Fire Glow:	OPT-MABSS48FG
Spark Glow:	OPT-MABSS48SG

60" Mabel

Dimensions:	(D) 60" x (H) 24"
Burning Area:	(D) 25"
Weight:	175lbs
BTU:	65,000
Fire Glass Sugg:	55lbs

Match Lit:	OPT-MABSS60
Flame Sense:	OPT-MABSS60FSML
Plug & Play:	OPT-MABSS60EKIT
Low Voltage:	OPT-MABSS60E12V
Fire Glow:	OPT-MABSS60FG
Spark Glow:	OPT-MABSS60SG

SIZES

UPGRADES

ACCESSORIES	36" Mabel	48" Mabel	60" Mabel
BULLET BURNER	OPT-BRDSS12	OPT-BRDSS12	OPT-BRDSS18
CANVAS COVER	OPT-CVR36R-24H	OPT-CVR48R-24H	OPT-CVR60R-24H
STAINLESS LID	OPT-21RC	OPT-21RC	OPT-27RC
GLASS WIND GUARD	--	--	--

MABEL FIRE PIT

in Corten Steel



36" Mabel

Dimensions:	(D) 36" x (H) 24"
Burning Area:	(D) 19"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-MABCS36
Flame Sense:	OPT-MABCS36FSML
Plug & Play:	OPT-MABCS36EKIT
Low Voltage:	OPT-MABCS36E12V
Fire Glow:	OPT-MABCS36FG
Spark Glow:	OPT-MABCS36SG

48" Mabel

Dimensions:	(D) 48" x (H) 24"
Burning Area:	(D) 19"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-MABCS48
Flame Sense:	OPT-MABCS48FSML
Plug & Play:	OPT-MABCS48EKIT
Low Voltage:	OPT-MABCS48E12V
Fire Glow:	OPT-MABCS48FG
Spark Glow:	OPT-MABCS48SG

60" Mabel

Dimensions:	(D) 60" x (H) 24"
Burning Area:	(D) 25"
Weight:	175lbs
BTU:	65,000
Fire Glass Sugg:	55lbs

Match Lit:	OPT-MABCS60
Flame Sense:	OPT-MABCS60FSML
Plug & Play:	OPT-MABCS60EKIT
Low Voltage:	OPT-MABCS60E12V
Fire Glow:	OPT-MABCS60FG
Spark Glow:	OPT-MABCS60SG

MABEL FIRE PIT

in Hammered Copper



36" Mabel

Dimensions:	(D) 36" x (H) 24"
Burning Area:	(D) 19"
Weight:	90lbs
BTU:	65,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-MABCPR36
Flame Sense:	OPT-MABCPR36FSML
Plug & Play:	OPT-MABCPR36EKIT
Low Voltage:	OPT-MABCPR36E12V
Fire Glow:	OPT-MABCPR36FG
Spark Glow:	OPT-MABCPR36SG

48" Mabel

Dimensions:	(D) 48" x (H) 24"
Burning Area:	(D) 19"
Weight:	120lbs
BTU:	65,000
Fire Glass Sugg:	30lbs

Match Lit:	OPT-MABCPR48
Flame Sense:	OPT-MABCPR48FSML
Plug & Play:	OPT-MABCPR48EKIT
Low Voltage:	OPT-MABCPR48E12V
Fire Glow:	OPT-MABCPR48FG
Spark Glow:	OPT-MABCPR48SG

60" Mabel

Dimensions:	(D) 60" x (H) 24"
Burning Area:	(D) 25"
Weight:	175lbs
BTU:	65,000
Fire Glass Sugg:	55lbs


Match Lit:	OPT-MABCPR60
Flame Sense:	OPT-MABCPR60FSML
Plug & Play:	OPT-MABCPR60EKIT
Low Voltage:	OPT-MABCPR60E12V
Fire Glow:	OPT-MABCPR60FG
Spark Glow:	OPT-MABCPR60SG

UPGRADES

ACCESSORIES	36" Mabel	48" Mabel	60" Mabel
BULLET BURNER	OPT-BRDSS12	OPT-BRDSS12	OPT-BRDSS18
CANVAS COVER	OPT-CVR36R-24H	OPT-CVR48R-24H	OPT-CVR60R-24H
STAINLESS LID	OPT-21RC	OPT-21RC	OPT-27RC
GLASS WIND GUARD	--	--	--

SALINAS FIRE PIT

in Powder Coat



SALINAS FIRE PIT

in Stainless Steel



SIZES

48" Salinas

Dimensions:	(L) 48" x (H) 21" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	35lbs

Match Lit:	OPT-SALPC48
Flame Sense:	OPT-SALPC48FSML
Plug & Play:	OPT-SALPC48EKIT
Low Voltage:	OPT-SALPC48E12V
Fire Glow:	OPT-SALPC48FG
Spark Glow:	OPT-SALPC48SG

60" Salinas

Dimensions:	(L) 60" x (H) 21" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	45lbs

Match Lit:	OPT-SALPC60
Flame Sense:	OPT-SALPC60FSML
Plug & Play:	OPT-SALPC60EKIT
Low Voltage:	OPT-SALPC60E12V
Fire Glow:	OPT-SALPC60FG
Spark Glow:	OPT-SALPC60SG

SIZES

48" Salinas

Dimensions:	(L) 48" x (H) 21" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	35lbs

Match Lit:	OPT-SALSS48
Flame Sense:	OPT-SALSS48FSML
Plug & Play:	OPT-SALSS48EKIT
Low Voltage:	OPT-SALSS48E12V
Fire Glow:	OPT-SALSS48FG
Spark Glow:	OPT-SALSS48SG

60" Salinas

Dimensions:	(L) 60" x (H) 21" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	45lbs

Match Lit:	OPT-SALSS60
Flame Sense:	OPT-SALSS60FSML
Plug & Play:	OPT-SALSS60EKIT
Low Voltage:	OPT-SALSS60E12V
Fire Glow:	OPT-SALSS60FG
Spark Glow:	OPT-SALSS60SG

UPGRADES

ACCESSORIES	48" Salinas	60" Salinas
BULLET BURNER	OPT-B24SST	OPT-B36SST
CANVAS COVER	OPT-CVR-4828-21H	OPT-CVR-6028-21H
STAINLESS LID	OPT-RC1232	OPT-RC1244
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614

SALINAS FIRE PIT

in Corten Steel



SALINAS FIRE PIT

in Hammered Copper



SIZES

48" Salinas

Dimensions:	(L) 48" x (H) 21" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	35lbs

Match Lit:	OPT-SALCS48
Flame Sense:	OPT-SALCS48FSML
Plug & Play:	OPT-SALCS48EKIT
Low Voltage:	OPT-SALCS48E12V
Fire Glow:	OPT-SALCS48FG
Spark Glow:	OPT-SALCS48SG

60" Salinas

Dimensions:	(L) 60" x (H) 21" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	45lbs

Match Lit:	OPT-SALCS60
Flame Sense:	OPT-SALCS60FSML
Plug & Play:	OPT-SALCS60EKIT
Low Voltage:	OPT-SALCS60E12V
Fire Glow:	OPT-SALCS60FG
Spark Glow:	OPT-SALCS60SG

SIZES

48" Salinas

Dimensions:	(L) 48" x (H) 21" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	35lbs

Match Lit:	OPT-SALCPR48
Flame Sense:	OPT-SALCPR48FSML
Plug & Play:	OPT-SALCPR48EKIT
Low Voltage:	OPT-SALCPR48E12V
Fire Glow:	OPT-SALCPR48FG
Spark Glow:	OPT-SALCPR48SG

60" Salinas

Dimensions:	(L) 60" x (H) 21" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	--
BTU:	60,000
Fire Glass Sugg:	45lbs

Match Lit:	OPT-SALCPR60
Flame Sense:	OPT-SALCPR60FSML
Plug & Play:	OPT-SALCPR60EKIT
Low Voltage:	OPT-SALCPR60E12V
Fire Glow:	OPT-SALCPR60FG
Spark Glow:	OPT-SALCPR60SG

UPGRADES

ACCESSORIES	48" Salinas	60" Salinas
BULLET BURNER	OPT-B24SST	OPT-B36SST
CANVAS COVER	OPT-CVR-4828-21H	OPT-CVR-6028-21H
STAINLESS LID	OPT-RC1232	OPT-RC1244
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614

DIXIE FIRE PIT

in Powder Coat



DIXIE FIRE PIT

in Stainless Steel



SIZES

60" Dixie

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 8"
Weight:	115lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DXPC60
Flame Sense:	OPT-DXPC60FSML
Plug & Play:	OPT-DXPC60EKIT
Low Voltage:	OPT-DXPC60E12V
Fire Glow:	OPT-DXPC60FG
Spark Glow:	OPT-DXPC60SG

72" Dixie

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 8"
Weight:	180lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DXPC72
Flame Sense:	OPT-DXPC72FSML
Plug & Play:	OPT-DXPC72EKIT
Low Voltage:	OPT-DXPC72E12V
Fire Glow:	OPT-DXPC72FG
Spark Glow:	OPT-DXPC72SG

SIZES

60" Dixie

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 8"
Weight:	115lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DXSS60
Flame Sense:	OPT-DXSS60FSML
Plug & Play:	OPT-DXSS60EKIT
Low Voltage:	OPT-DXSS60E12V
Fire Glow:	OPT-DXSS60FG
Spark Glow:	OPT-DXSS60SG

72" Dixie

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 8"
Weight:	180lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DXSS72
Flame Sense:	OPT-DXSS72FSML
Plug & Play:	OPT-DXSS72EKIT
Low Voltage:	OPT-DXSS72E12V
Fire Glow:	OPT-DXSS72FG
Spark Glow:	OPT-DXSS72SG

UPGRADES

ACCESSORIES	60" Dixie	72" Dixie
BULLET BURNER	OPT-B30SST	OPT-B36SST
CANVAS COVER	OPT-DXCVR-6024	OPT-DXCVR-7224
STAINLESS LID	OPT-DXRC-1038	OPT-DXRC-1050
GLASS WIND GUARD	--	--


DIXIE FIRE PIT

in Corten Steel



DIXIE FIRE PIT

in Hammered Copper



SIZES

60" Dixie

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 8"
Weight:	115lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DXCS60
Flame Sense:	OPT-DXCS60FSML
Plug & Play:	OPT-DXCS60EKIT
Low Voltage:	OPT-DXCS60E12V
Fire Glow:	OPT-DXCS60FG
Spark Glow:	OPT-DXCS60SG

72" Dixie

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 8"
Weight:	180lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DXCS72
Flame Sense:	OPT-DXCS72FSML
Plug & Play:	OPT-DXCS72EKIT
Low Voltage:	OPT-DXCS72E12V
Fire Glow:	OPT-DXCS72FG
Spark Glow:	OPT-DXCS72SG

SIZES

60" Dixie

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 36" x (W) 8"
Weight:	115lbs
BTU:	50,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DXCPR60
Flame Sense:	OPT-DXCPR60FSML
Plug & Play:	OPT-DXCPR60EKIT
Low Voltage:	OPT-DXCPR60E12V
Fire Glow:	OPT-DXCPR60FG
Spark Glow:	OPT-DXCPR60SG

72" Dixie

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 8"
Weight:	180lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DXCPR72
Flame Sense:	OPT-DXCPR72FSML
Plug & Play:	OPT-DXCPR72EKIT
Low Voltage:	OPT-DXCPR72E12V
Fire Glow:	OPT-DXCPR72FG
Spark Glow:	OPT-DXCPR72SG

UPGRADES

ACCESSORIES	60" Dixie	72" Dixie
BULLET BURNER	OPT-B30SST	OPT-B36SST
CANVAS COVER	OPT-DXCVR-6024	OPT-DXCVR-7224
STAINLESS LID	OPT-DXRC-1038	OPT-DXRC-1050
GLASS WIND GUARD	--	--

GALLAWAY FIRE PIT

in Powder Coat



42" Gallaway

Dimensions:	(L) 42" x (H) 18" x (W) 42"
Burning Area:	(L) 24" x (W) 15"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-GALPC42
Flame Sense:	OPT-GALPC42FSML
Plug & Play:	OPT-GALPC42EKIT
Low Voltage:	OPT-GALPC42E12V
Fire Glow:	OPT-GALPC42FG
Spark Glow:	OPT-GALPC42SG

60" Gallaway

Dimensions:	(L) 60" x (H) 18" x (W) 60"
Burning Area:	(L) 36" x (W) 25"
Weight:	--
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-GALPC60
Flame Sense:	OPT-GALPC60FSML
Plug & Play:	OPT-GALPC60EKIT
Low Voltage:	OPT-GALPC60E12V
Fire Glow:	OPT-GALPC60FG
Spark Glow:	OPT-GALPC60SG

GALLAWAY FIRE PIT

in Stainless Steel



42" Gallaway

Dimensions:	(L) 42" x (H) 18" x (W) 42"
Burning Area:	(L) 24" x (W) 15"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-GALSS42
Flame Sense:	OPT-GALSS42FSML
Plug & Play:	OPT-GALSS42EKIT
Low Voltage:	OPT-GALSS42E12V
Fire Glow:	OPT-GALSS42FG
Spark Glow:	OPT-GALSS42SG

60" Gallaway

Dimensions:	(L) 60" x (H) 18" x (W) 60"
Burning Area:	(L) 36" x (W) 25"
Weight:	--
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-GALSS60
Flame Sense:	OPT-GALSS60FSML
Plug & Play:	OPT-GALSS60EKIT
Low Voltage:	OPT-GALSS60E12V
Fire Glow:	OPT-GALSS60FG
Spark Glow:	OPT-GALSS60SG

ACCESSORIES

	42" Gallaway	60" Gallaway
BULLET BURNER	OPT-18SSH	OPT-B24SSH
CANVAS COVER	OPT-CVR-4242-18H	OPT-CVR-6060-18H
STAINLESS LID	OPT-RC1726	OPT-RC2738
GLASS WIND GUARD	OPT-WG-2819	OPT-WG-4029

GALLAWAY FIRE PIT

in Corten Steel



42" Gallaway

Dimensions:	(L) 42" x (H) 18" x (W) 42"
Burning Area:	(L) 24" x (W) 15"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-GALCS42
Flame Sense:	OPT-GALCS42FSML
Plug & Play:	OPT-GALCS42EKIT
Low Voltage:	OPT-GALCS42E12V
Fire Glow:	OPT-GALCS42FG
Spark Glow:	OPT-GALCS42SG

SIZES

60" Gallaway

Dimensions:	(L) 60" x (H) 18" x (W) 60"
Burning Area:	(L) 36" x (W) 25"
Weight:	--
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-GALCS60
Flame Sense:	OPT-GALCS60FSML
Plug & Play:	OPT-GALCS60EKIT
Low Voltage:	OPT-GALCS60E12V
Fire Glow:	OPT-GALCS60FG
Spark Glow:	OPT-GALCS60SG

GALLAWAY FIRE PIT

in Hammered Copper



42" Gallaway

Dimensions:	(L) 42" x (H) 18" x (W) 42"
Burning Area:	(L) 24" x (W) 15"
Weight:	--
BTU:	70,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-GALCPR42
Flame Sense:	OPT-GALCPR42FSML
Plug & Play:	OPT-GALCPR42EKIT
Low Voltage:	OPT-GALCPR42E12V
Fire Glow:	OPT-GALCPR42FG
Spark Glow:	OPT-GALCPR42SG

SIZES

60" Gallaway

Dimensions:	(L) 60" x (H) 18" x (W) 60"
Burning Area:	(L) 36" x (W) 25"
Weight:	--
BTU:	90,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-GALCPR60
Flame Sense:	OPT-GALCPR60FSML
Plug & Play:	OPT-GALCPR60EKIT
Low Voltage:	OPT-GALCPR60E12V
Fire Glow:	OPT-GALCPR60FG
Spark Glow:	OPT-GALCPR60SG

ACCESSORIES

	48" Gallaway	60" Gallaway
BULLET BURNER	OPT-18SSH	OPT-B24SSH
CANVAS COVER	OPT-CVR-4242-18H	OPT-CVR-6060-18H
STAINLESS LID	OPT-RC1726	OPT-RC2738
GLASS WIND GUARD	OPT-WG-2819	OPT-WG-4029


WHITNEY FIRE PIT

in Powder Coat



WHITNEY FIRE PIT

in Stainless Steel



SIZES

48" Whitney

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 36" x (W) 36" x (H) 12"
Weight:	--
BTU:	95,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-WHTPC48
Flame Sense:	OPT-WHTPC48FSML
Plug & Play:	OPT-WHTPC48EKIT
Low Voltage:	OPT-WHTPC48E12V
Fire Glow:	OPT-WHTPC48FG
Spark Glow:	OPT-WHTPC48SG

60" Whitney

Dimensions:	(L) 60" x (H) 24" x (W) 60"
Burning Area:	(L) 48" x (W) 48" x (H) 12"
Weight:	--
BTU:	130,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-WHTPC60
Flame Sense:	OPT-WHTPC60FSML
Plug & Play:	OPT-WHTPC60EKIT
Low Voltage:	OPT-WHTPC60E12V
Fire Glow:	OPT-WHTPC60FG
Spark Glow:	OPT-WHTPC60SG

72" Whitney

Dimensions:	(L) 72" x (H) 24" x (W) 72"
Burning Area:	(L) 60" x (W) 60" x (H) 12"
Weight:	--
BTU:	170,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-WHTPC72
Flame Sense:	OPT-WHTPC72FSML
Plug & Play:	OPT-WHTPC72EKIT
Low Voltage:	OPT-WHTPC72E12V
Fire Glow:	OPT-WHTPC72FG
Spark Glow:	OPT-WHTPC72SG

SIZES

48" Whitney

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 36" x (W) 36" x (H) 12"
Weight:	--
BTU:	95,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-WHTSS48
Flame Sense:	OPT-WHTSS48FSML
Plug & Play:	OPT-WHTSS48EKIT
Low Voltage:	OPT-WHTSS48E12V
Fire Glow:	OPT-WHTSS48FG
Spark Glow:	OPT-WHTSS48SG

60" Whitney

Dimensions:	(L) 60" x (H) 24" x (W) 60"
Burning Area:	(L) 48" x (W) 48" x (H) 12"
Weight:	--
BTU:	130,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-WHTSS60
Flame Sense:	OPT-WHTSS60FSML
Plug & Play:	OPT-WHTSS60EKIT
Low Voltage:	OPT-WHTSS60E12V
Fire Glow:	OPT-WHTSS60FG
Spark Glow:	OPT-WHTSS60SG

72" Whitney

Dimensions:	(L) 72" x (H) 24" x (W) 72"
Burning Area:	(L) 60" x (W) 60" x (H) 12"
Weight:	--
BTU:	170,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-WHTSS72
Flame Sense:	OPT-WHTSS72FSML
Plug & Play:	OPT-WHTSS72EKIT
Low Voltage:	OPT-WHTSS72E12V
Fire Glow:	OPT-WHTSS72FG
Spark Glow:	OPT-WHTSS72SG

UPGRADES

ACCESSORIES	48" Whitney	60" Whitney	72" Whitney
BULLET BURNER	OPT-WHTB2828SST	OPT-WHTB3939SST	OPT-WHTB5151SST
CANVAS COVER	OPT-WHTCVR-484824-24H	OPT-WHTCVR-606036-24H	OPT-WHTCVR-727248-24H
STAINLESS LID	OPT-WHTRC-383812	OPT-WHTRC-505012	OPT-WHTRC-626212
GLASS WIND GUARD	--	--	--


WHITNEY FIRE PIT

in Corten Steel



WHITNEY FIRE PIT

in Hammered Copper



SIZES

48" Whitney

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 36" x (W) 36" x (H) 12"
Weight:	--
BTU:	95,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-WHTCS48
Flame Sense:	OPT-WHTCS48FSML
Plug & Play:	OPT-WHTCS48EKIT
Low Voltage:	OPT-WHTCS48E12V
Fire Glow:	OPT-WHTCS48FG
Spark Glow:	OPT-WHTCS48SG

60" Whitney

Dimensions:	(L) 60" x (H) 24" x (W) 60"
Burning Area:	(L) 48" x (W) 48" x (H) 12"
Weight:	--
BTU:	130,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-WHTCS60
Flame Sense:	OPT-WHTCS60FSML
Plug & Play:	OPT-WHTCS60EKIT
Low Voltage:	OPT-WHTCS60E12V
Fire Glow:	OPT-WHTCS60FG
Spark Glow:	OPT-WHTCS60SG

72" Whitney

Dimensions:	(L) 72" x (H) 24" x (W) 72"
Burning Area:	(L) 60" x (W) 60" x (H) 12"
Weight:	--
BTU:	170,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-WHTCS72
Flame Sense:	OPT-WHTCS72FSML
Plug & Play:	OPT-WHTCS72EKIT
Low Voltage:	OPT-WHTCS72E12V
Fire Glow:	OPT-WHTCS72FG
Spark Glow:	OPT-WHTCS72SG

SIZES

48" Whitney

Dimensions:	(L) 48" x (H) 24" x (W) 48"
Burning Area:	(L) 36" x (W) 36" x (H) 12"
Weight:	--
BTU:	95,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-WHTCPR48
Flame Sense:	OPT-WHTCPR48FSML
Plug & Play:	OPT-WHTCPR48EKIT
Low Voltage:	OPT-WHTCPR48E12V
Fire Glow:	OPT-WHTCPR48FG
Spark Glow:	OPT-WHTCPR48SG

60" Whitney

Dimensions:	(L) 60" x (H) 24" x (W) 60"
Burning Area:	(L) 48" x (W) 48" x (H) 12"
Weight:	--
BTU:	130,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-WHTCPR60
Flame Sense:	OPT-WHTCPR60FSML
Plug & Play:	OPT-WHTCPR60EKIT
Low Voltage:	OPT-WHTCPR60E12V
Fire Glow:	OPT-WHTCPR60FG
Spark Glow:	OPT-WHTCPR60SG

72" Whitney

Dimensions:	(L) 72" x (H) 24" x (W) 72"
Burning Area:	(L) 60" x (W) 60" x (H) 12"
Weight:	--
BTU:	170,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-WHTCPR72
Flame Sense:	OPT-WHTCPR72FSML
Plug & Play:	OPT-WHTCPR72EKIT
Low Voltage:	OPT-WHTCPR72E12V
Fire Glow:	OPT-WHTCPR72FG
Spark Glow:	OPT-WHTCPR72SG

UPGRADES

ACCESSORIES	48" Whitney	60" Whitney	72" Whitney
BULLET BURNER	OPT-WHTB2828SST	OPT-WHTB3939SST	OPT-WHTB5151SST
CANVAS COVER	OPT-WHTCVR-484824-24H	OPT-WHTCVR-606036-24H	OPT-WHTCVR-727248-24H
STAINLESS LID	OPT-WHTRC-383812	OPT-WHTRC-505012	OPT-WHTRC-626212
GLASS WIND GUARD	--	--	--

AMINA FIRE PIT

in Powder Coat



BAYSIDE FIRE PIT

in GFRC Concrete



SIZES

48" Amina

Dimensions:	(L) 48" x (H) 15" x (W) 24"
Burning Area:	(L) 30" x (W) 10"
Weight:	130lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-AMI4824
Flame Sense:	OPT-AMI4824FSML
Plug & Play:	OPT-AMI4824EKIT
Low Voltage:	OPT-AMI4824E12V
Fire Glow:	OPT-AMI4824FG
Spark Glow:	OPT-AMI4824SG

60" Amina

Dimensions:	(L) 60" x (H) 15" x (W) 24"
Burning Area:	(L) 42" x (W) 10"
Weight:	165lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-AMI6024
Flame Sense:	OPT-AMI6024FSML
Plug & Play:	OPT-AMI6024EKIT
Low Voltage:	OPT-AMI6024E12V
Fire Glow:	OPT-AMI6024FG
Spark Glow:	OPT-AMI6024SG

72" Amina

Dimensions:	(L) 72" x (H) 15" x (W) 24"
Burning Area:	(L) 54" x (W) 10"
Weight:	200lbs
BTU:	80,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-AMI7224
Flame Sense:	OPT-AMI7224FSML
Plug & Play:	OPT-AMI7224EKIT
Low Voltage:	OPT-AMI7224E12V
Fire Glow:	OPT-AMI7224FG
Spark Glow:	OPT-AMI7224SGF

SIZES

36" Bayside

Dimensions:	(L) 36" x (H) 17" x (W) 36"
Burning Area:	(L) 16" x (W) 16"
Weight:	200lbs
BTU:	65,000
Fire Glass Sugg:	27lbs

Match Lit:	OPT-BAYPC36
Flame Sense:	OPT-BAYPC36FSML
Plug & Play:	OPT-BAYPC36EKIT
Low Voltage:	OPT-BAYPC36E12V
Fire Glow:	OPT-BAYPC36FG
Spark Glow:	OPT-BAYPC36SG

48" Bayside

Dimensions:	(L) 48" x (H) 17" x (W) 48"
Burning Area:	(L) 28" x (W) 28"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	

Match Lit:	OPT-BAYPC48
Flame Sense:	OPT-BAYPC48FSML
Plug & Play:	OPT-BAYPC48EKIT
Low Voltage:	OPT-BAYPC48E12V
Fire Glow:	OPT-BAYPC48FG
Spark Glow:	OPT-BAYPC48SG

60" Bayside

Dimensions:	(L) 60" x (H) 17" x (W) 60"
Burning Area:	(L) 40" x (W) 40"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	

Match Lit:	OPT-BAYPC60
Flame Sense:	OPT-BAYPC60FSML
Plug & Play:	OPT-BAYPC60EKIT
Low Voltage:	OPT-BAYPC60E12V
Fire Glow:	OPT-BAYPC60FG
Spark Glow:	OPT-BAYPC60SG

UPGRADES

ACCESSORIES	48" Amina	60" Amina	72" Amina	36" Bayside	48" Bayside	60" Bayside
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-BRDSS12	OPT-BRDSS18	OPT-BRDSS24
CANVAS COVER	--	--	--	OPT-CVR-3636-16H	OPT-CVR-4848-16H	OPT-CVR-1010-16H
STAINLESS LID	--	--	--	OPT-22SC	OPT-30SC	OPT-42SB
GLASS WIND GUARD	--	--	--	--	--	--

48" TEMPE FIRE PIT

in Full Collection



UPGRADES

ACCESSORIES 48" Tempe

BULLET BURNER	OPT-BRDSS12
CANVAS COVER	OPT-CVR-48R-16H
STAINLESS LID	OPT-30RC
GLASS WIND GUARD	--

SIZES

GFRC Concrete

Dimensions:	(D) 48" x (H) 16"
Burning Area:	(D) 28"
Weight:	370lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-TEM48
Flame Sense:	OPT-TEM48FSML
Plug & Play:	OPT-TEM48EKIT
Low Voltage:	OPT-TEM48E12V
Fire Glow:	OPT-TEM48FG
Spark Glow:	OPT-TEM48SG

Powder Coat

Dimensions:	(D) 48" x (H) 16"
Burning Area:	(D) 28"
Weight:	370lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-TEMPC48
Flame Sense:	OPT-TEMPC48FSML
Plug & Play:	OPT-TEMPC48EKIT
Low Voltage:	OPT-TEMPC48E12V
Fire Glow:	OPT-TEMPC48FG
Spark Glow:	OPT-TEMPC48SG

Stainless Steel

Dimensions:	(D) 48" x (H) 16"
Burning Area:	(D) 28"
Weight:	370lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-TEMSS48
Flame Sense:	OPT-TEMSS48FSML
Plug & Play:	OPT-TEMSS48EKIT
Low Voltage:	OPT-TEMSS48E12V
Fire Glow:	OPT-TEMSS48FG
Spark Glow:	OPT-TEMSS48SG

Corten Steel

Dimensions:	(D) 48" x (H) 16"
Burning Area:	(D) 28"
Weight:	370lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-TEMCS48
Flame Sense:	OPT-TEMCS48FSML
Plug & Play:	OPT-TEMCS48EKIT
Low Voltage:	OPT-TEMCS48E12V
Fire Glow:	OPT-TEMCS48FG
Spark Glow:	OPT-TEMCS48SG

Hammered Copper

Dimensions:	(D) 48" x (H) 16"
Burning Area:	(D) 28"
Weight:	370lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-TEMCPR48
Flame Sense:	OPT-TEMCPR48FSML
Plug & Play:	OPT-TEMCPR48EKIT
Low Voltage:	OPT-TEMCPR48E12V
Fire Glow:	OPT-TEMCPR48FG
Spark Glow:	OPT-TEMCPR48SG

TIDAL FIRE PIT

in Full Collection



UPGRADES

ACCESSORIES 48" Tidal

BULLET BURNER	OPT-B24SST
CANVAS COVER	OPT-CVR-4824-24H
STAINLESS LID	OPT-RC1032
GLASS WIND GUARD	OPT-WG-3414

SIZES

Powder Coat

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 30" x (W) 8"
Weight:	100lbs
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-TIDPC48
Flame Sense:	OPT-TIDPC48FSML
Plug & Play:	OPT-TIDPC48EKIT
Low Voltage:	OPT-TIDPC48E12V
Fire Glow:	OPT-TIDPC48FG
Spark Glow:	OPT-TIDPC48SG

Stainless Steel

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 30" x (W) 8"
Weight:	100lbs
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-TIDSS48
Flame Sense:	OPT-TIDSS48FSML
Plug & Play:	OPT-TIDSS48EKIT
Low Voltage:	OPT-TIDSS48E12V
Fire Glow:	OPT-TIDSS48FG
Spark Glow:	OPT-TIDSS48SG

Corten Steel

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 30" x (W) 8"
Weight:	100lbs
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-TIDCS48
Flame Sense:	OPT-TIDCS48FSML
Plug & Play:	OPT-TIDCS48EKIT
Low Voltage:	OPT-TIDCS48E12V
Fire Glow:	OPT-TIDCS48FG
Spark Glow:	OPT-TIDCS48SG

Hammered Copper

Dimensions:	(L) 48" x (H) 24" x (W) 24"
Burning Area:	(L) 30" x (W) 8"
Weight:	100lbs
BTU:	40,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-TIDCPR48
Flame Sense:	OPT-TIDCPR48FSML
Plug & Play:	OPT-TIDCPR48EKIT
Low Voltage:	OPT-TIDCPR48E12V
Fire Glow:	OPT-TIDCPR48FG
Spark Glow:	OPT-TIDCPR48SG

VISTA FIRE PIT

in Full Collection



UPGRADES

ACCESSORIES 24" Vista

BULLET BURNER	OPT-BRDSS8
CANVAS COVER	OPT-CVR-2424-24H
STAINLESS LID	OPT-18SC
GLASS WIND GUARD	--

SIZES

Powder Coat

Dimensions:	(L) 24" x (H) 24" x (W) 24"
Burning Area:	(L) 16" x (W) 16"
Weight:	165lbs
BTU:	45,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FPTPC2500
Flame Sense:	OPT-FPTPC2500FSML
Plug & Play:	OPT-FPTPC2500EKIT
Low Voltage:	OPT-FPTPC2500E12V
Fire Glow:	OPT-FPTPC2500FG
Spark Glow:	OPT-FPTPC2500SG

Stainless Steel

Dimensions:	(L) 24" x (H) 24" x (W) 24"
Burning Area:	(L) 16" x (W) 16"
Weight:	165lbs
BTU:	45,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FPTSS2500
Flame Sense:	OPT-FPTSS2500FSML
Plug & Play:	OPT-FPTSS2500EKIT
Low Voltage:	OPT-FPTSS2500E12V
Fire Glow:	OPT-FPTSS2500FG
Spark Glow:	OPT-FPTSS2500SG

Corten Steel

Dimensions:	(L) 24" x (H) 24" x (W) 24"
Burning Area:	(L) 16" x (W) 16"
Weight:	165lbs
BTU:	45,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FPTCS2500
Flame Sense:	OPT-FPTCS2500FSML
Plug & Play:	OPT-FPTCS2500EKIT
Low Voltage:	OPT-FPTCS2500E12V
Fire Glow:	OPT-FPTCS2500FG
Spark Glow:	OPT-FPTCS2500SG

Hammered Copper

Dimensions:	(L) 24" x (H) 24" x (W) 24"
Burning Area:	(L) 16" x (W) 16"
Weight:	165lbs
BTU:	45,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-FPT2500CPR
Flame Sense:	OPT-FPT2500CPRFSML
Plug & Play:	OPT-FPT2500CPREKIT
Low Voltage:	OPT-FPT2500CPRE12V
Fire Glow:	OPT-FPT2500CPRFG
Spark Glow:	OPT-FPT2500CPRSG

DANA FIRE PIT

in Full Collection



UPGRADES

ACCESSORIES		60" Dana
BULLET BURNER	OPT-BRDSS12	
CANVAS COVER	OPT-DANCVR-6028-24H	
STAINLESS LID	OPT-14SC	
GLASS WIND GUARD	OPT-WG-1616	

SIZES

Powder Coat

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 12" x (W) 12"
Weight:	315lbs
BTU:	45,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DANPC60
Flame Sense:	OPT-DANPC60FSML
Plug & Play:	OPT-DANPC60EKIT
Low Voltage:	OPT-DANPC60E12V
Fire Glow:	OPT-DANPC60FG
Spark Glow:	OPT-DANPC60SG

Stainless Steel

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 12" x (W) 12"
Weight:	315lbs
BTU:	45,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DANSS60
Flame Sense:	OPT-DANSS60FSML
Plug & Play:	OPT-DANSS60EKIT
Low Voltage:	OPT-DANSS60E12V
Fire Glow:	OPT-DANSS60FG
Spark Glow:	OPT-DANSS60SG

Corten Steel

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 12" x (W) 12"
Weight:	315lbs
BTU:	45,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DANCS60
Flame Sense:	OPT-DANCS60FSML
Plug & Play:	OPT-DANCS60EKIT
Low Voltage:	OPT-DANCS60E12V
Fire Glow:	OPT-DANCS60FG
Spark Glow:	OPT-DANCS60SG

Hammered Copper

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 12" x (W) 12"
Weight:	315lbs
BTU:	45,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-DANCP60
Flame Sense:	OPT-DANCP60FSML
Plug & Play:	OPT-DANCP60EKIT
Low Voltage:	OPT-DANCP60E12V
Fire Glow:	OPT-DANCP60FG
Spark Glow:	OPT-DANCP60SG

MERONA FIRE PIT

in Full Collection



UPGRADES

ACCESSORIES 46" Merona

BULLET BURNER	OPT-B24SST
CANVAS COVER	OPT-CVR-4622-24H
STAINLESS LID	OPT-RC1032
GLASS WIND GUARD	OPT-WG-3412

SIZES

Powder Coat

Dimensions:	(L) 46" x (H) 24" x (W) 22"
Burning Area:	(L) 30" x (W) 8"
Weight:	195lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	TOP-MC4622
Flame Sense:	TOP-MC4622FSML
Plug & Play:	TOP-MC4622EKIT
Low Voltage:	TOP-MC4622E12V
Fire Glow:	TOP-MC4622FG
Spark Glow:	TOP-MC4622SG

Stainless Steel

Dimensions:	(L) 46" x (H) 24" x (W) 22"
Burning Area:	(L) 30" x (W) 8"
Weight:	195lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	TOP-MCSS4622
Flame Sense:	TOP-MCSS4622FSML
Plug & Play:	TOP-MCSS4622EKIT
Low Voltage:	TOP-MCSS4622E12V
Fire Glow:	TOP-MCSS4622FG
Spark Glow:	TOP-MCSS4622SG

Corten Steel

Dimensions:	(L) 46" x (H) 24" x (W) 22"
Burning Area:	(L) 30" x (W) 8"
Weight:	195lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	TOP-MCCS4622
Flame Sense:	TOP-MCCS4622FSML
Plug & Play:	TOP-MCCS4622EKIT
Low Voltage:	TOP-MCCS4622E12V
Fire Glow:	TOP-MCCS4622FG
Spark Glow:	TOP-MCCS4622SG

Hammered Copper

Dimensions:	(L) 46" x (H) 24" x (W) 22"
Burning Area:	(L) 30" x (W) 8"
Weight:	195lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	TOP-MCCPR4622
Flame Sense:	TOP-MCCPR4622FSML
Plug & Play:	TOP-MCCPR4622EKIT
Low Voltage:	TOP-MCCPR4622E12V
Fire Glow:	TOP-MCCPR4622FG
Spark Glow:	TOP-MCCPR4622SG

MARTILLO FIRE PIT

in Full Collection



UPGRADES

ACCESSORIES 48" Martillo

BULLET BURNER	OPT-BRDSS12
CANVAS COVER	OPT-CVR-48R-24H
STAINLESS LID	OPT-26RC
GLASS WIND GUARD	--



SIZES

Powder Coat

Dimensions:	(D) 48" X (H) 24"
Burning Area:	(D) 24"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-48RMPC
Flame Sense:	OPT-48RMPCFSML
Plug & Play:	OPT-48RMPCEKIT
Low Voltage:	OPT-48RMPCE12V
Fire Glow:	OPT-48RMPCFG
Spark Glow:	OPT-48RMPCSG

Stainless Steel

Dimensions:	(D) 48" X (H) 24"
Burning Area:	(D) 24"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-48RMSS
Flame Sense:	OPT-48RMSSFSML
Plug & Play:	OPT-48RMSSEKIT
Low Voltage:	OPT-48RMSSE12V
Fire Glow:	OPT-48RMSSFG
Spark Glow:	OPT-48RMSSSG

Corten Steel

Dimensions:	(D) 48" X (H) 24"
Burning Area:	(D) 24"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-48RMCS
Flame Sense:	OPT-48RMCSFSML
Plug & Play:	OPT-48RMCSEKIT
Low Voltage:	OPT-48RMCSE12V
Fire Glow:	OPT-48RMCSEFG
Spark Glow:	OPT-48RMCSSG

Hammered Copper

Dimensions:	(D) 48" X (H) 24"
Burning Area:	(D) 24"
Weight:	105lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-48RM
Flame Sense:	OPT-48RMFSML
Plug & Play:	OPT-48RMEKIT
Low Voltage:	OPT-48RME12V
Fire Glow:	OPT-48RMFG
Spark Glow:	OPT-48RMMSG

MOONSTONE FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	60" Moonstone	72" Moonstone	84" Moonstone	96" Moonstone
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-6030-16H	OPT-CVR-7230-16H	OPT-CVR-8430-16H	OPT-CVR-9630-16H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	--	--	--	--



SIZES

60" Moonstone

Dimensions:	(L) 60" x (H) 16" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	---lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-60MST-BWC
Flame Sense:	OPT-60MST-BWC-FSML
Plug & Play:	OPT-60MST-BWC-EKIT
Low Voltage:	OPT-60MST-BWC-E12V
Fire Glow:	OPT-60MST-BWC-FG
Spark Glow:	OPT-60MST-BWC-SG

72" Moonstone

Dimensions:	(L) 72" x (H) 16" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	---lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-72MST-BWC
Flame Sense:	OPT-72MST-BWC-FSML
Plug & Play:	OPT-72MST-BWC-EKIT
Low Voltage:	OPT-72MST-BWC-E12V
Fire Glow:	OPT-72MST-BWC-FG
Spark Glow:	OPT-72MST-BWC-SG

84" Moonstone

Dimensions:	(L) 84" x (H) 16" x (W) 30"
Burning Area:	(L) 54" x (W) 10"
Weight:	---lbs
BTU:	80,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-84MST-BWC
Flame Sense:	OPT-84MST-BWC-FSML
Plug & Play:	OPT-84MST-BWC-EKIT
Low Voltage:	OPT-84MST-BWC-E12V
Fire Glow:	OPT-84MST-BWC-FG
Spark Glow:	OPT-84MST-BWC-SG

96" Moonstone

Dimensions:	(L) 96" x (H) 16" x (W) 30"
Burning Area:	(L) 66" x (W) 10"
Weight:	---lbs
BTU:	100,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-96MST-BWC
Flame Sense:	OPT-96MST-BWC-FSML
Plug & Play:	OPT-96MST-BWC-EKIT
Low Voltage:	OPT-96MST-BWC-E12V
Fire Glow:	OPT-96MST-BWC-FG
Spark Glow:	OPT-96MST-BWC-SG

BAJA FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	42" Baja	60" Baja	72" Baja	84" Baja
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-4230-14H	OPT-CVR-6030-14H	OPT-CVR-7230-14H	OPT-CVR-8430-14H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	--	--	--	--

SIZES

42" Baja

Dimensions:	(L) 42" x (H) 14" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BAJ42-BWC
Flame Sense:	OPT-BAJ42-BWCFSML
Plug & Play:	OPT-BAJ42-BWCEKIT
Low Voltage:	OPT-BAJ42-BWCE12V
Fire Glow:	OPT-BAJ42-BWCFG
Spark Glow:	OPT-BAJ42-BWCSG

60" Baja

Dimensions:	(L) 60" x (H) 14" x (W) 30"
Burning Area:	(L) 42" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BAJ60-BWC
Flame Sense:	OPT-BAJ60-BWCFSML
Plug & Play:	OPT-BAJ60-BWCEKIT
Low Voltage:	OPT-BAJ60-BWCE12V
Fire Glow:	OPT-BAJ60-BWCFG
Spark Glow:	OPT-BAJ60-BWCSG

72" Baja

Dimensions:	(L) 72" x (H) 14" x (W) 30"
Burning Area:	(L) 54" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BAJ72-BWC
Flame Sense:	OPT-BAJ72-BWCFSML
Plug & Play:	OPT-BAJ72-BWCEKIT
Low Voltage:	OPT-BAJ72-BWCE12V
Fire Glow:	OPT-BAJ72-BWCFG
Spark Glow:	OPT-BAJ72-BWCSG

84" Baja

Dimensions:	(L) 84" x (H) 14" x (W) 30"
Burning Area:	(L) 66" x (W) 10"
Weight:	--
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BAJ84-BWC
Flame Sense:	OPT-BAJ84-BWCFSML
Plug & Play:	OPT-BAJ84-BWCEKIT
Low Voltage:	OPT-BAJ84-BWCE12V
Fire Glow:	OPT-BAJ84-BWCFG
Spark Glow:	OPT-BAJ84-BWCSG

HOLLISTER FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	42" Hollister	48" Hollister	60" Hollister	72" Hollister
BULLET BURNER	OPT-BRDSS12	OPT-BRDSS12	OPT-BRDSS18	OPT-BRDSS24
CANVAS COVER	OPT-CVR- 42R-15H	OPT-CVR- 48R-15H	OPT-CVR- 60R-15H	OPT-CVR- 72R-15H
STAINLESS LID	OPT-27RC	OPT-33RC	OPT-45RC	OPT-57RC
GLASS WIND GUARD	--	--	--	--

SIZES

42" Hollister

Dimensions:	(D) 42" x (H) 14.5"
Burning Area:	(D) 25"
Weight:	180lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-HOLPC42
Flame Sense:	OPT-HOLPC42FSML
Plug & Play:	OPT-HOLPC42EKIT
Low Voltage:	OPT-HOLPC42E12V
Fire Glow:	OPT-HOLPC42FG
Spark Glow:	OPT-HOLPC42SG

48" Hollister

Dimensions:	(D) 48" x (H) 14.5"
Burning Area:	(D) 31"
Weight:	200lbs
BTU:	65,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-HOLPC48
Flame Sense:	OPT-HOLPC48FSML
Plug & Play:	OPT-HOLPC48EKIT
Low Voltage:	OPT-HOLPC48E12V
Fire Glow:	OPT-HOLPC48FG
Spark Glow:	OPT-HOLPC48SG

60" Hollister

Dimensions:	(D) 60" x (H) 14.5"
Burning Area:	(D) 43"
Weight:	220lbs
BTU:	65,000
Fire Glass Sugg:	147lbs

Match Lit:	OPT-HOLPC60
Flame Sense:	OPT-HOLPC60FSML
Plug & Play:	OPT-HOLPC60EKIT
Low Voltage:	OPT-HOLPC60E12V
Fire Glow:	OPT-HOLPC60FG
Spark Glow:	OPT-HOLPC60SG

72" Hollister

Dimensions:	(D) 72" x (H) 14.5"
Burning Area:	(D) 55"
Weight:	245lbs
BTU:	65,000
Fire Glass Sugg:	242lbs

Match Lit:	OPT-HOLPC72
Flame Sense:	OPT-HOLPC72FSML
Plug & Play:	OPT-HOLPC72EKIT
Low Voltage:	OPT-HOLPC72E12V
Fire Glow:	OPT-HOLPC72FG
Spark Glow:	OPT-HOLPC72SG

CALABASAS FIRE TABLE

in Powder Coat



UPGRADES

ACCESSORIES	60" Calabosas	72" Calabosas	84" Calabosas	96" Calabosas
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-6028-24H	OPT-CVR-7228-24H	OPT-CVR-8436-24H	OPT-CVR-9636-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SIZES

60" Calabosas

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	135lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBPC60
Flame Sense:	OPT-CLBPC60FSML
Plug & Play:	OPT-CLBPC60EKIT
Low Voltage:	OPT-CLBPC60E12V
Fire Glow:	OPT-CLBPC60FG
Spark Glow:	OPT-CLBPC60SG

72" Calabosas

Dimensions:	(L) 72" x (H) 24" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	165lbs
BTU:	60,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBPC72
Flame Sense:	OPT-CLBPC72FSML
Plug & Play:	OPT-CLBPC72EKIT
Low Voltage:	OPT-CLBPC72E12V
Fire Glow:	OPT-CLBPC72FG
Spark Glow:	OPT-CLBPC72SG

84" Calabosas

Dimensions:	(L) 84" x (H) 24" x (W) 36"
Burning Area:	(L) 54" x (W) 10"
Weight:	200lbs
BTU:	80,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBPC84
Flame Sense:	OPT-CLBPC84FSML
Plug & Play:	OPT-CLBPC84EKIT
Low Voltage:	OPT-CLBPC84E12V
Fire Glow:	OPT-CLBPC84FG
Spark Glow:	OPT-CLBPC84SG

96" Calabosas

Dimensions:	(L) 96" x (H) 24" x (W) 36"
Burning Area:	(L) 66" x (W) 10"
Weight:	235lbs
BTU:	100,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBPC96
Flame Sense:	OPT-CLBPC96FSML
Plug & Play:	OPT-CLBPC96EKIT
Low Voltage:	OPT-CLBPC96E12V
Fire Glow:	OPT-CLBPC96FG
Spark Glow:	OPT-CLBPC96SG

CALABASAS FIRE TABLE

in Stainless Steel



UPGRADES

ACCESSORIES	60" Calabajas	72" Calabajas	84" Calabajas	96" Calabajas
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-6028-24H	OPT-CVR-7228-24H	OPT-CVR-8436-24H	OPT-CVR-9636-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SIZES

60" Calabajas

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	135lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBSS60
Flame Sense:	OPT-CLBSS60FSML
Plug & Play:	OPT-CLBSS60EKIT
Low Voltage:	OPT-CLBSS60E12V
Fire Glow:	OPT-CLBSS60FG
Spark Glow:	OPT-CLBSS60SG

72" Calabajas

Dimensions:	(L) 72" x (H) 24" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	165lbs
BTU:	60,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBSS72
Flame Sense:	OPT-CLBSS72FSML
Plug & Play:	OPT-CLBSS72EKIT
Low Voltage:	OPT-CLBSS72E12V
Fire Glow:	OPT-CLBSS72FG
Spark Glow:	OPT-CLBSS72SG

84" Calabajas

Dimensions:	(L) 84" x (H) 24" x (W) 36"
Burning Area:	(L) 54" x (W) 10"
Weight:	200lbs
BTU:	80,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBSS84
Flame Sense:	OPT-CLBSS84FSML
Plug & Play:	OPT-CLBSS84EKIT
Low Voltage:	OPT-CLBSS84E12V
Fire Glow:	OPT-CLBSS84FG
Spark Glow:	OPT-CLBSS84SG

96" Calabajas

Dimensions:	(L) 96" x (H) 24" x (W) 36"
Burning Area:	(L) 66" x (W) 10"
Weight:	235lbs
BTU:	100,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBSS96
Flame Sense:	OPT-CLBSS96FSML
Plug & Play:	OPT-CLBSS96EKIT
Low Voltage:	OPT-CLBSS96E12V
Fire Glow:	OPT-CLBSS96FG
Spark Glow:	OPT-CLBSS96SG

CALABASAS FIRE TABLE

in Corten Steel



UPGRADES

ACCESSORIES	60" Calabosas	72" Calabosas	84" Calabosas	96" Calabosas
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-6028-24H	OPT-CVR-7228-24H	OPT-CVR-8436-24H	OPT-CVR-9636-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SIZES

60" Calabosas

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	135lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBCS60
Flame Sense:	OPT-CLBCS60FSML
Plug & Play:	OPT-CLBCS60EKIT
Low Voltage:	OPT-CLBCS60E12V
Fire Glow:	OPT-CLBCS60FG
Spark Glow:	OPT-CLBCS60SG

72" Calabosas

Dimensions:	(L) 72" x (H) 24" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	165lbs
BTU:	60,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBCS72
Flame Sense:	OPT-CLBCS72FSML
Plug & Play:	OPT-CLBCS72EKIT
Low Voltage:	OPT-CLBCS72E12V
Fire Glow:	OPT-CLBCS72FG
Spark Glow:	OPT-CLBCS72SG

84" Calabosas

Dimensions:	(L) 84" x (H) 24" x (W) 36"
Burning Area:	(L) 54" x (W) 10"
Weight:	200lbs
BTU:	80,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBCS84
Flame Sense:	OPT-CLBCS84FSML
Plug & Play:	OPT-CLBCS84EKIT
Low Voltage:	OPT-CLBCS84E12V
Fire Glow:	OPT-CLBCS84FG
Spark Glow:	OPT-CLBCS84SG

96" Calabosas

Dimensions:	(L) 96" x (H) 24" x (W) 36"
Burning Area:	(L) 66" x (W) 10"
Weight:	235lbs
BTU:	100,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBCS96
Flame Sense:	OPT-CLBCS96FSML
Plug & Play:	OPT-CLBCS96EKIT
Low Voltage:	OPT-CLBCS96E12V
Fire Glow:	OPT-CLBCS96FG
Spark Glow:	OPT-CLBCS96SG

CALABASAS FIRE TABLE

in Hammered Copper



UPGRADES

ACCESSORIES	60" Calabosas	72" Calabosas	84" Calabosas	96" Calabosas
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B48SST	OPT-B60SST
CANVAS COVER	OPT-CVR-6028-24H	OPT-CVR-7228-24H	OPT-CVR-8436-24H	OPT-CVR-9636-24H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014

SIZES

60" Calabosas

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	135lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBCPR60
Flame Sense:	OPT-CLBCPR60FSML
Plug & Play:	OPT-CLBCPR60EKIT
Low Voltage:	OPT-CLBCPR60E12V
Fire Glow:	OPT-CLBCPR60FG
Spark Glow:	OPT-CLBCPR60SG

72" Calabosas

Dimensions:	(L) 72" x (H) 24" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	165lbs
BTU:	60,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBCPR72
Flame Sense:	OPT-CLBCPR72FSML
Plug & Play:	OPT-CLBCPR72EKIT
Low Voltage:	OPT-CLBCPR72E12V
Fire Glow:	OPT-CLBCPR72FG
Spark Glow:	OPT-CLBCPR72SG

84" Calabosas

Dimensions:	(L) 84" x (H) 24" x (W) 36"
Burning Area:	(L) 54" x (W) 10"
Weight:	200lbs
BTU:	80,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBCPR84
Flame Sense:	OPT-CLBCPR84FSML
Plug & Play:	OPT-CLBCPR84EKIT
Low Voltage:	OPT-CLBCPR84E12V
Fire Glow:	OPT-CLBCPR84FG
Spark Glow:	OPT-CLBCPR84SG

96" Calabosas

Dimensions:	(L) 96" x (H) 24" x (W) 36"
Burning Area:	(L) 66" x (W) 10"
Weight:	235lbs
BTU:	100,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-CLBCPR96
Flame Sense:	OPT-CLBCPR96FSML
Plug & Play:	OPT-CLBCPR96EKIT
Low Voltage:	OPT-CLBCPR96E12V
Fire Glow:	OPT-CLBCPR96FG
Spark Glow:	OPT-CLBCPR96SG

LAGUNA FIRE TABLE

in GFRC Wood Grain



SIZES

120" Laguna

Dimensions:	(L) 120" x (H) 42" x (W) 60"
Burning Area:	(L) 78" x (W) 12"
Weight:	1465lbs
BTU:	110,000
Fire Glass Sugg:	125lbs

Match Lit:	OPT-LGNGF120
Flame Sense:	OPT-LGNGF120FSML
Plug & Play:	OPT-LGNGF120EKIT
Low Voltage:	OPT-LGNGF120E12V
Fire Glow:	OPT-LGNGF120FG
Spark Glow:	OPT-LGNGF120SG

144" Laguna

Dimensions:	(L) 144" x (H) 42" x (W) 60"
Burning Area:	(L) 102" x (W) 12"
Weight:	1750lbs
BTU:	150,000
Fire Glass Sugg:	175lbs

Match Lit:	OPT-LGNGF144
Flame Sense:	OPT-LGNGF144FSML
Plug & Play:	OPT-LGNGF144EKIT
Low Voltage:	OPT-LGNGF144E12V
Fire Glow:	OPT-LGNGF144FG
Spark Glow:	OPT-LGNGF144SG

UPGRADES

ACCESSORIES 120" Laguna 144" Laguna

BULLET BURNER	OPT-B66SST	OPT-B90SST
CANVAS COVER	OPT-CVR-12060-42H	OPT-CVR-14460-42H
STAINLESS LID	OPT-RC1480	OPT-RC14104
GLASS WIND GUARD	OPT-WG-8216	OPT-WG-10616

GROVE FIRE TABLE

in GFRC Wood Grain



SIZES

60" Grove

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	235lbs
BTU:	40,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-GRVWG60
Flame Sense:	OPT-GRVWG60FSML
Plug & Play:	OPT-GRVWG60EKIT
Low Voltage:	OPT-GRVWG60E12V
Fire Glow:	OPT-GRVWG60FG
Spark Glow:	OPT-GRVWG60SG

UPGRADES

ACCESSORIES 60" Grove

BULLET BURNER	OPT-B24SST
CANVAS COVER	OPT-CVR-6028-24H
STAINLESS LID	OPT-RC1232
GLASS WIND GUARD	OPT-WG-3414

60" HARBOR FIRE PIT - OFFSET

in Powder Coat



SIZES

60" Harbor Fire Pit - Offset

Dimensions:	(L) 60" x (H) 20" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	300lbs
BTU:	65,000
Fire Glass Sugg:	39lbs

Match Lit:	OPT-HBROS60PC
Flame Sense:	OPT-HBROS60PCFSML
Plug & Play:	OPT-HBROS60PCEKIT
Low Voltage:	OPT-HBROS60PCE12V
Fire Glow:	OPT-HBROS60PCFG
Spark Glow:	OPT-HBROS60PCSG

UPGRADES

ACCESSORIES 60" Harbor - Offset

BULLET BURNER	OPT-B36SST
CANVAS COVER	OPT-CVR-6034-20H
STAINLESS LID	OPT-RC1632
GLASS WIND GUARD	--

72" HARBOR FIRE PIT

in Powder Coat



SIZES

72" Harbor

Dimensions:	(L) 72" x (H) 20" x (W) 30"
Burning Area:	(L) 30" x (W) 10"
Weight:	320lbs
BTU:	65,000
Fire Glass Sugg:	39lbs

Match Lit:	OPT-HBR72PC
Flame Sense:	OPT-HBR72PCFSML
Plug & Play:	OPT-HBR72PCEKIT
Low Voltage:	OPT-HBR72PCE12V
Fire Glow:	OPT-HBR72PCFG
Spark Glow:	OPT-HBR72PCSG

UPGRADES

ACCESSORIES 72" Harbor

BULLET BURNER	OPT-B36SST
CANVAS COVER	OPT-CVR-7230-20H
STAINLESS LID	OPT-RC1250
GLASS WIND GUARD	--

MODERNO FIRE PIT

in Powder Coat



UPGRADES

ACCESSORIES	48" Moderno	60" Moderno	72" Moderno	84" Moderno	96" Moderno	108" Moderno
BULLET BURNER	OPT-B24SST	OPT-B36SST	OPT-B42SST	OPT-B60SST	OPT-B72SST	OPT-B84SST
CANVAS COVER	OPT-CVR-4828-14H	OPT-CVR-6028-14H	OPT-CVR-7228-14H	OPT-CVR-8428-14H	OPT-CVR-9628-14H	OPT-CVR-10828-14H
STAINLESS LID	OPT-RC1232	OPT-RC1244	OPT-RC1256	OPT-RC1268	OPT-RC1280	OPT-RC1292
GLASS WIND GUARD	OPT-WG-3414	OPT-WG-4614	OPT-WG-5814	OPT-WG-7014	OPT-WG-8214	OPT-WG-9414

SIZES

48" Moderno

Dimensions:	(L) 48" x (H) 14" x (W) 28"
Burning Area:	(L) 30" x (W) 10"
Weight:	--
BTU:	45,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-MODPC4828
Flame Sense:	OPT-MODPC4828FSML
Plug & Play:	OPT-MODPC4828EKIT
Low Voltage:	OPT-MODPC4828E12V
Fire Glow:	OPT-MODPC4828FG
Spark Glow:	OPT-MODPC4828SG

60" Moderno

Dimensions:	(L) 60" x (H) 14" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	--
BTU:	45,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-MODPC6028
Flame Sense:	OPT-MODPC6028FSML
Plug & Play:	OPT-MODPC6028EKIT
Low Voltage:	OPT-MODPC6028E12V
Fire Glow:	OPT-MODPC6028FG
Spark Glow:	OPT-MODPC6028SG

72" Moderno

Dimensions:	(L) 72" x (H) 14" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	--
BTU:	--
Fire Glass Sugg:	--

Match Lit:	OPT-MODPC7228
Flame Sense:	OPT-MODPC7228FSML
Plug & Play:	OPT-MODPC7228EKIT
Low Voltage:	OPT-MODPC7228E12V
Fire Glow:	OPT-MODPC7228FG
Spark Glow:	OPT-MODPC7228SG

84" Moderno

Dimensions:	(L) 84" x (H) 14" x (W) 28"
Burning Area:	(L) 66" x (W) 10"
Weight:	--
BTU:	--
Fire Glass Sugg:	--

Match Lit:	OPT-MODPC8428
Flame Sense:	OPT-MODPC8428FSML
Plug & Play:	OPT-MODPC8428EKIT
Low Voltage:	OPT-MODPC8428E12V
Fire Glow:	OPT-MODPC8428FG
Spark Glow:	OPT-MODPC8428SG

96" Moderno

Dimensions:	(L) 96" x (H) 14" x (W) 28"
Burning Area:	(L) 78" x (W) 10"
Weight:	--
BTU:	--
Fire Glass Sugg:	--

Match Lit:	OPT-MODPC9628
Flame Sense:	OPT-MODPC9628FSML
Plug & Play:	OPT-MODPC9628EKIT
Low Voltage:	OPT-MODPC9628E12V
Fire Glow:	OPT-MODPC9628FG
Spark Glow:	OPT-MODPC9628SG

108" Baja

Dimensions:	(L) 108" x (H) 14" x (W) 28"
Burning Area:	(L) 90" x (W) 10"
Weight:	--
BTU:	--
Fire Glass Sugg:	--

Match Lit:	OPT-MODPC10828
Flame Sense:	OPT-MODPC10828FSML
Plug & Play:	OPT-MODPC10828EKIT
Low Voltage:	OPT-MODPC10828E12V
Fire Glow:	OPT-MODPC10828FG
Spark Glow:	OPT-MODPC10828SG

MONTEREY FIRE TABLE

in Powder Coat



ACCESSORIES	30" Monterey	36" Monterey	44" Monterey	54" Monterey
BULLET BURNER	OPT - BRDSS8	OPT - BRDSS8	OPT - BRDSS12	OPT - BRDSS12
CANVAS COVER	OPT-CVR-3030-42H	OPT-CVR-3636-42H	OPT-CVR-4444-42H	OPT-CVR-5454-42H
STAINLESS LID	OPT-PCRC-1616	OPT-PCRC-2222	OPT-PCRC-3030	OPT-PCRC-4040
GLASS WIND GUARD	OPT-WC-2020	OPT-WC-2424	OPT-WC-3232	OPT-WC-4242

SIZES

30" Monterey

Dimensions:	(L) 30" x (H) 42" x (W) 30"
Burning Area:	(L) 14" x (W) 14"
Weight:	--
BTU:	--
Fire Glass Sugg:	--

Match Lit:	OPT-MTRPC30
Flame Sense:	OPT-MTRPC30FSML
Plug & Play:	OPT-MTRPC30EKIT
Low Voltage:	OPT-MTRPC30E12V
Fire Glow:	OPT-MTRPC30FG
Spark Glow:	OPT-MTRPC30SG

36" Monterey

Dimensions:	(L) 36" x (H) 42" x (W) 36"
Burning Area:	(L) 20" x (W) 20"
Weight:	--
BTU:	--
Fire Glass Sugg:	--

Match Lit:	OPT-MTRPC36
Flame Sense:	OPT-MTRPC36FSML
Plug & Play:	OPT-MTRPC36EKIT
Low Voltage:	OPT-MTRPC36E12V
Fire Glow:	OPT-MTRPC36FG
Spark Glow:	OPT-MTRPC36SG

44" Monterey

Dimensions:	(L) 44" x (H) 42" x (W) 44"
Burning Area:	(L) 28" x (W) 28"
Weight:	--
BTU:	--
Fire Glass Sugg:	--

Match Lit:	OPT-MTRPC44
Flame Sense:	OPT-MTRPC44FSML
Plug & Play:	OPT-MTRPC44EKIT
Low Voltage:	OPT-MTRPC44E12V
Fire Glow:	OPT-MTRPC44FG
Spark Glow:	OPT-MTRPC44SG

54" Monterey

Dimensions:	(L) 54" x (H) 42" x (W) 54"
Burning Area:	(L) 38" x (W) 38"
Weight:	--
BTU:	--
Fire Glass Sugg:	--

Match Lit:	OPT-MTRPC54
Flame Sense:	OPT-MTRPC54FSML
Plug & Play:	OPT-MTRPC54EKIT
Low Voltage:	OPT-MTRPC54E12V
Fire Glow:	OPT-MTRPC54FG
Spark Glow:	OPT-MTRPC54SG

BIG SUR FIRE PIT

in GFRC Concrete Wood Grain



SIZES

60" Big Sur

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 42" x (W) 10"
Weight:	345lbs
BTU:	90,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BGSR60
Flame Sense:	OPT-BGSR60FSML
Plug & Play:	OPT-BGSR60EKIT
Low Voltage:	OPT-BGSR60E12V
Fire Glow:	OPT-BGSR60FG
Spark Glow:	OPT-BGSR60SG

72" Big Sur

Dimensions:	(L) 72" x (H) 24" x (W) 28"
Burning Area:	(L) 54" x (W) 10"
Weight:	425lbs
BTU:	100,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BGSR72
Flame Sense:	OPT-BGSR72FSML
Plug & Play:	OPT-BGSR72EKIT
Low Voltage:	OPT-BGSR72E12V
Fire Glow:	OPT-BGSR72FG
Spark Glow:	OPT-BGSR72SG

UPGRADES

ACCESSORIES	60" Big Sur	72" Big Sur
BULLET BURNER	OPT-LBS36SST	OPT-LBS48SST
CANVAS COVER	OPT-CVR-BS6028-24H	OPT-CVR-BS7228-24H
STAINLESS LID	--	--
GLASS WIND GUARD	--	--

BILLOW FIRE PIT

in Metal Collection



POWDER COAT



STAINLESS STEEL



CORTEN STEEL

SIZES

Powder Coat

60" Billow

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 12"
Weight:	195lbs
BTU:	90,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BLWPC60
Flame Sense:	OPT-BLWPC60FSML
Plug & Play:	OPT-BLWPC60EKIT
Low Voltage:	OPT-BLWPC60E12V
Fire Glow:	OPT-BLWPC60FG
Spark Glow:	OPT-BLWPC60SG

72" Billow

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 60" x (W) 12"
Weight:	230lbs
BTU:	110,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BLWPC72
Flame Sense:	OPT-BLWPC72FSML
Plug & Play:	OPT-BLWPC72EKIT
Low Voltage:	OPT-BLWPC72E12V
Fire Glow:	OPT-BLWPC72FG
Spark Glow:	OPT-BLWPC72SG

Stainless Steel

60" Billow

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 12"
Weight:	195lbs
BTU:	90,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BLWSS60
Flame Sense:	OPT-BLWSS60FSML
Plug & Play:	OPT-BLWSS60EKIT
Low Voltage:	OPT-BLWSS60E12V
Fire Glow:	OPT-BLWSS60FG
Spark Glow:	OPT-BLWSS60SG

72" Billow

Dimensions:	(L) 72" x (H) 24" x (W) 24"
Burning Area:	(L) 60" x (W) 12"
Weight:	230lbs
BTU:	110,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BLWSS72
Flame Sense:	OPT-BLWSS72FSML
Plug & Play:	OPT-BLWSS72EKIT
Low Voltage:	OPT-BLWSS72E12V
Fire Glow:	OPT-BLWSS72FG
Spark Glow:	OPT-BLWSS72SG

Corten Steel

60" Billow

Dimensions:	(L) 60" x (H) 24" x (W) 28"
Burning Area:	(L) 48" x (W) 12"
Weight:	195lbs
BTU:	90,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-BLWCS60
Flame Sense:	OPT-BLWCS60FSML
Plug & Play:	OPT-BLWCS60EKIT
Low Voltage:	OPT-BLWCS60E12V
Fire Glow:	OPT-BLWCS60FG
Spark Glow:	OPT-BLWCS60SG

72" Billow

Dimensions:	(L) 72" x (H) 24" x (W) 28"
Burning Area:	(L) 60" x (W) 12"
Weight:	230lbs
BTU:	110,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-BLWCS72
Flame Sense:	OPT-BLWCS72FSML
Plug & Play:	OPT-BLWCS72EKIT
Low Voltage:	OPT-BLWCS72E12V
Fire Glow:	OPT-BLWCS72FG
Spark Glow:	OPT-BLWCS72SG

SONOMA FIRE PIT

in GFRC Concrete



SIENNA FIRE PIT

in GFRC Concrete



AVALON WIDE LEDGE FIRE PIT

in GFRC Concrete



SIZES

38" Sonoma

Dimensions:	(D) 38" x (H) 25"
Burning Area:	(D) 32"
Weight:	285lbs
BTU:	160,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-SONMA38
Flame Sense:	OPT-SONMA38FSML
Plug & Play:	OPT-SONMA38EKIT
Low Voltage:	OPT-SONMA38E12V
Fire Glow:	OPT-SONMA38FG
Spark Glow:	OPT-SONMA38SG

38" Sienna

Dimensions:	(D) 38" x (H) 19"
Burning Area:	(D) 21"
Weight:	285lbs
BTU:	160,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-RF37
Flame Sense:	OPT-RF37FSML
Plug & Play:	OPT-RF37EKIT
Low Voltage:	OPT-RF37E12V
Fire Glow:	OPT-RF37FG
Spark Glow:	OPT-RF37SG

42" Avalon

Dimensions:	(L) 42" x (H) 17" x (W) 42"
Burning Area:	(L) 25" x (W) 25"
Weight:	--
BTU:	65,000
Fire Glass Sugg:	--

Match Lit:	OPT-AVWLFP4242
Flame Sense:	OPT-AVWLFP4242FSML
Plug & Play:	OPT-AVWLFP4242EKIT
Low Voltage:	OPT-AVWLFP4242E12V
Fire Glow:	OPT-AVWLFP4242FG
Spark Glow:	OPT-AVWLFP4242SG

UPGRADES

ACCESSORIES	38" Sonoma	37" Sienna	42" Avalon
BULLET BURNER	OPT-BRDSS18	OPT-BRDSS8	OPT-BRDSS8
CANVAS COVER	OPT-CVR-38R-25H	OPT-CVR-38R-19H	OPT-CVR-4242-17H
STAINLESS LID	OPT-34RC	OPT-23RC	OPT-27SC
GLASS WIND GUARD		--	--

CAZO FIRE PIT - WIDE

in Hammered Copper



CAZO FIRE PIT - NARROW

in Hammered Copper



CAZO FIRE PIT - NARROW

in Stainless Steel



SIZES

48" Cazo Wide

Dimensions:	(D) 48" x (H) 15"
Burning Area:	(D) 24"
Weight:	185lbs
BTU:	160,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-RS48
Flame Sense:	OPT-RS48FSML
Plug & Play:	OPT-RS48EKIT
Low Voltage:	OPT-RS48E12V
Fire Glow:	OPT-RS48FG
Spark Glow:	OPT-RS48SG

48" Cazo Narrow

Dimensions:	(D) 48" x (H) 17"
Burning Area:	(D) 18"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RHC48
Flame Sense:	OPT-RHC48FSML
Plug & Play:	OPT-RHC48EKIT
Low Voltage:	OPT-RHC48E12V
Fire Glow:	OPT-RHC48FG
Spark Glow:	OPT-RHC48SG

48" Cazo Narrow - Stainless

Dimensions:	(D) 48" x (H) 15"
Burning Area:	(D) 42"
Weight:	155lbs
BTU:	160,000
Fire Glass Sugg:	100lbs

Match Lit:	OPT-SS48FP
Flame Sense:	OPT-SS48FPFSML
Plug & Play:	OPT-SS48FPEKIT
Low Voltage:	OPT-SS48FPE12V
Fire Glow:	OPT-SS48FPFG
Spark Glow:	OPT-SS48FPSG

UPGRADES

ACCESSORIES	48" Cazo Wide	48" Cazo Narrow	48" Cazo Wide - Stainless
BULLET BURNER	OPT-B12SST	OPT-B18SST	OPT-B24SST
CANVAS COVER	OPT-CVR-48R-15H	OPT-CVR-48R-17H	OPT-CVR-48R-15H
STAINLESS LID	OPT-26RC	OPT-20RC	OPT-44RC
GLASS WIND GUARD	--	--	--

CAZO FIRE PIT - WIDE LEDGE

in GFRC Concrete



SIZES

48" Cazo Fire Pit - Wide Ledge

Dimensions:	(D) 48" x (H) 17"
Burning Area:	(D) 30"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-CZ48
Flame Sense:	OPT-CZ48FSML
Plug & Play:	OPT-CZ48EKIT
Low Voltage:	OPT-CZ48E12V
Fire Glow:	OPT-CZ48FG
Spark Glow:	OPT-CZ48SG

60" Cazo Fire Pit - Wide Ledge

Dimensions:	(D) 60" x (H) 20"
Burning Area:	(D) 40"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-CZ60
Flame Sense:	OPT-CZ60FSML
Plug & Play:	OPT-CZ60EKIT
Low Voltage:	OPT-CZ60E12V
Fire Glow:	OPT-CZ60FG
Spark Glow:	OPT-CZ60SG

CAZO FIRE PIT - WIDE LEDGE

in Powdercoat



SIZES

48" Cazo Fire Pit - Wide Ledge

Dimensions:	(D) 48" x (H) 17"
Burning Area:	(D) 30"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-CZPC48
Flame Sense:	OPT-CZPC48FSML
Plug & Play:	OPT-CZPC48EKIT
Low Voltage:	OPT-CZPC48E12V
Fire Glow:	OPT-CZPC48FG
Spark Glow:	OPT-CZPC48SG

60" Cazo Fire Pit - Wide Ledge

Dimensions:	(D) 60" x (H) 20"
Burning Area:	(D) 40"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-CZPC60
Flame Sense:	OPT-CZPC60FSML
Plug & Play:	OPT-CZPC60EKIT
Low Voltage:	OPT-CZPC60E12V
Fire Glow:	OPT-CZPC60FG
Spark Glow:	OPT-CZPC60SG

UPGRADES

ACCESSORIES	48" Cazo Wide	60" Cazo Wide	48" Cazo Wide	60" Cazo Wide
BULLET BURNER	OPT-B12SST	OPT-B18SST	OPT-B12SST	OPT-B18SST
CANVAS COVER	OPT-CVR-48R-17H	OPT-CVR-60R-20H	OPT-CVR-48R-17H	OPT-CVR-60R-20H
STAINLESS LID	OPT-32RC	OPT-42RC	OPT-32RC	OPT-42RC
GLASS WIND GUARD	--	--	--	--

CAZO FIRE PIT - NARROW LEDGE

in GFRC Concrete



SIZES

48" Cazo Fire Pit - Narrow Ledge

Dimensions:	(D) 48" x (H) 17"
Burning Area:	(D) 40"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-CZNL48
Flame Sense:	OPT-CZNL48FSML
Plug & Play:	OPT-CZNL48EKIT
Low Voltage:	OPT-CZNL48E12V
Fire Glow:	OPT-CZNL48FG
Spark Glow:	OPT-CZNL48SG

60" Cazo Fire Pit - Narrow Ledge

Dimensions:	(D) 60" x (H) 21"
Burning Area:	(D) 50"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-CZNL60
Flame Sense:	OPT-CZNL60FSML
Plug & Play:	OPT-CZNL60EKIT
Low Voltage:	OPT-CZNL60E12V
Fire Glow:	OPT-CZNL60FG
Spark Glow:	OPT-CZNL60SG

CAZO FIRE PIT - NARROW LEDGE

in Powdercoat



SIZES

48" Cazo Fire Pit - Narrow Ledge

Dimensions:	(D) 48" x (H) 17"
Burning Area:	(D) 40"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-CZNLPC48
Flame Sense:	OPT-CZNLPC48FSML
Plug & Play:	OPT-CZNLPC48EKIT
Low Voltage:	OPT-CZNLPC48E12V
Fire Glow:	OPT-CZNLPC48FG
Spark Glow:	OPT-CZNLPC48SG

60" Cazo Fire Pit - Narrow Ledge

Dimensions:	(D) 60" x (H) 21"
Burning Area:	(D) 50"
Weight:	185lbs
BTU:	65,000
Fire Glass Sugg:	150lbs

Match Lit:	OPT-CZNLPC60
Flame Sense:	OPT-CZNLPC60FSML
Plug & Play:	OPT-CZNLPC60EKIT
Low Voltage:	OPT-CZNLPC60E12V
Fire Glow:	OPT-CZNLPC60FG
Spark Glow:	OPT-CZNLPC60SG

UPGRADES

ACCESSORIES	48" Cazo Wide	60" Cazo Wide	48" Cazo Wide	60" Cazo Wide
BULLET BURNER	OPT-B18SST	OPT-B24SST	OPT-B18SST	OPT-B24SST
CANVAS COVER	OPT-CVR-48R-21H	OPT-CVR-60R-21H	OPT-CVR-48R-17H	OPT-CVR-60R-21H
STAINLESS LID	OPT-42RC	OPT-52RC	OPT-42RC	OPT-52RC
GLASS WIND GUARD	--	--	--	--

HEIKO FIRE PIT
in GFRC Concrete



BALBOA FIRE TABLE
in GFRC Concrete



RAMONA FIRE TABLE
in GFRC Concrete



ALBERTA FIRE PIT
in GFRC Concrete



SIZES

GFRC Concrete

Dimensions:	(L) 59" X (H) 15" x (W) 44.5"
Burning Area:	(L) 32.5" x (W) 19.75"
Weight:	--
BTU:	95,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-5844HK
Flame Sense:	OPT-5844HKFSML
Plug & Play:	OPT-5844HKEKIT
Low Voltage:	OPT-5844HKE12V
Fire Glow:	OPT-5844HKFG
Spark Glow:	OPT-5844HKSG

GFRC Concrete

Dimensions:	(D) 48" x (H) 15" x (W) 48"
Burning Area:	(D) 22"
Weight:	315lbs
BTU:	65,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-BAL48
Flame Sense:	OPT-BAL48FSML
Plug & Play:	OPT-BAL48EKIT
Low Voltage:	OPT-BAL48E12V
Fire Glow:	OPT-BAL48FG
Spark Glow:	OPT-BAL48SG

GFRC Concrete

Dimensions:	(D) 36" x (H) 24" x (W) 36"
Burning Area:	(L) 17" x (W) 17"
Weight:	355lbs
BTU:	55,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-RMNSQ36
Flame Sense:	OPT-RMNSQ36FSML
Plug & Play:	OPT-RMNSQ36EKIT
Low Voltage:	OPT-RMNSQ36E12V
Fire Glow:	OPT-RMNSQ36FG
Spark Glow:	OPT-RMNSQ36SG

GFRC Concrete

Dimensions:	(L) 36" (H) 23" x (W) 24"
Burning Area:	(L) 20" x (W) 8"
Weight:	150lbs
BTU:	30,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-ALB36
Flame Sense:	OPT-ALB36FSML
Plug & Play:	OPT-ALB36EKIT
Low Voltage:	OPT-ALB36E12V
Fire Glow:	OPT-ALB36FG
Spark Glow:	OPT-ALB36SG

UPGRADES

ACCESSORIES	Heiko	Balboa	Square Ramona	Alberta
BULLET BURNER	OPT-B25SSH	OPT-BRDSS12	OPT-BRDSS10	OPT-B12SST
CANVAS COVER	OPT-HKCVR-15H	OPT-CVR-4848-15H	OPT-CVR-3636-24H	OPT-CVR-3624-23H
STAINLESS LID	OPT-RCHK3421	OPT-24SC	OPT-19SC	OPT-RC1022
GLASS WIND GUARD	--	--	--	OPT-WG-2412

RAMONA LINER FIRE PIT

in GFRC Concrete



ANGELUS FIRE PIT

in GFRC Concrete



VERNON FIRE PIT

in Stainless Steel



SIZES

GFRC Concrete

Dimensions:	(L) 60" x (H) 24" x (W) 24"
Burning Area:	(L) 48" x (W) 12"
Weight:	395lbs
BTU:	60,000
Fire Glass Sugg:	50lbs

Match Lit:	OPT-RMNRT60
Flame Sense:	OPT-RMNRT60FSML
Plug & Play:	OPT-RMNRT60EKIT
Low Voltage:	OPT-RMNRT60E12V
Fire Glow:	OPT-RMNRT60FG
Spark Glow:	OPT-RMNRT60SG

GFRC Concrete

Dimensions:	(L) 60" x (H) 24" x (W) 36"
Burning Area:	(L) 48" x (W) 10"
Weight:	70lbs
BTU:	70,000
Fire Glass Sugg:	75lbs

Match Lit:	OPT-AGLGF60
Flame Sense:	OPT-AGLGF60FSML
Plug & Play:	OPT-AGLGF60EKIT
Low Voltage:	OPT-AGLGF60E12V
Fire Glow:	OPT-AGLGF60FG
Spark Glow:	OPT-AGLGF60SG

GFRC Concrete

Dimensions:	(L) 86" x (H) 27" x (W) 24"
Burning Area:	(L) 30" x (W) 8"
Weight:	185lbs
BTU:	40,000
Fire Glass Sugg:	25lbs

Match Lit:	OPT-VRNSS
Flame Sense:	OPT-VRNSSFSML
Plug & Play:	OPT-VRNSSSEKIT
Low Voltage:	OPT-VRNSSSE12V
Fire Glow:	OPT-VRNSSSFG
Spark Glow:	OPT-VRNSSSSG

UPGRADES

ACCESSORIES	Ramona Linear	Angelus	Vernon
BULLET BURNER	OPT-B36SST	OPT-B42SST	OPT-B24SST
CANVAS COVER	OPT-CVR-6024-24H	OPT-CVR-6036-24H	OPT-CVR-8624-27H
STAINLESS LID	OPT-RC1652	OPT-RC1250	OPT-RC1032
GLASS WIND GUARD	--	OPT-WG-5214	OPT-WG-3412



THE OUTDOOR PLUS

701 S DUPONT AVE
ONTARIO, CA 91761

909.460.5579

SALES@THEOUTDOORPLUS.COM



PROUDLY DESIGNED &
MADE IN THE **USA**

Catalog No. TOP-IA-FPT011