

**LED Aspen Pendant** 

Snowball "ASPEN" geometric piece is a contemporary classic, and its illumination offers both up light and downlight, it has an ethereal quality in its modern design. Ranging from 1 tier to multiple tiers and sizes of 16" to 72", extruded aluminum frame with glare-free acrylic lens against yellowing and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.







Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes available.











Material: Canopy Iron + Aluminium Profile + Acrylic

10' Adjustable Aircraft Cable/Power Cord Included (Custom length available)

Efficiency: Up to 85 LPW

CCT Selectable (Standard): 3000K, 3500K, 4000K

Controls: 1-10V (Standard), Color Tunable white & Dimming control by Wall Switch Phone

App, voice control ZigBee 3 in 1

Emergency Battery back up available

Limited Warranty: 5 Years Ships Assembled UL, cUL, FCC Power factor: ≥0.95

Input Voltage: 100-277V universal

Beam Angle: 120°

Operating temperature: -40°F to 122°F













## Model Information:

Model Informat	tion:		Example: SB-U04A200W	
Products series	Wattage	Options	Profile Finishes	
SB-U04A SB-U04B SB-U04D	200W=60"+48"+40"+32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)	
	250W=72"+60"+48"+40"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)	
			W=Gloss White (Stock Color)	
SB-U04C SB-U04R	180W=40"+32"+40"+32"	L=Line Triac dimming	O=Oil Bronze (Stock Color)	
	220W=48"+40"+48"+40"		RAL number for other Color	
	260W=60"+48"+60"+48"			
	300W=72"+60"+72"+60"			



3000K-4000K Tunable white & Dimming control by DimTone wall Switch, Phone App and voice control are built in











## Accessory

ACCESSORY ITEMS	MODEL NUMBER	DESCRIPTION
SCAN TO DOWNLOAD THE APP	SB-TONE-WSX	Tunable white & dimming DimTone Wall switch by moving 2 sliders on wall switch also available control by phone App and voice, 1 Wall Switch controls Max 700W light fixtures, 120V with no battery required
CANADA TO THE REAL PROPERTY AND THE PROP	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

## **Dimension & Weight:**

15.57" = 16" / 23.62" = 24" / 31.5" = 32" / 39.37" = 40" / 47.24" = 48" / 59.06" = 60" / 70.87" = 72









