

BLACKDIAMOND PENDANT

LED Black Diamond Pendant

Snowball "BLACK DIAMOND" This pendant supports individual acrylic crystals which creates a dramatic lighting effect. Its timeless yet contemporary design gives it character and perfectly illuminates spaces of high architectural value. Ranging from 1 tier to multiple tiers and sizes ranging from 16" to 72", extruded aluminum frame with acrylic crystals and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications. Perfect for office, conference room and any other commercial applications.









Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes available.









Black

White

Bronze

Material: Canopy Iron + Aluminium Profile + Acrylic

10' Adjustable Aircraft Cable/Power Cord Included (Custom length available)

Efficiency: Up to 85 LPW

CCT Selectable (Standard): 3000K, 3500K, 4000K

Controls: 1-10V (Standard), Color Tunable white & Dimming control by Wall Switch Phone

App, voice control ZigBee 3 in 1 Emergency Battery back up available Limited Warranty: 5 Years Ships Assembled UL, cUL, FCC Power factor: ≥0.95

Input Voltage: 100-277V universal

Beam Angle: 120°

Operating temperature: -40°F to 122°F













Model Information:

Products series	Wattage	Options	Profile Finishes
SB-A04A SB-A04B	200W=32"+40"+48"+60"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-A04C SB-A04R	250W=40"+48"+60"+72"		S=Platinum Silver (Stock Color)
		T=3000K-4000K Color Tunable & Dimmable by wall	
		switch including phone App and voice control	W=Gloss White (Stock Color)
SB-A04D	180W=40"+32"+40"+32"	L=Line Triac dimming	O=Oil Bronze (Stock Color)
	220W=48"+40"+48"+40"		RAL number for other Color
	260W=60"+48"+60"+48"		
	300W=72*+60"+72*+60"		

Example: SB-A04A200WSB



3000K-4000K Tunable white & Dimming control by DimTone wall Switch, Phone App and voice control are built in












Accessory

ACCESSORY ITEMS	MODEL NUMBER	DESCRIPTION
SCAN TO DOWNLOAD THE APP	SB-TONE-WSX	Tunable white & dimming DimTone Wall switch by moving 2 sliders on wall switch also available control by phone App and voice, 1 Wall Switch controls Max 700W light fixtures, 120V with no battery required
GAMES IN THE STATE OF THE STATE	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
- The state of the	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

Dimension & Weight:

15.57" = 16" / 23.62" = 24" / 31.5" = 32" / 39.37" = 40" / 47.24" = 48" / 59.06" = 60" / 70.87" = 72"


SB-A04A: With canopy, light outside








SB-A04B: With canopy and remote mount, 1st ring and 3rd ring light outside, 2nd ring and 4th ring light inside





SB-A04C: With canopy, 1st ring and 3rd ring light outside, 2nd ring and 4th ring light inside







SB-A04D: With canopy, light outside











SB-A04R: Remote mount, light outside

