

FLUX 11

LED Flux Pendant

Agora "FLUX 11" modular LED fixture made with rectangular shape. Luminaries are designed to be both elegant and creative while providing energy efficient high lumen output. Ranging from sizes 16" to 72" or any custom sizes by your designs, extruded aluminum frame with glare-free acrylic lens and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes available.











Material: Canopy Iron + Aluminium Profile + Acrylic

10' Adjustable Aircraft Cable/Power Cord Included (Custom length available)

Efficiency: Up to 85 LPW

CCT Selectable (Standard): 3000K, 3500K, 4000K

Controls: 1-10V (Standard), Color Tunable white & Dimming control by Wall Switch Phone

App, voice control ZigBee 3 in 1 Emergency Battery back up available Limited Warranty: 5 Years Ships Assembled UL, cUL, FCC Power factor: ≥0.95

Input Voltage: 100-277V universal

Beam Angle: 120°

Operating temperature: -40°F to 122°F







Model Information: Example: SB-J01F40WSB

Products series	Wattage	Options	Profile Finishes
SB-J01B SB-J01F	40W = 16" × 32"	S=Color Selectable 3K/35K/4K 0-10V dim (Standard) 4K factory color set	B=Black Jack (Stock Color)
	50W = 20" × 40"	T=3K-4K Color Tunable 3-4K by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
	60W = 24" × 48"	L=Line Triac dimming	W=Gloss White (Stock Color)
	70W = 30" × 60"		O=Oil Bronze (Stock Color)
	80W = 36" × 72"		RAL number for other Color






3000K-4000K Tunable white & Dimming control by DimTone wall Switch, Phone App and voice control are built in











Accessory

ACCESSORY ITEMS	MODEL NUMBER	DESCRIPTION
SCAN TO DOWNLOAD THE APP	SB-TONE-WSX	Tunable white & dimming DimTone Wall switch by moving 2 sliders on wall switch also available control by phone App and voice, 1 Wall Switch controls Max 700W light fixtures, 120V with no battery required
OAAA James J	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
0.00	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

Dimension & Weight:

SB-J01B:

13 lbs 14 lbs **15 lbs** 15.75" 15.75" 15.75" 7.87" 7.87" 7.87" MIN:20" MIN:20" MIN:20" MAX:120 MAX:120' MAX:120" 0.49" 0.49" 0.49" 0.63" 0.63" 0.63" 32" 40" 48"





