

GlowTrack

LED GlowTrack Pendant

Agora "GlowTrack" delicate and modern design of this contemporary pedant makes a striking addition to your décor, its illumination offers both up light and downlight. With sizes ranging from 16" to 72", extruded aluminum frame with glare-free acrylic lens and additional acrylic lens for the most stunning appearance. 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial / residential applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes available.



Material: Canopy Iron + Aluminium Profile + Acrylic
 10' Adjustable Aircraft Cable/Power Cord Included (Custom length available)
 Efficiency: Up to 85 LPW
 CCT Selectable (Standard): 3000K, 3500K, 4000K
 Controls: 1-10V (Standard), Color Tunable white & Dimming control by Wall Switch Phone App, voice control ZigBee 3 in 1
 Emergency Battery back up available

Limited Warranty: 5 Years
 Ships Assembled
 UL, cUL, FCC
 Power factor: ≥0.95
 Input Voltage: 100-277V universal
 Beam Angle: 120°
 Operating temperature: -40°F to 122°F



SB-U01E



SB-U01F



SB-U01G

Model Information:

Example: SB-D01E20WSB

Products series	Wattage	Options	Profile Finishes
SB-U01E SB-U01F SB-U01G	20W = 16"	S=Color Selectable 3K/35K/4K 0-10v dim (Standard) 4K factory color set	B=Black Jack (Stock Color)
	30W = 24"	T=3K-4K Color Tunable 3-4K by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
	40W = 32"	L=Line Triac dimming	W=Gloss White (Stock Color)
	50W = 40"		O=Oil Bronze (Stock Color)
	60W = 48"		
	70W = 60"		
	80W = 72"		



3000K-4000K Tunable white & Dimming control by DimTone wall Switch, Phone App and voice control are built in



Accessory

ACCESSORY ITEMS	MODEL NUMBER	DESCRIPTION
	SB-TONE-WSX	Tunable white & dimming DimTone Wall switch by moving 2 sliders on wall switch also available control by phone App and voice, 1 Wall Switch controls Max 700W light fixtures, 120V with no battery required
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes




Dimension & Weight:

SB-U01E


18 lbs

20 lbs


23 lbs




26 lbs




30 lbs



37 lbs




49 lbs




SB-U01F


18 lbs




20 lbs




23 lbs




26 lbs




30 lbs



37 lbs




49 lbs




SB-01G


18 lbs




20 lbs




23 lbs




26 lbs



30 lbs



37 lbs



49 lbs

