Illumination

LED IlluminationPendant

Agora "Illumination" unique design LED Luminaries are designed to be both elegant and creative while providing energy efficient high lumen output. Ranging from sizes 32" to 60" or any custom sizes by your designs, extruded aluminum frame with glare-free acrylic lens and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes available.

Silver   Black   White   Bronze

Material: Canopy Iron + Aluminium Profile + Acrylic
10' Adjustable Aircraft Cable/Power Cord Included (Custom length available)
Efficiency: Up to 85 LPW
CCT Selectable (Standard): 3000K, 3500K, 4000K
Controls: 1-10V (Standard), Color Tunable white & Dimming control by Wall Switch Phone App, voice control ZigBee 3 in 1
Emergency Battery back up available

Limited Warranty: 5 Years
Ships Assembled
UL, cUL, FCC
Power factor: ≥0.95
Input Voltage: 100-277V universal
Beam Angle: 120°
Operating temperature: -40°F to 122°F

SB-J01D

SB-J01H

Model Information:

Example: SB-J01D80WSB

Products series	Wattage	Options	Profile Finishes
SB-J01D	80W = 32" × 32"	**S**=Color Selectable 3K/35K/4K 0-10V dim (Standard) 4K factory color set	**B**=Black Jack (Stock Color)
SB-J01H	120W = 48" × 48"	**T**=3K-4K Color Tunable 3-4K by wall switch including phone App and voice control	**S**=Platinum Silver (Stock Color)
	150W = 60" × 60"	**L**=Line Triac dimming	**W**=Gloss White (Stock Color)
			O=Oil Bronze (Stock Color)

3000K-4000K Tunable white & Dimming control by DimTone wall Switch, Phone App and voice control are built in

Tunable White

Dimmable 100%-0%

RF CONTROL

Smart Controls

APP   Voice

Accessory

| ACCESSORY ITEMS	MODEL NUMBER	DESCRIPTION
SCAN TO DOWNLOAD THE APP	SB-TONE-WSX	Tunable white & dimming DimTone Wall switch by moving 2 sliders on wall switch also available control by phone App and voice, 1 Wall Switch controls Max 700W light fixtures, 120V with no battery required
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

Dimension & Weight:

SB-J01D: with canopy

20 lbs

11.81" 11.81" 2.76"
MIN:20" MAX:120"
9.84"
1.46"
32" 32"

24 lbs

11.81" 11.81" 2.76"
MIN:20" MAX:120"
11.81"
1.46"
48" 48"

28 lbs

11.81" 11.81" 2.76"
MIN:20" MAX:120"
14.57"
1.46"
60" 60"

SB-J01H: Remote Mount

20 lbs

MIN:20"
MAX:120"

9.84"

1.46"

32" 32"

24 lbs

MIN:20"
MAX:120"

11.81"

1.46"

48" 48"

28 lbs

MIN:20"
MAX:120"

14.57"

1.46"

60" 60"