

Luminosity

LED Luminosity Pendant

Agora "Luminosity"

LED pendant light offers a different look for maximum effect, designed to be both elegant and creative while providing energy efficient high lumen output. With sizes ranging from 16" to 72", extruded aluminum frame with glare-free acrylic lens and additional acrylic lens for the most stunning appearance. 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial / residential applications.





Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes available.



Material: Canopy Iron + Aluminium Profile + Acrylic

10' Adjustable Aircraft Cable/Power Cord Included (Custom length available)

Efficiency: Up to 85 LPW

CCT Selectable (Standard): 3000K, 3500K, 4000K

Controls: 1-10V (Standard), Color Tunable white & Dimming control by Wall Switch Phone

App, voice control ZigBee 3 in 1 Emergency Battery back up available Silver Bl







Black

ite Bronze

Limited Warranty: 5 Years Ships Assembled UL, cUL, FCC Power factor: ≥0.95

Input Voltage: 100-277V universal

Beam Angle: 120°

Operating temperature: -40°F to 122°F











SB-D01Y

Model Information:

Products series	Wattage	Options	Profile Finishes
SB-D01G SB-D01H	20W = 16"	S=Color Selectable 3K/35K/4K 0-10v dim (Standard) 4K factory color set	B=Black Jack (Stock Color)
SB-D01Y	30W = 24"	T=3K-4K Color Tunable 3-4K by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
	40W = 32"	L=Line Triac dimming	W=Gloss White (Stock Color)
	50W = 40"		O=Oil Bronze (Stock Color)
	60W = 48"		
	70W = 60°		

Example: SB-D01G20WSB



3000K-4000K Tunable white & Dimming control by DimTone wall Switch, Phone App and voice control are built in











Accessory

ACCESSORY ITEMS	MODEL NUMBER	DESCRIPTION
SCAN TO DOWNLOAD THE APP	SB-TONE-WSX	Tunable white & dimming DimTone Wall switch by moving 2 sliders on wall switch also available control by phone App and voice, 1 Wall Switch controls Max 700W light fixtures, 120V with no battery required
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

Dimension & Weight:

15.57" = 16" / 23.62" = 24" / 31.5" = 32" / 39.37" = 40" / 47.24" = 48"/ 59.06" = 60" / 70.87" = 72





