

NISEKO

LED Niseko Pendant

Snowball "NISEKO" With a breathless silhouette, this superbly designed triangle LED pendant light sets itself apart from conventional lighting decor. Luminaries are designed to be both elegant and creative while providing energy efficient high lumen output. Ranging from sizes 32" to 72" or any custom sizes by your designs, extruded aluminum frame with glare-free acrylic lens and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available perfect for office, conference room and any other commercial applications. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes available.







Black





Material: Canopy Iron + Aluminium Profile + Acrylic

10' Adjustable Aircraft Cable/Power Cord Included (Custom length available)

Efficiency: Up to 85 LPW

CCT Selectable (Standard): 3000K, 3500K, 4000K

Controls: 1-10V (Standard), Color Tunable white & Dimming control by Wall Switch Phone

App, voice control ZigBee 3 in 1 Emergency Battery back up available Limited Warranty: 5 Years Ships Assembled UL, cUL, FCC Power factor: ≥0.95

Input Voltage: 100-277V universal

Beam Angle: 120°

Operating temperature: -40°F to 122°F



Example: SB-J01M40WSB







SB-J01N

Model Information:

Products series	Wattage	Options	Profile Finishes
SB-J01M SB-J01N	40W = 32" 50W = 40" 60W = 48" 70W =60" 80W =72"	S=Color Selectable 3K/35K/4K 0-10V dim (Standard) 4K factory color set	B=Black Jack (Stock Color)
		T=3K-4K Color Tunable 3-4K by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
		L=Line Triac dimming	W=Gloss White (Stock Color)
			O=Oil Bronze (Stock Color)

3000K-4000K Tunable white & Dimming control by DimTone wall Switch, Phone App and voice control are built in











Accessory


ACCESSORY ITEMS	MODEL NUMBER	DESCRIPTION
SCAN TO DOWNLOAD THE APP	SB-TONE-WSX	Tunable white & dimming DimTone Wall switch by moving 2 sliders on wall switch also available control by phone App and voice, 1 Wall Switch controls Max 700W light fixtures, 120V with no battery required
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

Dimension & Weight:







J01M 14 lbs 13 lbs **15 lbs** 9.84" 9.84" 9.84" 8.66 8.66 8.66 MIN:20" MIN:20" MIN:20" MAX:120" MAX:120" MAX:1207 1.46" 40" 48" 32" 0.49 32" 40" 48" 16 lbs 17 lbs







SB-J01N 13 lbs 14 lbs 15 lbs









16 lbs 17 lbs

