according to Regulation (EC) No. 1907/2006, as amended



## **BEESWAX ABS LMR**

Version Revision Date: SDS Number: Date of last issue: 06.03.2024 2.2 16.07.2024 R00000213827 Date of first issue: 29.05.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : BEESWAX ABS LMR

Sales Number : 00021055 Substance name : Beeswax EC-No. : 232-383-7,

CAS-No. : 8012-89-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Ingredient used in Flavour and/or Fragrance preparations

# 1.3 Details of the supplier of the safety data sheet

Company : IFF LMR Naturals

Parc Industriel Les Bois de Grasse 18-20 avenue Joseph Honoré Isnard

06130 Grasse

Telephone : +33492424344

Telefax : +33493704326

E-mail address of person responsible for the SDS

: sds@iff.com

### 1.4 Emergency telephone number

+33 3 8073 7878

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains isoeugenol (97-54-1) . May produce an allergic reaction.

according to Regulation (EC) No. 1907/2006, as amended



# **BEESWAX ABS LMR**

Version Revision Date: SDS Number: Date of last issue: 06.03.2024 2.2 16.07.2024 R00000213827 Date of first issue: 29.05.2021

#### 2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Substance name : Beeswax
Molecular formula : UVCB
Molecular weight : 172,00 g/mol

### Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
- (L L		. ,	
ethanol	64-17-5	>= 1 - < 10	
	200-578-6		
isoeugenol	97-54-1 202-590-7	< 0,01	specific concentration limit Skin Sens. 1A; H317 >= 0,01 %  Acute toxicity estimate  Acute inhalation toxicity (dust/mist): 1,5 mg/l

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Take Hazard and Precautionary phrases (section 2) into ac-

count.

If inhaled : Remove from exposure site to fresh air and keep at rest. Ob-

tain medical advice.

In case of skin contact : Remove contaminated clothes. Wash thoroughly with water

(and soap). Contact physician if symptoms persist.

according to Regulation (EC) No. 1907/2006, as amended



## **BEESWAX ABS LMR**

Version SDS Number: Date of last issue: 06.03.2024 Revision Date: R00000213827 Date of first issue: 29.05.2021 2.2 16.07.2024

In case of eye contact Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

If swallowed Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Risks No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing

media

Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Water may be ineffective.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information Standard procedure for chemical fires.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-

contained breathing apparatus is recommended in case of a

major spill.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

6.2 Environmental precautions

Environmental precautions Keep away from drains, surface- and groundwater and soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide

according to Regulation (EC) No. 1907/2006, as amended



# **BEESWAX ABS LMR**

Version Revision Date: SDS Number: Date of last issue: 06.03.2024 2.2 16.07.2024 R00000213827 Date of first issue: 29.05.2021

adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling

Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

tne a

Advice on protection against : fire and explosion

Keep away from ignition sources and naked flame.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### 8.2 Exposure controls

### **Engineering measures**

Where appropriate, use closed systems to transfer and process this material. If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

## Personal protective equipment

according to Regulation (EC) No. 1907/2006, as amended



## **BEESWAX ABS LMR**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.03.2024

 2.2
 16.07.2024
 R00000213827
 Date of first issue: 29.05.2021

Eye protection : Use tight-fitting goggles, face shield or safety glasses with

side shields if eye contact might occur. Equipment should conform to EN 166

Hand protection Remarks

Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and break-through time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the oth-

er.

Skin and body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection

: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Protective measures

To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regu-

according to Regulation (EC) No. 1907/2006, as amended



# **BEESWAX ABS LMR**

Version SDS Number: Date of last issue: 06.03.2024 Revision Date: R00000213827 Date of first issue: 29.05.2021 2.2 16.07.2024

larly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

liquid Physical state

Colour orange to brown

Odour conforms to standard

Odour Threshold not determined Melting point not determined Boiling point not determined Flammability not determined Upper explosion limit / Upper : not determined

flammability limit

Lower explosion limit / Lower

flammability limit

100,00 °C Flash point

Method: closed cup

: not determined

Auto-ignition temperature not determined Decomposition temperature not determined рΗ not determined Viscosity, dynamic : not determined : not determined Viscosity, kinematic Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

: not determined

< 0,01 hPa (20 °C) Vapour pressure

Calculated

Relative density 1,0000

not determined Density

#### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006, as amended



## **BEESWAX ABS LMR**

Version Revision Date: SDS Number: Date of last issue: 06.03.2024 2.2 16.07.2024 R00000213827 Date of first issue: 29.05.2021

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact

with water.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

### 10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Not classified due to lack of data.

### **Components:**

Beeswax:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

## Skin corrosion/irritation

Not classified due to lack of data.

### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

## Respiratory sensitisation

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

# Carcinogenicity

Not classified due to lack of data.

#### Reproductive toxicity

Not classified due to lack of data.

## STOT - single exposure

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended



## **BEESWAX ABS LMR**

Version Revision Date: SDS Number: Date of last issue: 06.03.2024 2.2 16.07.2024 R00000213827 Date of first issue: 29.05.2021

#### STOT - repeated exposure

Not classified due to lack of data.

## **Aspiration toxicity**

Not classified due to lack of data.

### 11.2 Information on other hazards

## **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended



## **BEESWAX ABS LMR**

Version SDS Number: Date of last issue: 06.03.2024 Revision Date: R00000213827 Date of first issue: 29.05.2021 2.2 16.07.2024

#### 12.7 Other adverse effects

#### **Product:**

mation

Additional ecological infor- : There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product Dispose of according to local regulations. Avoid disposing into

drainage systems and into the environment.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regu-

lations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75benzyl cinnamate vanillin

benzyl alcohol benzyl salicylate

according to Regulation (EC) No. 1907/2006, as amended



## **BEESWAX ABS LMR**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.03.2024

 2.2
 16.07.2024
 R00000213827
 Date of first issue: 29.05.2021

cinnamyl alcohol coumarin

eugenol

(R)-p-mentha-1,8-diene

isoeugenol n-hexane

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) on substances that deplete the ozone

layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of :

explosives precursors

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

## 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

## **SECTION 16: Other information**

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

according to Regulation (EC) No. 1907/2006, as amended



## **BEESWAX ABS LMR**

Version Revision Date: SDS Number: Date of last issue: 06.03.2024 2.2 16.07.2024 R00000213827 Date of first issue: 29.05.2021

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Other information

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN