

**SAFETY DATA SHEET****500131 ETHYL BUTYRATE FCC**

Revision Date: 05-17-2021

Page 1 of 11

Version # 06

Print Date: 05-17-2021

**1. IDENTIFICATION**

<b>Product Description:</b>	<b>ETHYL BUTYRATE FCC</b>
<b>CAS #</b>	105-54-4
<b>FEMA Number</b>	2427
<b>Other means of identification</b>	
<b>Vigon Item #</b>	500131
<b>Recommended use</b>	Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.
<b>Recommended restrictions</b>	For Manufacturing Use Only

Company

Vigon International, Inc.  
127 Airport Road  
E. Stroudsburg, PA 18301  
For information call: 570-476-6300  
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);  
1-800-535-5053 WITHIN THE U.S.A.  
1-352-323-3500 OUTSIDE THE U.S.A.

**Manufacturer/Importer/Supplier/Distributor information****Manufacturer**

<b>Company name</b>	Vigon International, Inc.	
<b>Address</b>	127 Airport Road E. Stroudsburg, PA 18301 United States	
<b>Telephone</b>	For information call:	570-476-6300
<b>Website</b>	www.vigon.com	
<b>E-mail</b>	regulatory@vigon.com	
<b>Emergency phone number</b>	INFOTRAC	(ACCT# 78928);
	1-800-535-5053	WITHIN THE U.S.A.
	1-352-323-3500	OUTSIDE THE U.S.A.

**2. HAZARD(S) IDENTIFICATION**

<b>Physical hazards</b>	Flammable liquids	Category 3
<b>Health hazards</b>	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
<b>Environmental hazards</b>	Not classified.	

**Label elements**



## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 2 of 11

Version # 06

Print Date: 05-17-2021

#### Signal word

Warning

#### Hazard statement

H226	Flammable liquid and vapor.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H315 + H320	Causes skin and eye irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

#### Precautionary statement

##### Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

##### Response

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use appropriate media to extinguish.

##### Storage

P235	Keep cool.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

##### Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

#### Hazard(s) not otherwise classified (HNOC)

None known.

#### Supplemental information

100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance consists of component(s) of unknown long-term hazards to the aquatic environment.

## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 3 of 11

Version # 06

Print Date: 05-17-2021

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

Chemical name	Common name and synonyms	CAS number	%
ETHYL BUTYRATE	BUTYRIC ETHER ETHYL BUTANOATE ETHYL N-BUTYRATE N-ETHYL BUTYRATE	105-54-4	100

### 4. FIRST-AID MEASURES

<b>Inhalation</b>	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
<b>Eye contact</b>	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
<b>Ingestion</b>	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
<b>Most important symptoms/effects, acute and delayed</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.
<b>Indication of immediate medical attention and special treatment needed</b>	Not available.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. FIRE-FIGHTING MEASURES

<b>Suitable extinguishing media</b>	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
<b>Unsuitable extinguishing media</b>	Do not use a solid water stream as it may scatter and spread fire.
<b>Specific hazards arising from the chemical</b>	Fire may produce irritating, corrosive and/or toxic gases.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
<b>Fire fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
<b>Specific methods</b>	Use water spray to cool unopened containers.
<b>General fire hazards</b>	Static charges generated by emptying package in or near flammable vapor may cause flash fire.



## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 4 of 11

Version # 06

Print Date: 05-17-2021

---

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

**Methods and materials for containment and cleaning up**

Collect and dispose of spillage as indicated in section 13 of the SDS.

Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions**

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

---

#### 7. HANDLING AND STORAGE

**Precautions for safe handling**

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

---

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational exposure limits**

This substance has no PEL, TLV, or other recommended exposure limit.

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection**

Chemical resistant gloves.

**Other**

Wear suitable protective clothing.

## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 5 of 11

Version # 06

Print Date: 05-17-2021

<b>Respiratory protection</b>	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Refer to Spec Sheet
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Refer to Spec Sheet
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	-149.44 °F (-100.8 °C)
<b>Initial boiling point and boiling range</b>	248 - 249.8 °F (120 - 121 °C)
<b>Flash point</b>	75.0 °F (23.9 °C) Closed Cup
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	10 mm Hg at 59 °F
<b>Vapor density</b>	4
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Insoluble
<b>Partition coefficient (n-octanol/water)</b>	1.73
<b>Auto-ignition temperature</b>	865 °F (462.78 °C)
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Density</b>	0.88 g/cm <sup>3</sup> estimated at 20 °C
<b>Dynamic viscosity</b>	0.71 mPa.s (59 °F (15 °C))

## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 6 of 11

Version # 06

Print Date: 05-17-2021

<b>Explosive properties</b>	Not explosive.
<b>Flammability class</b>	Flammable IC estimated
<b>Kinematic viscosity</b>	0.809 mm <sup>2</sup> /s estimated
<b>Molecular formula</b>	C6-H12-O2
<b>Molecular weight</b>	116.16 g/mol
<b>Oxidizing properties</b>	Not oxidizing.
<b>Specific gravity</b>	0.87 at 20 °C
<b>Surface tension</b>	24.5 mN/m (68 °F (20 °C))

#### 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products if stored and handled as indicated.

#### 11. TOXICOLOGICAL INFORMATION

##### Information on likely routes of exposure

<b>Inhalation</b>	May cause irritation to the respiratory system.
<b>Skin contact</b>	May be harmful in contact with skin. Causes skin irritation.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.

##### Information on toxicological effects

**Acute toxicity** In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. May be harmful in contact with skin.

Product	Species	Test Results
ETHYL BUTYRATE (CAS 105-54-4)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<b>Skin corrosion/irritation</b>	Causes skin irritation. Skin - rabbit - Moderate skin irritation - 24 h	
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.	

## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 7 of 11

Version # 06

Print Date: 05-17-2021

#### Respiratory or skin sensitization

**Respiratory sensitization** Due to partial or complete lack of data the classification is not possible.

**Skin sensitization** Due to partial or complete lack of data the classification is not possible.

**Germ cell mutagenicity** Due to partial or complete lack of data the classification is not possible.

**Carcinogenicity** Due to partial or complete lack of data the classification is not possible.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** Due to partial or complete lack of data the classification is not possible.

**Specific target organ toxicity - single exposure** May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure** Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species	Test Results
ETHYL BUTYRATE (CAS 105-54-4)		
<b>Aquatic</b>		
Crustacea	LC50	Water flea (Daphnia magna) 755 mg/l, 24 hours
Fish	LC0	Carp (Leuciscus idus melanotus) 35 mg/kg, 48 hours
	LC50	Carp (Leuciscus idus melanotus) 53 mg/l, 48 hours

**Persistence and degradability** No data is available on the degradability of this substance.

#### Bioaccumulative potential

##### Partition coefficient n-octanol / water (log Kow)

1.73

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 8 of 11

Version # 06

Print Date: 05-17-2021

<b>Hazardous waste code</b>	Not established.
<b>Waste from residues / unused products</b>	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### 14. TRANSPORT INFORMATION

##### ADN

UN number	1180
UN proper shipping name	ETHYL BUTYRATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	No
Labels required	3

##### ADR

UN number	1180
UN proper shipping name	ETHYL BUTYRATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	No
Labels required	3

##### RID

UN number	1180
UN proper shipping name	ETHYL BUTYRATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing Group	III
Environmental Hazards	No
Labels required	3
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

##### DOT

##### BULK

UN number	1180
Proper shipping name	ETHYL BUTYRATE
Hazard class	3
Packing group	III
Environmental hazards	
Marine pollutant	No
Packaging exceptions	150
Packaging bulk	242
Labels required	3



**SAFETY DATA SHEET****500131 ETHYL BUTYRATE FCC**

Revision Date: 05-17-2021

Page 9 of 11

Version # 06

Print Date: 05-17-2021

**DOT****NON-BULK**

UN number	1180
Proper shipping name	ETHYL BUTYRATE
Hazard class	3
Packing group	III
Environmental hazards	
Marine pollutant	No
Packaging exceptions	150
Packaging non bulk	203
Labels required	3

**IATA**

UN number	1180
UN proper shipping name	ETHYL BUTYRATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	No
Labels required	3

**IMDG**

UN number	1180
UN proper shipping name	ETHYL BUTYRATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	No
Labels required	3
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

ADN; ADR; DOT BULK; DOT NON-BULK; IATA; IMDG; RID

**15. REGULATORY INFORMATION****US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.



## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 10 of 11

Version # 06

Print Date: 05-17-2021

#### Toxic Substances Control Act (TSCA)

##### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

##### SARA 302 Extremely hazardous substance

Not listed.

##### SARA 311/312 Hazardous chemical

Yes

##### Classified hazard categories

Flammable (gases, aerosols, liquids, or solids)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)  
Hazard not otherwise classified (HNOC)

##### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

##### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

##### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

##### Safe Drinking Water Act (SDWA)

Not regulated.

---

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	10-02-2013
Revision date	05-17-2021
Version #	06
HMIS® ratings	Health: 2 Flammability: 3 Physical hazard: 0



## SAFETY DATA SHEET

### 500131 ETHYL BUTYRATE FCC

Revision Date: 05-17-2021

Page 11 of 11

Version # 06

Print Date: 05-17-2021

#### Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

#### Revision information

This document has undergone significant changes and should be reviewed in its entirety.